

ANTI-DEPRESSANTS

MEDICATION(S) SUBJECT TO STEP THERAPY

TRINTELLIX

CRITERIA

Two of the following drugs need to be used first (step 1 drugs): bupropion, citalopram, desvenlafaxine succinate er, duloxetine, escitalopram, fluoxetine, fluvoxamine, paroxetine, sertraline, venlafaxine.

BRIVARACETAM (BRIVIACT)

MEDICATION(S) SUBJECT TO STEP THERAPY

BRIVARACETAM 100 MG TAB, BRIVARACETAM 10 MG/ML SOLUTION, BRIVARACETAM 10 MG TAB, BRIVARACETAM 25 MG TAB, BRIVARACETAM 50 MG TAB, BRIVARACETAM 75 MG TAB

CRITERIA

The following drug need to be used first (step 1 drugs): levetiracetam.

OVERACTIVE BLADDER AGENTS

MEDICATION(S) SUBJECT TO STEP THERAPY

TOLTERODINE TARTRATE, TOLTERODINE TARTRATE ER

CRITERIA

One of the following drugs need to be used first (step 1 drugs): oxybutynin, trospium, solifenacin

RUFINAMIDE (BANZEL)

MEDICATION(S) SUBJECT TO STEP THERAPY

RUFINAMIDE 200 MG TAB, RUFINAMIDE 400 MG TAB, RUFINAMIDE 40 MG/ML
SUSPENSION

CRITERIA

Two of the following drugs need to be used first (step 1 drugs): clonazepam, divalproex sodium, felbamate, lamotrigine, topiramate.