ANTI-DEPRESSANTS

MEDICATION(S) SUBJECT TO STEP THERAPY

TRINTELLIX, VIIBRYD STARTER PACK, VILAZODONE HCL

CRITERIA

Two of the following drugs need to be used first (step 1 drugs): bupropion, citalopram, desvenlafaxine succinate er, duloxetine, escitalopram, fluoxetine, fluoxamine, paroxetine, sertraline, venlafaxine.

PAGE 1 EFFECTIVE 12/2022

AZILSARTAN MEDOXOMIL (EDARBI)

MEDICATION(S) SUBJECT TO STEP THERAPY

EDARBI, EDARBYCLOR

CRITERIA

One of the following drugs need to be used first (step 1 drugs): losartan, losartan/hctz, irbesartan, irbesartan/hctz, valsartan, or valsartan/hctz.

PAGE 2 EFFECTIVE 12/2022

BIMATOPROST EYE DROPS (BIMATOPROST)

MEDICATION(S) SUBJECT TO STEP THERAPY BIMATOPROST

CRITERIA

The following drug needs to be used first (step 1 drug): latanoprost eye drops.

PAGE 3 EFFECTIVE 12/2022

BRIVARACETAM (BRIVIACT)

MEDICATION(S) SUBJECT TO STEP THERAPY

BRIVIACT 10 MG TAB, BRIVIACT 10 MG/ML SOLUTION, BRIVIACT 100 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB

CRITERIA

The following drug need to be used first (step 1 drugs): levetiracetam.

PAGE 4 EFFECTIVE 12/2022

CARVEDILOL EXTENDED RELEASE (COREG CR)

MEDICATION(S) SUBJECT TO STEP THERAPY

CARVEDILOL PHOSPHATE ER

CRITERIA

The following drug needs to be used first (step 1 drugs): carvedilol immediate release.

PAGE 5 EFFECTIVE 12/2022

DEXLANSOPRAZOLE (DEXILANT)

MEDICATION(S) SUBJECT TO STEP THERAPY

DEXILANT, DEXLANSOPRAZOLE

CRITERIA

One of the following drugs need to be used first (step 1 drugs): lansoprazole, omeprazole, pantoprazole, rabeprazole.

PAGE 6 EFFECTIVE 12/2022

DONEPEZIL 23MG (ARICEPT)

MEDICATION(S) SUBJECT TO STEP THERAPY

DONEPEZIL HCL 23 MG TAB

CRITERIA

One of the following drugs need to be used first (step 1 drugs): donepezil 5mg, donepezil 10mg.

PAGE 7 EFFECTIVE 12/2022

FEBUXOSTAT (ULORIC)

MEDICATION(S) SUBJECT TO STEP THERAPY

FEBUXOSTAT

CRITERIA

The following drug needs to be used first (step 1 drugs): allopurinol.

PAGE 8 EFFECTIVE 12/2022

FLUNISOLIDE NASAL SPRAY (FLUNISOLIDE)

MEDICATION(S) SUBJECT TO STEP THERAPY

FLUNISOLIDE

CRITERIA

Following drug needs to be used first (step 1 drug): fluticasone propionate nasal spray.

PAGE 9 EFFECTIVE 12/2022

FLUVOXAMINE EXTENDED RELEASE

MEDICATION(S) SUBJECT TO STEP THERAPY

FLUVOXAMINE MALEATE ER

CRITERIA

The following drug needs to be used first (step 1 drugs): fluvoxamine immediate release.

PAGE 10 EFFECTIVE 12/2022

LAMOTRIGINE EXTENDED RELEASE (LAMICTAL XR)

MEDICATION(S) SUBJECT TO STEP THERAPY

LAMOTRIGINE ER

CRITERIA

The following drug needs to be used first (step 1 drugs): lamotrigine immediate release.

PAGE 11 EFFECTIVE 12/2022

NON-PREFERRED MEDIUM POTENCY TOPICAL STEROIDS

MEDICATION(S) SUBJECT TO STEP THERAPY

HYDROCORTISONE BUTYRATE 0.1 % OINTMENT, HYDROCORTISONE BUTYRATE 0.1 % SOLUTION, HYDROCORTISONE VALERATE 0.2 % CREAM

CRITERIA

Trial of two preferred topical steroids from the medium potency group (step 1 drugs): betamethasone valerate (cream, ointment, lotion), mometasone (cream, ointment, solution), prednicarbate (ointment), fluocinolone (cream, ointment), fluticasone (cream, ointment), triamcinolone (cream, lotion, ointment).

PAGE 12 EFFECTIVE 12/2022

OVERACTIVE BLADDER AGENTS

MEDICATION(S) SUBJECT TO STEP THERAPY

TOLTERODINE TARTRATE, TOLTERODINE TARTRATE ER

CRITERIA

One of the following drugs need to be used first (step 1 drugs): oxybutynin, trospium, solifenacin

PAGE 13 EFFECTIVE 12/2022

RISEDRONATE SODIUM (ACTONEL)

MEDICATION(S) SUBJECT TO STEP THERAPY

RISEDRONATE SODIUM 30 MG TAB

CRITERIA

Treatment or prevention of postmenopausal osteoporosis: the following drugs need to be used first (step 1 drugs): alendronate and ibandronate OR just ibandronate.

All other indications: the following drug needs to be used first (step 1 drugs): alendronate.

PAGE 14 EFFECTIVE 12/2022

RUFINAMIDE (BANZEL)

MEDICATION(S) SUBJECT TO STEP THERAPY

RUFINAMIDE

CRITERIA

Two of the following drugs need to be used first (step 1 drugs): clonazepam, divalproex sodium, felbamate, lamotrigine, topiramate, valproic acid.

PAGE 15 EFFECTIVE 12/2022

TACROLIMUS OINTMENT (PROTOPIC OINTMENT)

MEDICATION(S) SUBJECT TO STEP THERAPY

TACROLIMUS 0.03 % OINTMENT, TACROLIMUS 0.1 % OINTMENT

CRITERIA

One of the following topical steroids need to be used first (step 1 drugs): betamethasone dipropionate (cream, ointment, lotion), betamethasone augmented (gel, lotion, cream, ointment), betamethasone valerate (cream, ointment, lotion), clobetasol (cream, ointment, gel, solution), clobetasol emollient cream, fluocinolone (cream, ointment), fluocinonide (gel, ointment, solution), fluocinonide emollient cream, fluticasone (cream, ointment), halobetasol (cream, ointment), hydrocortisone valerate (cream, ointment), mometasone (cream, ointment, solution), prednicarbate (ointment), triamcinolone (cream, lotion, ointment).

PAGE 16 EFFECTIVE 12/2022