

## ANTI-DEPRESSANTS

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

TRINTELLIX, VILAZODONE HCL

### **CRITERIA**

Two of the following drugs need to be used first (step 1 drugs): bupropion, citalopram, desvenlafaxine succinate er, duloxetine, escitalopram, fluoxetine, fluvoxamine, paroxetine, sertraline, venlafaxine.

## **BIMATOPROST EYE DROPS (BIMATOPROST)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

BIMATOPROST

### **CRITERIA**

The following drug needs to be used first (step 1 drug): latanoprost eye drops.

## **BRIVARACETAM (BRIVIACT)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

BRIVIACT 10 MG TAB, BRIVIACT 10 MG/ML SOLUTION, BRIVIACT 100 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB

### **CRITERIA**

The following drug need to be used first (step 1 drugs): levetiracetam.

## **CARVEDILOL EXTENDED RELEASE (COREG CR)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

CARVEDILOL PHOSPHATE ER

### **CRITERIA**

The following drug needs to be used first (step 1 drugs): carvedilol immediate release.

## **DESLOMATADINE ODT (CLARINEX)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DESLOMATADINE 2.5 MG TAB DISP, DESLOMATADINE 5 MG TAB DISP

### **CRITERIA**

The following drug needs to be used first (step 1 drugs): desloratadine 5mg (non-dissolving) tablet.

## **DONEPEZIL 23MG (ARICEPT)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DONEPEZIL HCL 23 MG TAB

### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): donepezil 5mg, donepezil 10mg.

## **FEBUXOSTAT (ULORIC)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

FEBUXOSTAT

### **CRITERIA**

The following drug needs to be used first (step 1 drugs): allopurinol.

## **FLUVOXAMINE EXTENDED RELEASE**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

FLUVOXAMINE MALEATE ER

### **CRITERIA**

The following drug needs to be used first (step 1 drugs): fluvoxamine immediate release.



## **LAMOTRIGINE EXTENDED RELEASE (LAMICTAL XR)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

LAMOTRIGINE ER

### **CRITERIA**

The following drug needs to be used first (step 1 drugs): lamotrigine immediate release.

## **NON-PREFERRED IMMEDIATE-RELEASE ADHD DRUGS**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

AMPHETAMINE SULFATE

### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs):

amphetamine/dexamphetamine (generic ADDERALL), dexamethylphenidate (generic FOCALIN), methylphenidate (generic METHYLIN), methylphenidate (generic RITALIN).

## **NON-PREFERRED MEDIUM POTENCY TOPICAL STEROIDS**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DESOXIMETASONE 0.05 % GEL, DESOXIMETASONE 0.05 % OINTMENT, HYDROCORTISONE BUTYRATE 0.1 % CREAM

### **CRITERIA**

Trial of two preferred topical steroids from the medium potency group (step 1 drugs): betamethasone valerate (cream, ointment, lotion), mometasone (cream, ointment, solution), fluocinolone (cream, ointment), fluticasone (cream, ointment), triamcinolone (cream, lotion, ointment).

## **NON-PREFERRED MESALAMINE PRODUCT**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

MESALAMINE 400 MG CAP DR, MESALAMINE 800 MG TAB DR, MESALAMINE ER 500 MG CAP ER

### **CRITERIA**

The following drugs need to be used first (step 1 drugs): balsalazide 750 capsule AND either mesalamine dr 1.2-gram tablet or mesalamine 0.375 gram er capsule.

## **NON-PREFERRED TOPICAL ANTI-ANTIFUNGAL**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

LULICONAZOLE, NAFTIFINE HCL 1 % CREAM, NAFTIFINE HCL 2 % CREAM, OXICONAZOLE NITRATE

### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): ciclopirox (cream, gel, suspension, shampoo), clotrimazole (cream, solution), clotrimazole/betamethasone (cream, lotion), econazole nitrate cream, ketoconazole (cream, shampoo)

## OVERACTIVE BLADDER AGENTS

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DARIFENACIN HYDROBROMIDE ER, TOLTERODINE TARTRATE, TOLTERODINE TARTRATE ER

### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): oxybutynin, trospium, solifenacin

## **RUFINAMIDE (BANZEL)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

RUFINAMIDE

### **CRITERIA**

Two of the following drugs need to be used first (step 1 drugs): clonazepam, divalproex sodium, felbamate, lamotrigine, topiramate.

## **TAFLUPROST EYE DROPS ( ZIOPTAN)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

TAFLUPROST (PF)

### **CRITERIA**

The following drug needs to be used first (step 1 drug): latanoprost eye drops



## **TRIAMTERENE (DYRENIUM)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

TRIAMTERENE

### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): amiloride, amiloride hctz, spironolactone, spironolactone hctz, or triamterene/hctz.