# ADAPALENE-BENZOYL PEROXIDE (EPIDUO, EPIDUO FORTE)

# MEDICATION(S) SUBJECT TO STEP THERAPY

ADAPALENE-BENZOYL PEROXIDE 0.1-2.5 % GEL, ADAPALENE-BENZOYL PEROXIDE 0.3-2.5 % GEL

#### **CRITERIA**

One of the following topical drugs need to be used first (step 1 drugs): adapalene or benzoyl peroxide-containing product.

TRINTELLIX, VIIBRYD STARTER PACK, VILAZODONE HCL

#### **CRITERIA**

Two of the following drugs need to be used first (step 1 drugs): bupropion, citalopram, desvenlafaxine succinate er, duloxetine, escitalopram, fluoxetine, fluvoxamine, paroxetine, sertraline, venlafaxine.

BIMATOPROST

## CRITERIA

The following drug needs to be used first (step 1 drug): latanoprost eye drops.

BRIVIACT 10 MG TAB, BRIVIACT 10 MG/ML SOLUTION, BRIVIACT 100 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB

### CRITERIA

The following drug need to be used first (step 1 drugs): levetiracetam.

CARVEDILOL PHOSPHATE ER

#### **CRITERIA**

The following drug needs to be used first (step 1 drugs): carvedilol immediate release.

# CLINDAMYCIN/BENZOYL PEROXIDE GEL WITH PUMP

# MEDICATION(S) SUBJECT TO STEP THERAPY

CLINDAMYCIN PHOS-BENZOYL PEROX 1.2-2.5 % GEL

#### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): clindamycin 1%/benzoyl peroxide 5% (generic BENZACLIN), clindamycin 1.2%/benzoyl peroxide 5% (generic DUAC).

# CLINDAMYCIN/TRETINOIN GEL (VELTIN)

# MEDICATION(S) SUBJECT TO STEP THERAPY

CLINDAMYCIN-TRETINOIN

### CRITERIA

Both of the following drugs need to be used first (step 1 drugs): topical clindamycin, topical tretinoin.

DESLORATADINE 2.5 MG TAB DISP, DESLORATADINE 5 MG TAB DISP

#### CRITERIA

The following drug needs to be used first (step 1 drugs): desloratadine 5mg (non-dissolving) tablet.

DEXLANSOPRAZOLE

#### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): lansoprazole, omeprazole, pantoprazole, rabeprazole.

DONEPEZIL HCL 23 MG TAB

#### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): donepezil 5mg, donepezil 10mg.

FEBUXOSTAT

## CRITERIA

The following drug needs to be used first (step 1 drugs): allopurinol.

# FLUVOXAMINE EXTENDED RELEASE

#### MEDICATION(S) SUBJECT TO STEP THERAPY

FLUVOXAMINE MALEATE ER

#### **CRITERIA**

The following drug needs to be used first (step 1 drugs): fluvoxamine immediate release.

# **KETOCONAZOLE FOAM (EXTINA)**

### MEDICATION(S) SUBJECT TO STEP THERAPY

KETOCONAZOLE 2 % FOAM, KETODAN 2 % FOAM

#### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): ketoconazole 2% cream, ketoconazole 2% shampoo.

# LAMOTRIGINE EXTENDED RELEASE (LAMICTAL XR)

### MEDICATION(S) SUBJECT TO STEP THERAPY

LAMOTRIGINE ER

#### **CRITERIA**

The following drug needs to be used first (step 1 drugs): lamotrigine immediate release.

MOMETASONE FUROATE 50 MCG/ACT SUSPENSION

#### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): flunisolide nasal spray, fluticasone nasal spray.

# NON-PREFERRED HIGH POTENCY TOPICAL STEROIDS

#### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DESOXIMETASONE 0.25 % LIQUID, FLUOCINONIDE 0.1 % CREAM

#### **CRITERIA**

Trial of two preferred topical steroids from the high potency group (step 1 drugs): betamethasone dipropionate (cream, ointment, lotion), fluocinonide (cream, gel, ointment, solution), fluocinonide emollient cream, triamcinolone 0.5% (cream, ointment).

# NON-PREFERRED IMMEDIATE-RELEASE ADHD DRUGS

#### MEDICATION(S) SUBJECT TO STEP THERAPY

AMPHETAMINE SULFATE

#### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): amphetamine/dexamphetamine (generic ADDERALL), dexmethylphenidate (generic FOCALIN), methylphenidate (generic METHYLIN), methylphenidate (generic RITALIN).

# NON-PREFERRED MEDIUM POTENCY TOPICAL STEROIDS

# **MEDICATION(S) SUBJECT TO STEP THERAPY**

DESOXIMETASONE 0.05 % GEL, DESOXIMETASONE 0.05 % OINTMENT, HYDROCORTISONE BUTYRATE 0.1 % CREAM, HYDROCORTISONE BUTYRATE 0.1 % OINTMENT, HYDROCORTISONE BUTYRATE 0.1 % SOLUTION, HYDROCORTISONE VALERATE 0.2 % CREAM

### CRITERIA

Trial of two preferred topical steroids from the medium potency group (step 1 drugs): betamethasone valerate (cream, ointment, lotion), mometasone (cream, ointment, solution), fluocinolone (cream, ointment), fluticasone (cream, ointment), triamcinolone (cream, lotion, ointment).

# NON-PREFERRED MESALAMINE PRODUCT

#### **MEDICATION(S) SUBJECT TO STEP THERAPY**

MESALAMINE 400 MG CAP DR, MESALAMINE 800 MG TAB DR, MESALAMINE ER 500 MG CAP ER

#### **CRITERIA**

The following drugs need to be used first (step 1 drugs): balsalazide 750 capsule AND either mesalamine dr 1.2-gram tablet or mesalamine 0.375 gram er capsule.

# NON-PREFERRED TOPICAL ANTI-ANTIFUNGAL

#### MEDICATION(S) SUBJECT TO STEP THERAPY

LULICONAZOLE, NAFTIFINE HCL 1 % CREAM, NAFTIFINE HCL 2 % CREAM, OXICONAZOLE NITRATE

#### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): ciclopirox (cream, gel, suspension, shampoo), clotrimazole (cream, solution), clotrimazole/betamethasone (cream, lotion), econazole nitrate cream, ketoconazole (cream, shampoo), nystatin (cream, ointment, powder, tablet), nystatin-triamcinolone (cream, ointment).

DARIFENACIN HYDROBROMIDE ER, TOLTERODINE TARTRATE, TOLTERODINE TARTRATE ER

### CRITERIA

One of the following drugs need to be used first (step 1 drugs): oxybutynin, trospium, solifenacin

RUFINAMIDE

# CRITERIA

Two of the following drugs need to be used first (step 1 drugs): clonazepam, divalproex sodium, felbamate, lamotrigine, topiramate.

# TAFLUPROST EYE DROPS (ZIOPTAN)

### MEDICATION(S) SUBJECT TO STEP THERAPY

TAFLUPROST (PF)

#### **CRITERIA**

The following drug needs to be used first (step 1 drug): latanoprost eye drops

TRIAMTERENE

#### **CRITERIA**

One of the following drugs need to be used first (step 1 drugs): amiloride, amiloride hctz, spironolactone, spironolactone hctz, or triamterene/hctz.