



Blue Shield 65 Plus Choice Plan (HMO)

# 2024 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE  
DRUGS WE COVER IN THIS PLAN**

Formulary ID 24333, Version **20**

This formulary was updated on **06/20/2024**. For more recent information or other questions, please contact Blue Shield 65 Plus Choice Plan Customer Service, at **(800) 776-4466** or, for TTY users, **711**, 8 a.m. to 8 p.m., seven days a week, or visit [blueshieldca.com/medformulary2024](https://blueshieldca.com/medformulary2024).

Blue Shield of California is an independent member of the Blue Shield Association.

A53843-1023 ( 06/24 )

MULTIPLAN\_23\_376A1\_C 08152023

**06/20/2024**

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Blue Shield of California. When it refers to “plan” or “our plan,” it means Blue Shield 65 Plus Choice Plan.

This document includes a list of the drugs (formulary) for our plan which is current as of **06/20/2024**. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025 and from time to time during the year.

## **What is the Blue Shield 65 Plus Choice Plan Formulary?**

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but our plan may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Blue Shield 65 Plus Choice Plan’s Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary; or add new restrictions to the brand-name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Blue Shield 65 Plus Choice Plan's Formulary?"

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of **06/20/2024** . To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If we make any other negative formulary changes during the year, the changes will be posted on our website at [blueshieldca.com/medformulary2024](https://blueshieldca.com/medformulary2024).

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents". If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

## **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 108. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Our plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides 18 tablets per 30-day prescription for *sumatriptan* (generic for IMITREX). This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Plan's formulary?" on page iv for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Blue Shield 65 Plus Choice Plan's Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Our transition policy applies to members who are stabilized on:

- Part D drugs not on the plan formulary, or
- Part D drugs previously covered by exception upon expiration of the exception, or
- Part D drugs on the plan formulary with a prior authorization, step therapy or a quantity limit requirement, or
- Part D drugs as listed above, where a distinction cannot be made at point of service whether it is a new or ongoing prescription drug

And are members in any of the following scenarios:

- new members following the annual coordinated election period,
- newly eligible members transitioning from other coverage at the beginning of a contract year,
- transitioning individuals who switch from one Blue Shield plan to another after the beginning of a contract year,
- members residing in long-term care (LTC) facilities, or
- in some cases, current members affected by formulary changes from one plan year to the next.

Members continuing coverage into a new plan year and experiencing negative formulary changes will have coverage continued for selected drugs in the new plan year, as determined by our plan and in accordance with the Centers for Medicare and Medicaid Services (CMS) guidance for Part D drugs. Plan members on drugs that were not selected for automatic continued coverage will be provided a transition process consistent with the transition process required for new members beginning in the new plan year. The transition policy will be extended across plan years if a member enrolls in a plan with an effective enrollment date of either November 1 or December 1 and needs access to a transition supply.

During the transitional stage, members may talk to their prescribers to decide whether they should switch to a different drug that we cover or request a formulary exception in order to get coverage for the drug, if it is not on our formulary or has restrictions such as step therapy or prior authorization. Members may contact our plan Customer Service for assistance in initiating a prior authorization or exception request. Prior authorization or exception request forms are available on our website, and are also provided upon request to members and prescribers, via mail, email or fax.

Per our transition policy, in conjunction with network pharmacies, a temporary supply of non-formulary Part D drugs or formulary drugs with coverage restrictions will be provided in order to prevent interruptions in continuing therapy. This temporary supply also provides sufficient time for members to work with their prescribers to switch to a therapeutically equivalent formulary medication, or to complete a formulary exception request based on medical necessity. Requests for prior authorization of formulary drugs are reviewed against the CMS approved coverage criteria and formulary exception requests are reviewed for medical necessity by Blue Shield pharmacy technicians, pharmacists and/or physicians. If a formulary exception request is denied, we will provide the prescriber a list of appropriate therapeutic alternatives. A letter will also be sent to you providing instructions on how to appeal the decision.

The transitional supply is a one-time, 30-day temporary supply (unless the prescription is written for fewer days in which case we will cover multiple fills to provide up to a total of 30 days of medication) of the non-formulary drug at a retail pharmacy during the first 90 days of new membership beginning on your effective date of coverage in our plan. Refills may be provided for transition prescriptions dispensed for less than the written amount, due to a plan quantity limit edit for safety or drug utilization edits that are based on approved product labeling, and for up to a total of a 30-day supply. If you are affected by a negative formulary change from one year to the next, we will provide up to a 30-day temporary supply of the non-formulary drug, if you need a refill for the drug during the first 90 days of the new plan year.

Retail and LTC pharmacies have the ability to provide a point-of-sale override for coverage of a transition supply of a drug that is non-formulary, requires prior authorization or step therapy unless the drug is subject to review for Part B vs. Part D determination, limits to prevent coverage of non-Part D drugs or limits that promote safe utilization of a Part D drug. We will cover a 30-day supply (unless the prescription is written for fewer days in which case we will cover multiple fills to provide up to a total of 30 days of medication). The cost-sharing

for low-income subsidy (LIS) eligible members for a temporary supply of drugs provided under the transition process will not exceed the statutory maximum co-payment amounts for LIS eligible members. For all other members (non-LIS members), we will apply the same cost-sharing for non-formulary Part D drugs provided during the transition that would apply for non-formulary drugs approved through a formulary exception and the same cost-sharing for formulary drugs subject to utilization management edits provided during the transition that would apply once the utilization management criteria are met. Members will not be required to pay additional cost-sharing associated with multiple fills of lesser quantities of Part D drugs based upon quantity limits for safety once the originally prescribed doses of Part D drugs have been determined to be medically necessary after an exception process has been completed.

After we cover the temporary 30-day supply, we generally will not pay for these drugs as part of our transition policy again. We will send written notice within 3 business days of the transitional fill after we cover the temporary supply. This notice will contain an explanation of the temporary nature of the transition supply received, instructions for working with us and the prescriber to identify appropriate therapeutic alternatives that are on our formulary, an explanation of your right to request a formulary exception, and a description of the procedures for requesting a formulary exception. If a transition supply has been provided once and you are currently in the process of receiving a coverage determination, the transition supply may be extended by one additional 30-day prescription fill beyond the initial 30-day supply, unless you present with a prescription written for less than 30 days. The extension of the transition period is on a case-by-case basis, to the extent that your exception request or appeal has not been processed by the end of the minimum day transition period and until such time as a transition has been made (either through a switch to an appropriate formulary drug or a decision on an exception request).

If you are a resident of a long-term-care facility (like a nursing home), we will cover supplies of Part D drugs in increments of 14 days or less for a temporary 31-day transition supply unless the prescription is written for fewer days during the first 90 days you are enrolled in our Plan, beginning on your effective date of coverage.

Please note that our transition policy applies only to those drugs that are "Part D drugs" and bought at a network pharmacy. The transition policy can't be used to buy a non-Part D drug or a drug out of network, unless you qualify for out-of-network access.



## For more information

For more detailed information about your plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800- MEDICARE (1-800-633-4227)** 24 hours a day/7 days a week. TTY users should call **1-877-486-2048**. Or, visit <http://www.medicare.gov>.

## Plan Formulary

The formulary below provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 108 .

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., ELIQUIS) and generic drugs are listed in lower-case italics (e.g., *amoxicillin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

Copayments/Coinsurance in the Initial Coverage Stage for members of Blue Shield 65 Plus Choice Plan in Riverside and San Bernardino Counties:

| TIER                              | SUPPLY  | COST SHARE    |
|-----------------------------------|---|---------------|
| <b>1: Preferred Generic Drugs</b> | Preferred retail cost-sharing (in-network) (30-day supply)  | \$0 Copay     |
|                                   | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 100-day supply) | \$0 Copay     |
|                                   | Standard retail cost-sharing (in-network) (30-day supply)   | \$5 Copay     |
|                                   | Standard retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 100-day supply)  | \$5 Copay     |
| <b>2: Generic Drugs</b>           | Preferred retail cost-sharing (in-network) (30-day supply)  | \$3 Copay     |
|                                   | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply)  | \$4.50 Copay  |
|                                   | Standard retail cost-sharing (in-network) (30-day supply)   | \$10 Copay    |
|                                   | Standard retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply)   | \$30 Copay    |
| <b>3: Preferred Brand Drugs</b>   | Preferred retail cost-sharing (in-network) (30-day supply)  | \$35 Copay    |
|                                   | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply)  | \$87.50 Copay |
|                                   | Standard retail cost-sharing (in-network) (30-day supply)   | \$47 Copay    |
|                                   | Standard retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply)   | \$141 Copay   |

| TIER                          | SUPPLY   | COST SHARE     |
|-------------------------------|--|----------------|
| <b>3: Covered Insulins</b>    | Preferred retail cost-sharing (in-network) (30-day supply)   | \$25 Copay     |
|                               | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply) | \$75 Copay     |
|                               | Standard retail cost-sharing (in-network) (30-day supply)  | \$35 Copay     |
|                               | Standard retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply)  | \$105 Copay    |
| <b>4: Non-Preferred Drugs</b> | Preferred retail cost-sharing (in-network) (30-day supply)   | \$95 Copay     |
|                               | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply) | \$237.50 Copay |
|                               | Standard retail cost-sharing (in-network) (30-day supply)  | \$100 Copay    |
|                               | Standard retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply)  | \$300 Copay    |
| <b>4: Covered Insulins</b>    | Preferred retail cost-sharing (in-network) (30-day supply)   | \$35 Copay     |
|                               | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply) | \$105 Copay    |
|                               | Standard retail cost-sharing (in-network) (30-day supply)  | \$35 Copay     |
|                               | Standard retail cost-sharing (in-network) or the plan's mail service cost-sharing (up to 90-day supply)  | \$105 Copay    |

| TIER                           | SUPPLY   | COST SHARE   |
|--------------------------------|--|--|
| <b>5: Specialty Tier Drugs</b> | Preferred retail cost-sharing (in-network), standard retail cost-sharing (in-network) (30-day supply)  | 33% coinsurance  |
|                                | Preferred retail cost-sharing (in-network), standard retail cost-sharing (in-network), or the plan's mail service cost-sharing (up to 90-day supply) | A long-term supply is not available for drugs in Tier 5. |

- Cost-sharing for drugs obtained from out-of-network pharmacies (30-day supply) is the same as the in-network standard retail cost-sharing (30-day supply).
- Cost-sharing for drugs on Tiers 1 through 5 obtained from network long-term care pharmacies (31- day supply) is the same as the in-network standard retail cost-sharing (30-day supply).

LEGEND

| TIER | NAME                    |  |
|------|-------------------------|--|
| 1    | Preferred Generic Drugs |  |
| 2    | Generic Drugs           |  |
| 3    | Preferred Brand Drugs   |  |
| 3    | Covered Insulins        |  |
| 4    | Non-Preferred Drugs     |  |
| 4    | Covered Insulins        |  |
| 5    | Specialty Tier Drugs    |  |

  

| SYMBOL | NAME                    | DESCRIPTION  |
|--------|-------------------------|--|
| LA     | Limited Access          | This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call our Customer Service.   |
| PA     | Prior Authorization     | Coverage for this prescription requires prior authorization from Blue Shield. Call Blue Shield to provide the necessary information to determine coverage. Some drugs may require Part B or Part D coverage determination, based on Medicare coverage rules. These drugs are noted with "PA – Part B vs. D Determination"  |
| QL     | Quantity Limit          | This medication has a dosing or prescription quantity limit. Maximum daily dose limits are defined by the FDA and listed in the drug package insert. Other quantity limits encourage consolidated dosing when possible.  |
| ST     | Step Therapy            | Coverage for this prescription is provided when other first-line or preferred drug therapies have been tried (step therapy).   |
| NDS    | Non-Extended Day Supply | Medication is NOT available for long-term supply.  |
| ED     | Excluded Part D Drug    | This prescription drug is not normally covered in a Medicare Prescription Drug Plan; however, Blue Shield covers this drug as a supplemental benefit. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help from Medicare or Social Security to pay for your prescriptions, you will not get any extra help to pay for this drug. |

| SYMBOL | NAME            | DESCRIPTION  |
|--------|-----------------|--|
| INS    | Covered Insulin | You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on. |
| VAC    | \$0 Vaccine     | Our plan covers most Part D vaccines at no cost to you. Call Customer Service for more information.  |

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS               |
|---|-----------|-----------------------------------|
| <b>ANALGESICS</b>   |           |                                   |
| <b>NONSTEROIDAL ANTI-INFLAMMATORY DRUGS</b>   |           |                                   |
| <i>butalbital-aspirin-caffeine 50-325-40 mg cap</i>                                   | TIER 3    | PA, QL (48 PER 30 OVER TIME), NDS |
| BUTALBITAL-ASPIRIN-CAFFEINE 50-325-40 MG TAB  | TIER 2    | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>cataflam 50 mg tab</i>   | TIER 2    |                                   |
| <i>celecoxib (50 mg cap, 100 mg cap, 200 mg cap)</i>                                  | TIER 2    | QL (2 PER 1 DAYS)                 |
| <i>celecoxib 400 mg cap</i>   | TIER 2    | QL (1 PER 1 DAYS)                 |
| <i>diclofenac potassium 50 mg tab</i>   | TIER 2    |                                   |
| <i>diclofenac sodium (25 mg tab dr, 50 mg tab dr, 75 mg tab dr)</i>                   | TIER 2    |                                   |
| <i>diclofenac sodium 1 % gel</i>  | TIER 3    |                                   |
| <i>diclofenac sodium er 100 mg tab er 24h</i>   | TIER 2    |                                   |
| <i>diflunisal 500 mg tab</i>  | TIER 2    |                                   |
| <i>ec-naproxen (375 mg tab dr, 500 mg tab dr)</i>                                     | TIER 2    |                                   |
| <i>etodolac (200 mg cap, 300 mg cap, 400 mg tab, 500 mg tab)</i>                      | TIER 2    |                                   |
| <i>etodolac er (er 400 mg tab er 24h, er 500 mg tab er 24h, er 600 mg tab er 24h)</i> | TIER 2    |                                   |
| <i>flurbiprofen (50 mg tab, 100 mg tab)</i>   | TIER 2    |                                   |
| <i>ibu (400 mg tab, 600 mg tab, 800 mg tab)</i>                                       | TIER 1    |                                   |
| <i>ibuprofen (400 mg tab, 600 mg tab, 800 mg tab)</i>                                 | TIER 1    |                                   |
| <i>indomethacin (25 mg cap, 50 mg cap)</i>  | TIER 2    |                                   |
| <i>indomethacin er 75 mg cap er</i>   | TIER 3    |                                   |
| <i>meloxicam (7.5 mg tab, 15 mg tab)</i>  | TIER 1    |                                   |
| <i>nabumetone (500 mg tab, 750 mg tab)</i>  | TIER 2    |                                   |
| <i>naproxen (250 mg tab, 375 mg tab, 500 mg tab)</i>                                  | TIER 1    |                                   |
| <i>naproxen (375 mg tab dr, 500 mg tab dr)</i>  | TIER 2    |                                   |
| <i>naproxen dr 500 mg tab dr</i>  | TIER 2    |                                   |
| <i>oxaprozin 600 mg tab</i>   | TIER 4    |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                         | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>piroxicam (10 mg cap, 20 mg cap)</i>  | TIER 2           |                            |
| <i>relafen (500 mg tab, 750 mg tab)</i>  | TIER 2           |                            |
| <i>sulindac (150 mg tab, 200 mg tab)</i> | TIER 2           |                            |

## **OPIOID ANALGESICS, LONG-ACTING**

|   |        |                                    |
|---|--------|------------------------------------|
| <i>buprenorphine (5 mcg/hr patch wk, 7.5 mcg/hr patch wk, 10 mcg/hr patch wk, 15 mcg/hr patch wk, 20 mcg/hr patch wk)</i>       | TIER 4 | PA, QL (4 PER 28 OVER TIME), NDS   |
| <i>fentanyl (12 mcg/hr patch 72hr, 25 mcg/hr patch 72hr, 50 mcg/hr patch 72hr, 75 mcg/hr patch 72hr, 100 mcg/hr patch 72hr)</i> | TIER 3 | PA, QL (10 PER 30 OVER TIME), NDS  |
| <i>methadone hcl 10 mg tab</i>  | TIER 4 | PA, QL (90 PER 30 OVER TIME), NDS  |
| <i>methadone hcl 10 mg/5ml solution</i>   | TIER 4 | PA, QL (450 PER 30 OVER TIME), NDS |
| <i>methadone hcl 10 mg/ml solution</i>  | TIER 4 | PA, NDS                            |
| <i>methadone hcl 5 mg tab</i>   | TIER 4 | PA, QL (180 PER 30 OVER TIME), NDS |
| <i>methadone hcl 5 mg/5ml solution</i>  | TIER 4 | PA, QL (900 PER 30 OVER TIME), NDS |
| <i>morphine sulfate er (er 60 mg tab er, er 100 mg tab er, er 200 mg tab er)</i>  | TIER 3 | QL (60 PER 30 OVER TIME), NDS      |
| <i>morphine sulfate er 15 mg tab er</i>   | TIER 3 | QL (180 PER 30 OVER TIME), NDS     |
| <i>morphine sulfate er 30 mg tab er</i>   | TIER 3 | QL (90 PER 30 OVER TIME), NDS      |
| <i>tramadol hcl er (er 100 mg tab er 24h, er 200 mg tab er 24h, er 300 mg tab er 24h)</i>                                       | TIER 4 | PA, QL (1 PER 1 DAYS), NDS         |

## **OPIOID ANALGESICS, SHORT-ACTING**

|   |        |                                   |
|---|--------|-----------------------------------|
| <i>acetaminophen-codeine (300-15 mg tab, 300-30 mg tab)</i> | TIER 2 | QL (12 PER 1 DAYS), NDS           |
| <i>acetaminophen-codeine 120-12 mg/5ml solution</i>         | TIER 2 | QL (1800 PER 30 OVER TIME), NDS   |
| <i>acetaminophen-codeine 300-60 mg tab</i>                  | TIER 2 | QL (6 PER 1 DAYS), NDS            |
| <i>ascomp-codeine 50-325-40-30 mg cap</i>                   | TIER 4 | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>butalbital-apap-caff-cod 50-325-40-30 mg cap</i>         | TIER 2 | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>butalbital-asa-caff-codeine 50-325-40-30 mg cap</i>      | TIER 4 | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>butorphanol tartrate 10 mg/ml solution</i>               | TIER 3 | QL (15 PER 28 OVER TIME), NDS     |
| CODEINE SULFATE 15 MG TAB                                   | TIER 3 | QL (336 PER 30 OVER TIME), NDS    |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>         |
|--|------------------|------------------------------------|
| <i>codeine sulfate 30 mg tab</i>   | TIER 3           | QL (168 PER 30 OVER TIME), NDS     |
| CODEINE SULFATE 60 MG TAB  | TIER 3           | QL (84 PER 30 OVER TIME), NDS      |
| <i>endocet (2.5-325 mg tab, 5-325 mg tab)</i>  | TIER 2           | QL (168 PER 30 OVER TIME), NDS     |
| <i>endocet 10-325 mg tab</i>   | TIER 2           | QL (84 PER 30 OVER TIME), NDS      |
| <i>endocet 7.5-325 mg tab</i>  | TIER 2           | QL (112 PER 30 OVER TIME), NDS     |
| <i>fentanyl citrate (400 mcg loz handle, 600 mcg loz handle, 800 mcg loz handle, 1200 mcg loz handle, 1600 mcg loz handle)</i> | TIER 5           | PA, QL (120 PER 30 OVER TIME), NDS |
| <i>fentanyl citrate 200 mcg loz handle</i>   | TIER 4           | PA, QL (120 PER 30 OVER TIME), NDS |
| <i>hydrocodone-acetaminophen (2.5-108 mg/5ml solution, 5-217 mg/10ml solution, 7.5-325 mg/15ml solution)</i>                   | TIER 3           | QL (2520 PER 30 OVER TIME), NDS    |
| <i>hydrocodone-acetaminophen (7.5-325 mg tab, 10-325 mg tab)</i>   | TIER 2           | QL (6 PER 1 DAYS), NDS             |
| <i>hydrocodone-acetaminophen 5-325 mg tab</i>  | TIER 2           | QL (8 PER 1 DAYS), NDS             |
| <i>hydrocodone-ibuprofen (5-200 mg tab, 7.5-200 mg tab, 10-200 mg tab)</i>   | TIER 4           | QL (5 PER 1 DAYS), NDS             |
| <i>hydromorphone hcl 1 mg/ml liquid</i>  | TIER 3           | QL (675 PER 30 OVER TIME), NDS     |
| <i>hydromorphone hcl 2 mg tab</i>  | TIER 2           | QL (154 PER 30 OVER TIME), NDS     |
| <i>hydromorphone hcl 4 mg tab</i>  | TIER 2           | QL (84 PER 30 OVER TIME), NDS      |
| <i>hydromorphone hcl 8 mg tab</i>  | TIER 2           | QL (42 PER 30 OVER TIME), NDS      |
| <i>lorcet 5-325 mg tab</i>   | TIER 2           | QL (8 PER 1 DAYS), NDS             |
| <i>lorcet hd 10-325 mg tab</i>   | TIER 2           | QL (6 PER 1 DAYS), NDS             |
| <i>lorcet plus 7.5-325 mg tab</i>  | TIER 2           | QL (6 PER 1 DAYS), NDS             |
| <i>morphine sulfate (15 mg tab, 30 mg tab)</i>   | TIER 2           | QL (120 PER 30 OVER TIME), NDS     |
| <i>morphine sulfate (concentrate) ((concentrate) 20 mg/ml solution, (concentrate) 100 mg/5ml solution)</i>                     | TIER 2           | QL (70 PER 30 OVER TIME), NDS      |
| <i>morphine sulfate 10 mg/5ml solution</i>   | TIER 2           | QL (630 PER 30 OVER TIME), NDS     |
| <i>morphine sulfate 20 mg/5ml solution</i>   | TIER 2           | QL (315 PER 30 OVER TIME), NDS     |
| <i>oxycodone hcl (15 mg tab, 30 mg tab)</i>  | TIER 2           | QL (56 PER 30 OVER TIME), NDS      |
| <i>oxycodone hcl 10 mg tab</i>   | TIER 2           | QL (84 PER 30 OVER TIME), NDS      |
| <i>oxycodone hcl 100 mg/5ml conc</i>   | TIER 4           | QL (120 PER 30 OVER TIME), NDS     |
| <i>oxycodone hcl 20 mg tab</i>   | TIER 2           | QL (120 PER 30 OVER TIME), NDS     |
| <i>oxycodone hcl 5 mg tab</i>  | TIER 2           | QL (168 PER 30 OVER TIME), NDS     |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|---|------------------|--------------------------------|
| <i>oxycodone hcl 5 mg/5ml solution</i>                        | TIER 3           | QL (840 PER 30 OVER TIME), NDS |
| <i>oxycodone-acetaminophen (2.5-325 mg tab, 5-325 mg tab)</i> | TIER 2           | QL (168 PER 30 OVER TIME), NDS |
| <i>oxycodone-acetaminophen 10-325 mg tab</i>                  | TIER 2           | QL (84 PER 30 OVER TIME), NDS  |
| OXYCODONE-ACETAMINOPHEN 5-325 MG/5ML SOLUTION                 | TIER 3           | QL (840 PER 30 OVER TIME), NDS |
| <i>oxycodone-acetaminophen 7.5-325 mg tab</i>                 | TIER 2           | QL (112 PER 30 OVER TIME), NDS |
| OXYCODONE-ASPIRIN 4.8355-325 MG TAB                           | TIER 3           | QL (168 PER 30 OVER TIME), NDS |
| <i>tramadol hcl 50 mg tab</i>                                 | TIER 2           | QL (8 PER 1 DAYS), NDS         |
| <i>tramadol-acetaminophen 37.5-325 mg tab</i>                 | TIER 2           | QL (112 PER 30 OVER TIME), NDS |

## **ANESTHETICS**

### **LOCAL ANESTHETICS**

|   |        |                          |
|---|--------|--------------------------|
| <i>lidocaine 5 % ointment</i>               | TIER 4 | QL (50 PER 30 OVER TIME) |
| <i>lidocaine 5 % patch</i>                  | TIER 3 | PA, QL (3 PER 1 DAYS)    |
| <i>lidocaine hcl 4 % solution</i>           | TIER 2 |                          |
| <i>lidocaine viscous hcl 2 % solution</i>   | TIER 2 |                          |
| <i>lidocaine-prilocaine 2.5-2.5 % cream</i> | TIER 3 | QL (30 PER 30 OVER TIME) |
| <i>lidocan 5 % patch</i>                    | TIER 3 | PA, QL (3 PER 1 DAYS)    |
| NAYZILAM 5 MG/0.1ML SOLUTION                | TIER 5 | QL (10 PER 30 OVER TIME) |
| <i>premium lidocaine 5 % ointment</i>       | TIER 4 | QL (50 PER 30 OVER TIME) |

## **ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS**

### **ALCOHOL DETERRENTS/ANTI-CRAVING**

|  |        |  |
|--|--------|--|
| <i>acamprosate calcium 333 mg tab dr</i>   | TIER 2 |  |
| <i>disulfiram (250 mg tab, 500 mg tab)</i> | TIER 2 |  |

### **OPIOID DEPENDENCE**

|  |        |                    |
|--|--------|--------------------|
| <i>buprenorphine hcl 2 mg sl tab</i>   | TIER 2 | QL (12 PER 1 DAYS) |
| <i>buprenorphine hcl 8 mg sl tab</i>   | TIER 2 | QL (3 PER 1 DAYS)  |
| <i>buprenorphine hcl-naloxone hcl (-naloxone 2-0.5 mg film, -naloxone 4-1 mg film)</i> | TIER 2 | QL (5 PER 1 DAYS)  |
| <i>buprenorphine hcl-naloxone hcl (-naloxone 8-2 mg film, -naloxone 8-2 mg sl tab)</i> | TIER 2 | QL (3 PER 1 DAYS)  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>buprenorphine hcl-naloxone hcl 12-3 mg film</i>                  | TIER 2           | QL (2 PER 1 DAYS)          |
| <i>buprenorphine hcl-naloxone hcl 2-0.5 mg sl tab</i>               | TIER 2           | QL (12 PER 1 DAYS)         |
| ZUBSOLV (0.7-0.18 MG SL TAB, 1.4-0.36 MG SL TAB, 5.7-1.4 MG SL TAB) | TIER 4           | QL (3 PER 1 DAYS)          |
| ZUBSOLV (2.9-0.71 MG SL TAB, 11.4-2.9 MG SL TAB)                    | TIER 4           | QL (1 PER 1 DAYS)          |
| ZUBSOLV 8.6-2.1 MG SL TAB   | TIER 4           | QL (2 PER 1 DAYS)          |

## OPIOID REVERSAL AGENTS

|  |        |                         |
|--|--------|-------------------------|
| <i>naloxone hcl (0.4 mg/ml soln cart, 0.4 mg/ml solution, 2 mg/2ml soln prsyr, 4 mg/10ml solution)</i> | TIER 2 |                         |
| <i>naloxone hcl 4 mg/0.1ml liquid</i>  | TIER 2 | QL (2 PER 30 OVER TIME) |
| <i>naltrexone hcl 50 mg tab</i>  | TIER 2 |                         |

## SMOKING CESSATION AGENTS

|  |        |                          |
|--|--------|--------------------------|
| <i>bupropion hcl er (smoking det) 150 mg tab er 12h</i>                    | TIER 2 | QL (2 PER 1 DAYS)        |
| NICOTROL 10 MG INHALER   | TIER 4 |                          |
| NICOTROL NS 10 MG/ML SOLUTION  | TIER 3 |                          |
| <i>varenicline tartrate (0.5 mg tab, 1 mg tab)</i>                         | TIER 3 | QL (2 PER 1 DAYS)        |
| <i>varenicline tartrate (starter) 0.5 mg x 11 &amp; 1 mg x 42 tab thpk</i> | TIER 3 | QL (53 PER 30 OVER TIME) |
| <i>varenicline tartrate(continue) 1 mg tab</i>                             | TIER 3 | QL (2 PER 1 DAYS)        |

## ANTIBACTERIALS

### AMINOGLYCOSIDES

|   |        |                                |
|---|--------|--------------------------------|
| <i>amikacin sulfate 500 mg/2ml solution</i>   | TIER 4 |                                |
| GENTAMICIN IN SALINE (0.8-0.9 MG/ML-% SOLUTION, 1-0.9 MG/ML-% SOLUTION, 1.2-0.9 MG/ML-% SOLUTION, 1.6-0.9 MG/ML-% SOLUTION) | TIER 4 | PA - PART B VS D DETERMINATION |
| <i>gentamicin sulfate (0.1 % cream, 0.1 % ointment)</i>   | TIER 2 |                                |
| <i>gentamicin sulfate 40 mg/ml solution</i>   | TIER 4 |                                |
| <i>neomycin sulfate 500 mg tab</i>  | TIER 2 |                                |
| <i>paromomycin sulfate 250 mg cap</i>   | TIER 3 |                                |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| STREPTOMYCIN SULFATE 1 GM RECON SOLN  | TIER 4           |                            |
| <i>tobramycin sulfate (1.2 gm recon soln, 1.2 gm/30ml solution, 2 gm/50ml solution, 10 mg/ml solution, 80 mg/2ml solution)</i>          | TIER 4           |                            |
| <b>ANTIBACTERIALS, OTHER</b>  |                  |                            |
| <i>acetic acid 2 % solution</i>   | TIER 2           |                            |
| <i>aztreonam (1 gm recon soln, 2 gm recon soln)</i>   | TIER 4           |                            |
| CHLORAMPHENICOL SOD SUCCINATE 1 GM RECON SOLN   | TIER 4           |                            |
| CLEOCIN PHOSPHATE (300 MG/2ML SOLUTION, 600 MG/4ML SOLUTION)  | TIER 4           |                            |
| <i>clindacin etz 1 % swab</i>   | TIER 2           |                            |
| <i>clindacin-p 1 % swab</i>   | TIER 2           |                            |
| <i>clindamycin hcl (75 mg cap, 150 mg cap, 300 mg cap)</i>  | TIER 2           |                            |
| <i>clindamycin palmitate hcl 75 mg/5ml recon soln</i>   | TIER 3           |                            |
| <i>clindamycin phosphate (1 % swab, 2 % cream)</i>  | TIER 2           |                            |
| <i>clindamycin phosphate (9 gm/60ml solution, 300 mg/2ml solution, 600 mg/4ml solution, 900 mg/6ml solution, 9000 mg/60ml solution)</i> | TIER 4           |                            |
| <i>clindamycin phosphate in d5w ( 300 mg/50ml solution, 600 mg/50ml solution, 900 mg/50ml solution)</i>                                 | TIER 4           |                            |
| CLINDAMYCIN PHOSPHATE IN NACL ( 300-0.9 MG/50ML-% SOLUTION, 600-0.9 MG/50ML-% SOLUTION, 900-0.9 MG/50ML-% SOLUTION)                     | TIER 4           |                            |
| <i>colistimethate sodium (cba) 150 mg recon soln</i>  | TIER 4           |                            |
| <i>daptomycin (350 mg recon soln, 500 mg recon soln)</i>  | TIER 5           |                            |
| <i>lincomycin hcl 300 mg/ml solution</i>  | TIER 4           |                            |
| <i>linezolid 100 mg/5ml recon susp</i>  | TIER 5           | PA                         |
| <i>linezolid 600 mg tab</i>   | TIER 4           | PA                         |
| <i>linezolid 600 mg/300ml solution</i>  | TIER 4           |                            |
| LINEZOLID IN SODIUM CHLORIDE 600-0.9 MG/300ML-% SOLUTION  | TIER 5           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>  |
|--|------------------|-----------------------------|
| <i>methenamine hippurate 1 gm tab</i>  | TIER 3           |                             |
| <i>metronidazole (0.75 % cream, 0.75 % lotion)</i>   | TIER 3           |                             |
| <i>metronidazole (0.75 % gel, 250 mg tab, 500 mg tab)</i>  | TIER 2           |                             |
| <i>metronidazole (1 % gel, 500 mg/100ml solution)</i>  | TIER 4           |                             |
| <i>nitrofurantoin macrocrystal (25 mg cap, 50 mg cap, 100 mg cap)</i>  | TIER 2           |                             |
| <i>nitrofurantoin monohyd macro 100 mg cap</i>   | TIER 2           |                             |
| <i>polymyxin b sulfate 500000 unit recon soln</i>  | TIER 4           |                             |
| <i>rosadan 0.75 % cream</i>  | TIER 3           |                             |
| <i>rosadan 0.75 % gel</i>  | TIER 2           |                             |
| SYNERCID 150-350 MG RECON SOLN   | TIER 5           |                             |
| <i>tigecycline 50 mg recon soln</i>  | TIER 5           |                             |
| <i>tinidazole (250 mg tab, 500 mg tab)</i>   | TIER 2           |                             |
| <i>trimethoprim 100 mg tab</i>   | TIER 2           |                             |
| <i>vancomycin hcl (1 gm recon soln, 1.25 gm recon soln, 1.5 gm recon soln, 10 gm recon soln, 100 gm recon soln, 125 mg cap, 250 mg cap, 250 mg recon soln, 500 mg recon soln, 750 mg recon soln)</i> | TIER 4           |                             |
| VANDAZOLE 0.75 % GEL   | TIER 3           |                             |
| XIFAXAN 200 MG TAB   | TIER 4           | PA, QL (9 PER 30 OVER TIME) |
| XIFAXAN 550 MG TAB   | TIER 5           | PA, QL (3 PER 1 DAYS)       |

## **BETA-LACTAM, CEPHALOSPORINS**

|  |        |  |
|--|--------|--|
| CEFACLOR (125 MG/5ML RECON SUSP, 250 MG CAP, 250 MG/5ML RECON SUSP, 375 MG/5ML RECON SUSP, 500 MG CAP)   | TIER 2 |  |
| <i>cefadroxil (1 gm tab, 500 mg cap)</i>   | TIER 2 |  |
| <i>cefadroxil (250 mg/5ml recon susp, 500 mg/5ml recon susp)</i>   | TIER 3 |  |
| <i>cefazolin sodium (1 gm recon soln, 2 gm recon soln, 3 gm recon soln, 10 gm recon soln, 100 gm recon soln, 300 gm recon soln, 500 mg recon soln)</i> | TIER 4 |  |
| <i>cefdinir (125 mg/5ml recon susp, 250 mg/5ml recon susp, 300 mg cap)</i>   | TIER 2 |  |
| CEFEPIME HCL (1 GM RECON SOLN, 1 GM/50ML SOLUTION, 2 GM RECON SOLN, 2 GM/100ML SOLUTION)   | TIER 4 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>cefixime (100 mg/5ml recon susp, 200 mg/5ml recon susp, 400 mg cap)</i>   | TIER 4           |                            |
| CEFOTAXIME SODIUM (1 GM RECON SOLN, 2 GM RECON SOLN)   | TIER 4           |                            |
| <i>cefotetan disodium (1 gm recon soln, 2 gm recon soln)</i>   | TIER 4           |                            |
| <i>cefoxitin sodium (1 gm recon soln, 2 gm recon soln, 10 gm recon soln)</i>   | TIER 4           |                            |
| <i>cefpodoxime proxetil (50 mg/5ml recon susp, 100 mg tab, 100 mg/5ml recon susp, 200 mg tab)</i>                    | TIER 2           |                            |
| <i>cefprozil (125 mg/5ml recon susp, 250 mg tab, 250 mg/5ml recon susp, 500 mg tab)</i>                              | TIER 2           |                            |
| <i>ceftazidime (1 gm recon soln, 2 gm recon soln, 6 gm recon soln)</i>   | TIER 4           |                            |
| <i>ceftriaxone sodium (1 gm recon soln, 2 gm recon soln, 10 gm recon soln, 250 mg recon soln, 500 mg recon soln)</i> | TIER 4           |                            |
| <i>cefuroxime axetil (250 mg tab, 500 mg tab)</i>  | TIER 2           |                            |
| <i>cefuroxime sodium (1.5 gm recon soln, 750 mg recon soln)</i>  | TIER 4           |                            |
| CEPHALEXIN (125 MG/5ML RECON SUSP, 250 MG CAP, 250 MG TAB, 250 MG/5ML RECON SUSP, 500 MG CAP, 500 MG TAB)            | TIER 2           |                            |
| SUPRAX (100 MG CHEW TAB, 200 MG CHEW TAB, 500 MG/5ML RECON SUSP)   | TIER 4           |                            |
| TAZICEF (1 GM RECON SOLN, 2 GM RECON SOLN, 6 GM RECON SOLN)  | TIER 4           |                            |
| TEFLARO (400 MG RECON SOLN, 600 MG RECON SOLN)   | TIER 5           |                            |

## **BETA-LACTAM, PENICILLINS**

|   |        |  |
|---|--------|--|
| <i>amoxicillin (125 mg chew tab, 125 mg/5ml recon susp, 200 mg/5ml recon susp, 250 mg cap, 250 mg chew tab, 250 mg/5ml recon susp, 400 mg/5ml recon susp, 500 mg cap, 500 mg tab, 875 mg tab)</i>   | TIER 2 |  |
| <i>amoxicillin-pot clavulanate (200-28.5 mg chew tab, 200-28.5 mg/5ml recon susp, 250-125 mg tab, 250-62.5 mg/5ml recon susp, 400-57 mg chew tab, 400-57 mg/5ml recon susp, 500-125 mg tab, 600-42.9 mg/5ml recon susp, 875-125 mg tab)</i> | TIER 2 |  |
| AMOXICILLIN-POT CLAVULANATE ER 1000-62.5 MG TAB ER 12H  | TIER 4 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>ampicillin 500 mg cap</i>   | TIER 2           |                            |
| <i>ampicillin sodium (1 gm recon soln, 2 gm recon soln, 10 gm recon soln, 125 mg recon soln, 250 mg recon soln, 500 mg recon soln)</i>   | TIER 4           |                            |
| <i>ampicillin-sulbactam sodium (1.5 (1-0.5) gm recon soln, 3 (2-1) gm recon soln, 15 (10-5) gm recon soln)</i>   | TIER 4           |                            |
| BICILLIN C-R 1200000 UNIT/2ML SUSPENSION   | TIER 4           |                            |
| BICILLIN C-R 900/300 900000-300000 UNIT/2ML SUSPENSION   | TIER 4           |                            |
| BICILLIN L-A (600000 UNIT/ML SUSP PRSYR, 1200000 UNIT/2ML SUSP PRSYR, 2400000 UNIT/4ML SUSP PRSYR)   | TIER 4           |                            |
| <i>dicloxacillin sodium (250 mg cap, 500 mg cap)</i>   | TIER 2           |                            |
| <i>nafcillin sodium (1 gm recon soln, 2 gm recon soln)</i>   | TIER 4           |                            |
| <i>nafcillin sodium 10 gm recon soln</i>   | TIER 5           |                            |
| <i>penicillin g potassium (5000000 recon soln, 20000000 recon soln)</i>  | TIER 4           |                            |
| PENICILLIN G SODIUM 5000000 UNIT RECON SOLN  | TIER 4           |                            |
| <i>penicillin v potassium (125 mg/5ml recon soln, 250 mg tab, 250 mg/5ml recon soln, 500 mg tab)</i>   | TIER 2           |                            |
| PFIZERPEN (5000000 RECON SOLN, 20000000 RECON SOLN)  | TIER 4           |                            |
| <i>piperacillin sod-tazobactam so (d-tazobactam 2.25 (2-0.25) gm recon ln, d-tazobactam 3-0.375 gm recon ln, d-tazobactam 3.375 (3-0.375) gm recon ln, d-tazobactam 4-0.5 gm recon ln, d-tazobactam 4.5 (4-0.5) gm recon ln, d-tazobactam 13.5 (12-1.5) gm recon ln, d-tazobactam 40.5 (36-4.5) gm recon ln)</i> | TIER 4           |                            |

## **CARBAPENEMS**

|   |        |
|---|--------|
| <i>ertapenem sodium 1 gm recon soln</i>                           | TIER 4 |
| <i>imipenem-cilastatin (250 mg recon soln, 500 mg recon soln)</i> | TIER 4 |
| <i>meropenem (1 gm recon soln, 500 mg recon soln)</i>             | TIER 4 |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| MEROPENEM-SODIUM CHLORIDE (1 GM/50ML RECON SOLN, 500 MG/50ML RECON SOLN) | TIER 4    |                     |

## MACROLIDES

|   |        |                               |
|---|--------|-------------------------------|
| <i>azithromycin (1 gm packet, 100 mg/5ml recon susp, 200 mg/5ml recon susp, 250 mg tab, 500 mg tab, 600 mg tab)</i> | TIER 2 |                               |
| <i>azithromycin 500 mg recon soln</i>   | TIER 4 |                               |
| CLARITHROMYCIN (125 MG/5ML RECON SUSP, 250 MG/5ML RECON SUSP)   | TIER 3 |                               |
| <i>clarithromycin (250 mg tab, 500 mg tab)</i>  | TIER 2 |                               |
| <i>clarithromycin er 500 mg tab er 24h</i>  | TIER 3 |                               |
| DIFICID 200 MG TAB  | TIER 5 | PA, QL (20 PER 10 OVER TIME)  |
| DIFICID 40 MG/ML RECON SUSP   | TIER 5 | PA, QL (136 PER 10 OVER TIME) |
| E.E.S. 400 400 MG TAB   | TIER 4 |                               |
| <i>ery-tab (250 mg tab dr, 333 mg tab dr, 500 mg tab dr)</i>  | TIER 4 |                               |
| <i>erythrocin lactobionate 500 mg recon soln</i>  | TIER 4 |                               |
| ERYTHROCIN STEARATE 250 MG TAB  | TIER 4 |                               |
| <i>erythromycin (250 mg tab dr, 333 mg tab dr, 500 mg tab dr)</i>   | TIER 4 |                               |
| <i>erythromycin base (250 mg cp dr part, 250 mg tab, 250 mg tab dr, 333 mg tab dr, 500 mg tab, 500 mg tab dr)</i>   | TIER 4 |                               |
| <i>erythromycin ethylsuccinate (200 mg/5ml recon susp, 400 mg tab, 400 mg/5ml recon susp)</i>                       | TIER 4 |                               |
| <i>erythromycin lactobionate 500 mg recon soln</i>  | TIER 4 |                               |

## QUINOLONES

|  |        |                              |
|--|--------|------------------------------|
| BAXDELA (300 MG RECON SOLN, 450 MG TAB)  | TIER 5 | PA, QL (28 PER 30 OVER TIME) |
| BESIVANCE 0.6 % SUSPENSION   | TIER 3 |                              |
| CILOXAN 0.3 % OINTMENT   | TIER 3 |                              |
| <i>ciprofloxacin (250 mg/5ml (5%) recon susp, 500 mg/5ml (10%) recon susp)</i> | TIER 3 |                              |
| <i>ciprofloxacin hcl (0.3 % solution, 250 mg tab, 500 mg tab, 750 mg tab)</i>  | TIER 2 |                              |
| CIPROFLOXACIN HCL 100 MG TAB   | TIER 4 |                              |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|--|------------------|--------------------------------|
| <i>ciprofloxacin in d5w 200 mg/100ml solution</i>                          | TIER 4           |                                |
| <i>levofloxacin (250 mg tab, 500 mg tab, 750 mg tab)</i>                   | TIER 2           |                                |
| <i>levofloxacin 25 mg/ml solution</i>                                      | TIER 3           |                                |
| LEVOFLOXACIN 25 MG/ML SOLUTION   | TIER 4           |                                |
| <i>levofloxacin in d5w ( 500 mg/100ml solution, 750 mg/150ml solution)</i> | TIER 4           |                                |
| <i>moxifloxacin hcl 400 mg tab</i>   | TIER 3           |                                |
| MOXIFLOXACIN HCL 400 MG/250ML SOLUTION                                     | TIER 4           | PA - PART B VS D DETERMINATION |
| MOXIFLOXACIN HCL IN NAACL 400 MG/250ML SOLUTION                            | TIER 4           | PA - PART B VS D DETERMINATION |
| <i>ofloxacin (300 mg tab, 400 mg tab)</i>                                  | TIER 3           |                                |

## **SULFONAMIDES**

|  |        |  |
|--|--------|--|
| <i>sulfacetamide sodium (acne) 10 % lotion</i>   | TIER 2 |  |
| <i>sulfadiazine 500 mg tab</i>   | TIER 3 |  |
| <i>sulfamethoxazole-trimethoprim (200-40 mg/5ml suspension, 400-80 mg tab, 800-160 mg tab)</i> | TIER 2 |  |
| <i>sulfamethoxazole-trimethoprim 400-80 mg/5ml solution</i>                                    | TIER 4 |  |

## **TETRACYCLINES**

|   |        |  |
|---|--------|--|
| <i>avidoxy 100 mg tab</i>   | TIER 3 |  |
| <i>demeclocycline hcl (150 mg tab, 300 mg tab)</i>                        | TIER 4 |  |
| <i>doxy 100 100 mg recon soln</i>   | TIER 4 |  |
| <i>doxycycline hyclate (20 mg tab, 50 mg cap, 100 mg cap, 100 mg tab)</i> | TIER 2 |  |
| <i>doxycycline hyclate 100 mg recon soln</i>                              | TIER 4 |  |
| <i>doxycycline monohydrate (50 mg cap, 100 mg cap)</i>                    | TIER 2 |  |
| <i>doxycycline monohydrate (50 mg tab, 75 mg tab, 100 mg tab)</i>         | TIER 3 |  |
| <i>minocycline hcl (50 mg cap, 75 mg cap, 100 mg cap)</i>                 | TIER 2 |  |
| <i>minocycline hcl (50 mg tab, 75 mg tab, 100 mg tab)</i>                 | TIER 4 |  |
| <i>mondoxyne nl 100 mg cap</i>  | TIER 2 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>morgidox 100 mg cap</i>                       | TIER 2    |                     |
| <i>tetracycline hcl (250 mg cap, 500 mg cap)</i> | TIER 3    |                     |

## ANTICONVULSANTS

### ANTICONVULSANTS, OTHER

|   |        |  |
|---|--------|--|
| BRIVIACT (10 MG TAB, 25 MG TAB, 50 MG TAB, 75 MG TAB, 100 MG TAB)   | TIER 5 | ST, QL (2 PER 1 DAYS)                            |
| BRIVIACT 10 MG/ML SOLUTION  | TIER 5 | ST, QL (20 PER 1 DAYS)                           |
| DIACOMIT (250 MG CAP, 250 MG PACKET)  | TIER 5 | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY  |
| DIACOMIT (500 MG CAP, 500 MG PACKET)  | TIER 5 | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY  |
| <i>divalproex sodium (125 mg cap dr, 125 mg tab dr, 250 mg tab dr, 500 mg tab dr)</i>   | TIER 2 |  |
| <i>divalproex sodium er (er 250 mg tab er 24h, er 500 mg tab er 24h)</i>  | TIER 2 |  |
| EPIDIOLEX 100 MG/ML SOLUTION  | TIER 5 | LA, PA - FOR NEW STARTS ONLY                     |
| EPRONTIA 25 MG/ML SOLUTION  | TIER 4 | QL (16 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| <i>felbamate (400 mg tab, 600 mg tab, 600 mg/5ml suspension)</i>  | TIER 4 |  |
| FINTEPLA 2.2 MG/ML SOLUTION   | TIER 5 | LA, QL (12 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| FYCOMPA (4 MG TAB, 6 MG TAB, 8 MG TAB, 10 MG TAB, 12 MG TAB)  | TIER 5 | QL (1 PER 1 DAYS)                                |
| FYCOMPA 0.5 MG/ML SUSPENSION  | TIER 4 | QL (24 PER 1 DAYS)                               |
| FYCOMPA 2 MG TAB  | TIER 4 | QL (3 PER 1 DAYS)                                |
| <i>lamotrigine (21 x 25 mg &amp; 7 x 50 mg kit, 25 &amp; 50 &amp; 100 mg kit, 25 mg tab disp, 42 x 50 mg &amp; 14x100 mg kit, 50 mg tab disp, 100 mg tab disp, 200 mg tab disp)</i> | TIER 4 |  |
| <i>lamotrigine (5 mg chew tab, 25 mg chew tab, 25 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i>   | TIER 2 |  |
| <i>lamotrigine er (er 100 mg tab er 24h, er 200 mg tab er 24h)</i>  | TIER 4 | ST, QL (3 PER 1 DAYS)                            |
| <i>lamotrigine er (er 25 mg tab er 24h, er 50 mg tab er 24h)</i>  | TIER 4 | ST, QL (1 PER 1 DAYS)                            |
| <i>lamotrigine er (er 250 mg tab er 24h, er 300 mg tab er 24h)</i>  | TIER 4 | ST   |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                         |
|---|------------------|--|
| <i>levetiracetam (100 mg/ml solution, 250 mg tab, 500 mg tab, 500 mg/5ml solution, 750 mg tab, 1000 mg tab)</i>                   | TIER 2           |  |
| <i>levetiracetam er 500 mg tab er 24h</i>   | TIER 2           | QL (6 PER 1 DAYS)                                  |
| <i>levetiracetam er 750 mg tab er 24h</i>   | TIER 2           | QL (4 PER 1 DAYS)                                  |
| <i>roweepra (500 mg tab, 750 mg tab, 1000 mg tab)</i>   | TIER 2           |  |
| <i>roweepra xr 500 mg tab er 24h</i>  | TIER 2           | QL (6 PER 1 DAYS)                                  |
| <i>roweepra xr 750 mg tab er 24h</i>  | TIER 2           | QL (4 PER 1 DAYS)                                  |
| SPRITAM (250 MG TAB, 500 MG TAB)  | TIER 4           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| SPRITAM 1000 MG TAB   | TIER 4           | QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| SPRITAM 750 MG TAB  | TIER 4           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| <i>subvenite (25 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i>  | TIER 2           |  |
| <i>topiramate (15 mg cap sprink, 25 mg cap sprink, 25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab)</i>                              | TIER 2           |  |
| <i>topiramate er (er 25 mg cp24 sprnk, er 50 mg cp24 sprnk, er 100 mg cp24 sprnk, er 150 mg cp24 sprnk, er 200 mg cp24 sprnk)</i> | TIER 4           | PA - FOR NEW STARTS ONLY                           |
| <i>valproate sodium (100 mg/ml solution, 500 mg/5ml solution)</i>   | TIER 4           |  |
| <i>valproic acid (250 mg cap, 250 mg/5ml solution)</i>  | TIER 2           |  |
| XCOPRI (150 MG TAB, 200 MG TAB)   | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| XCOPRI (25 MG TAB, 50 MG TAB, 100 MG TAB)   | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| XCOPRI (250 MG DAILY DOSE) (MG DOSE) 50 200 MG TAB THPK, (MG DOSE) 100 150 MG TAB THPK)   | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| XCOPRI (350 MG DAILY DOSE) 150 & 200 MG TAB THPK  | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| XCOPRI (COPRI 14 150 MG 14 200 MG TAB THPK, COPRI 14 50 MG 14 100 MG TAB THPK)  | TIER 5           | QL (28 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| XCOPRI 14 X 12.5 MG & 14 X 25 MG TAB THPK   | TIER 4           | QL (28 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| ZTALMY 50 MG/ML SUSPENSION  | TIER 5           | LA, QL (36 PER 1 DAYS), PA - FOR NEW STARTS ONLY   |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                      |
|--|------------------|---|
| <b>CALCIUM CHANNEL MODIFYING AGENTS</b>  |                  |   |
| <i>ethosuximide (250 mg cap, 250 mg/5ml solution)</i>  | TIER 2           |   |
| <i>methsuximide 300 mg cap</i>   | TIER 3           |   |
| <b>GAMMA-AMINO BUTYRIC ACID (GABA) AUGMENTING AGENTS</b>   |                  |   |
| <i>clobazam 10 mg tab</i>  | TIER 4           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| <i>clobazam 2.5 mg/ml suspension</i>   | TIER 4           | QL (16 PER 1 DAYS), PA - FOR NEW STARTS ONLY    |
| <i>clobazam 20 mg tab</i>  | TIER 4           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| <i>diazepam 10 mg gel</i>  | TIER 4           | QL (20 PER 30 OVER TIME)                        |
| DIAZEPAM 2.5 MG GEL  | TIER 4           | QL (5 PER 30 OVER TIME)                         |
| <i>diazepam 20 mg gel</i>  | TIER 4           | QL (40 PER 30 OVER TIME)                        |
| <i>gabapentin (250 mg/5ml solution, 300 mg/6ml solution)</i>   | TIER 2           | QL (72 PER 1 DAYS)                              |
| <i>gabapentin (600 mg tab, 800 mg tab)</i>   | TIER 2           | QL (4 PER 1 DAYS)                               |
| <i>gabapentin 100 mg cap</i>   | TIER 2           | QL (12 PER 1 DAYS)                              |
| <i>gabapentin 300 mg cap</i>   | TIER 2           | QL (8 PER 1 DAYS)                               |
| <i>gabapentin 400 mg cap</i>   | TIER 2           | QL (6 PER 1 DAYS)                               |
| <i>phenobarbital (15 mg tab, 16.2 mg tab, 20 mg/5ml elixir, 20 mg/5ml solution, 30 mg tab, 32.4 mg tab, 60 mg tab, 64.8 mg tab, 97.2 mg tab, 100 mg tab)</i> | TIER 2           | PA - FOR NEW STARTS ONLY                        |
| <i>primidone (50 mg tab, 125 mg tab, 250 mg tab)</i>   | TIER 2           |   |
| SYMPAZAN (5 MG FILM, 10 MG FILM, 20 MG FILM)   | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| <i>tiagabine hcl (2 mg tab, 4 mg tab, 12 mg tab, 16 mg tab)</i>  | TIER 4           |   |
| VALTOCO 10 MG DOSE 10 MG/0.1ML LIQUID  | TIER 5           | QL (10 PER 30 OVER TIME)                        |
| VALTOCO 15 MG DOSE 7.5 MG/0.1ML LIQD THPK  | TIER 5           | QL (10 PER 30 OVER TIME)                        |
| VALTOCO 20 MG DOSE 10 MG/0.1ML LIQD THPK   | TIER 5           | QL (10 PER 30 OVER TIME)                        |
| VALTOCO 5 MG DOSE 5 MG/0.1ML LIQUID  | TIER 5           | QL (10 PER 30 OVER TIME)                        |
| <i>vigabatrin (500 mg packet, 500 mg tab)</i>  | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>               | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                      |
|--------------------------------|------------------|---|
| <i>vigadrone 500 mg packet</i> | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| <i>vigadrone 500 mg tab</i>    | TIER 5           | QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| <i>vigpoder 500 mg packet</i>  | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY |

## **SODIUM CHANNEL AGENTS**

|  |        |                                |
|--|--------|--------------------------------|
| APTIOM (200 MG TAB, 400 MG TAB)  | TIER 5 | QL (1 PER 1 DAYS)              |
| APTIOM (600 MG TAB, 800 MG TAB)  | TIER 5 | QL (2 PER 1 DAYS)              |
| <i>carbamazepine (100 mg chew tab, 100 mg/5ml suspension, 200 mg tab)</i>  | TIER 2 |                                |
| <i>carbamazepine er (er 100 mg cap er 12h, er 100 mg tab er 12h, er 200 mg cap er 12h, er 200 mg tab er 12h, er 300 mg cap er 12h, er 400 mg tab er 12h)</i> | TIER 3 |                                |
| DILANTIN (100 MG CAP, 125 MG/5ML SUSPENSION)   | TIER 4 |                                |
| DILANTIN 30 MG CAP   | TIER 3 |                                |
| DILANTIN INFATABS 50 MG CHEW TAB   | TIER 3 |                                |
| <i>epitol 200 mg tab</i>   | TIER 2 |                                |
| <i>lacosamide (10 mg/ml solution, 50 mg/5ml solution, 100 mg/10ml solution)</i>  | TIER 4 | QL (40 PER 1 DAYS)             |
| <i>lacosamide (50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i>  | TIER 4 | QL (2 PER 1 DAYS)              |
| <i>lacosamide 200 mg/20ml solution</i>   | TIER 4 | PA - PART B VS D DETERMINATION |
| <i>oxcarbazepine (150 mg tab, 300 mg tab, 600 mg tab)</i>  | TIER 2 |                                |
| <i>oxcarbazepine 300 mg/5ml suspension</i>   | TIER 3 |                                |
| PEGANONE 250 MG TAB  | TIER 4 |                                |
| <i>phenytek (200 mg cap, 300 mg cap)</i>   | TIER 2 |                                |
| <i>phenytoin (50 mg chew tab, 100 mg/4ml suspension, 125 mg/5ml suspension)</i>  | TIER 2 |                                |
| <i>phenytoin infatabs 50 mg chew tab</i>   | TIER 2 |                                |
| <i>phenytoin sodium extended (100 mg cap, 200 mg cap, 300 mg cap)</i>  | TIER 2 |                                |
| <i>rufinamide 200 mg tab</i>   | TIER 4 | ST, QL (16 PER 1 DAYS)         |
| <i>rufinamide 40 mg/ml suspension</i>  | TIER 5 | ST, QL (80 PER 1 DAYS)         |
| <i>rufinamide 400 mg tab</i>   | TIER 4 | ST, QL (8 PER 1 DAYS)          |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| ZONISADE 100 MG/5ML SUSPENSION                       | TIER 4    |                     |
| <i>zonisamide (25 mg cap, 50 mg cap, 100 mg cap)</i> | TIER 2    |                     |

## ANTIDEMENTIA AGENTS

### ANTIDEMENTIA AGENTS, OTHER

|  |        |                          |
|--|--------|--------------------------|
| ERGOLOID MESYLATES 1 MG TAB  | TIER 3 |                          |
| NAMZARIC (7-10 MG CAP ER 24H, 14-10 MG CAP ER 24H, 21-10 MG CAP ER 24H, 28-10 MG CAP ER 24H) | TIER 4 | QL (1 PER 1 DAYS)        |
| NAMZARIC 7 & 14 & 21 & 28 -10 MG CP24 THPK   | TIER 4 | QL (28 PER 28 OVER TIME) |

### CHOLINESTERASE INHIBITORS

|   |        |                          |
|---|--------|--------------------------|
| <i>donepezil hcl (5 mg tab, 10 mg tab)</i>  | TIER 1 |                          |
| <i>donepezil hcl 23 mg tab</i>  | TIER 3 | ST                       |
| <i>donepezil hydrochloride orally disintegrating tab 10 mg</i>                                    | TIER 2 |                          |
| <i>donepezil hydrochloride orally disintegrating tab 5 mg</i>                                     | TIER 2 |                          |
| <i>galantamine hydrobromide (4 mg tab, 8 mg tab, 12 mg tab)</i>                                   | TIER 2 |                          |
| GALANTAMINE HYDROBROMIDE 4 MG/ML SOLUTION   | TIER 3 |                          |
| <i>galantamine hydrobromide er (er 8 mg cap er 24h, er 16 mg cap er 24h, er 24 mg cap er 24h)</i> | TIER 3 | QL (1 PER 1 DAYS)        |
| <i>rivastigmine (4.6 mg/24hr patch 24hr, 9.5 mg/24hr patch 24hr, 13.3 mg/24hr patch 24hr)</i>     | TIER 4 | QL (30 PER 30 OVER TIME) |
| <i>rivastigmine tartrate (1.5 mg cap, 3 mg cap, 4.5 mg cap, 6 mg cap)</i>                         | TIER 2 |                          |

### N-METHYL-D-ASPARTATE (NMDA) RECEPTOR ANTAGONIST

|   |        |  |
|---|--------|--|
| <i>memantine hcl (2 mg/ml solution, 10 mg/5ml solution, 28 x 5 mg &amp; 21 x 10 mg tab)</i>                 | TIER 3 |  |
| <i>memantine hcl (5 mg tab, 10 mg tab)</i>  | TIER 2 |  |
| <i>memantine hcl er (er 7 mg cap er 24h, er 14 mg cap er 24h, er 21 mg cap er 24h, er 28 mg cap er 24h)</i> | TIER 3 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

## ANTIDEPRESSANTS

### ANTIDEPRESSANTS, OTHER

|  |        |   |
|--|--------|---|
| AUVELITY 45-105 MG TAB ER  | TIER 5 | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| <i>bupropion hcl 100 mg tab</i>  | TIER 2 | QL (4 PER 1 DAYS)                                   |
| <i>bupropion hcl 75 mg tab</i>   | TIER 2 | QL (6 PER 1 DAYS)                                   |
| <i>bupropion hcl er (smoking det) 150 mg tab er 12h</i>  | TIER 2 | QL (2 PER 1 DAYS)                                   |
| <i>bupropion hcl er (sr) 100 mg tab er 12h</i>   | TIER 2 | QL (4 PER 1 DAYS)                                   |
| <i>bupropion hcl er (sr) 150 mg tab er 12h</i>   | TIER 2 | QL (3 PER 1 DAYS)                                   |
| <i>bupropion hcl er (sr) 200 mg tab er 12h</i>   | TIER 2 | QL (2 PER 1 DAYS)                                   |
| <i>bupropion hcl er (xl) 150 mg tab er 24h</i>   | TIER 2 | QL (3 PER 1 DAYS)                                   |
| <i>bupropion hcl er (xl) 300 mg tab er 24h</i>   | TIER 2 | QL (1 PER 1 DAYS)                                   |
| LYBALVI (5-10 MG TAB, 10-10 MG TAB, 15-10 MG TAB, 20-10 MG TAB)  | TIER 5 | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| MAPROTILINE HCL (25 MG TAB, 50 MG TAB, 75 MG TAB)  | TIER 4 |   |
| <i>mirtazapine (7.5 mg tab, 15 mg tab, 15 mg tab disp, 30 mg tab, 30 mg tab disp, 45 mg tab, 45 mg tab disp)</i> | TIER 2 |   |
| PERPHENAZINE-AMITRIPTYLINE (2-10 MG TAB, 2-25 MG TAB, 4-10 MG TAB, 4-25 MG TAB, 4-50 MG TAB)                     | TIER 3 | PA - FOR NEW STARTS ONLY                            |
| ZURZUVAE (20 MG CAP, 25 MG CAP)  | TIER 5 | QL (28 PER 365 OVER TIME), PA - FOR NEW STARTS ONLY |
| ZURZUVAE 30 MG CAP   | TIER 5 | QL (14 PER 365 OVER TIME), PA - FOR NEW STARTS ONLY |

### MONOAMINE OXIDASE INHIBITORS

|   |        |                          |
|---|--------|--------------------------|
| EMSAM (6 MG/24HR PATCH 24HR, 9 MG/24HR PATCH 24HR, 12 MG/24HR PATCH 24HR) | TIER 5 | PA - FOR NEW STARTS ONLY |
| MARPLAN 10 MG TAB   | TIER 4 |                          |
| <i>phenelzine sulfate 15 mg tab</i>                                       | TIER 2 |                          |
| <i>tranylcypromine sulfate 10 mg tab</i>                                  | TIER 4 |                          |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

### SSRIS/SNRIS (SELECTIVE SEROTONIN REUPTAKE INHIBITOR/SEROTONIN AND NOREPINEPHRINE REUPTAKE INHIBITOR)

|  |        |  |
|--|--------|--|
| <i>citalopram hydrobromide (10 mg tab, 20 mg tab, 40 mg tab)</i>                             | TIER 1 |  |
| <i>citalopram hydrobromide 10 mg/5ml solution</i>  | TIER 3 |  |
| <i>desvenlafaxine succinate er (er 25 mg tab er 24h, er 50 mg tab er 24h)</i>                | TIER 3 | QL (1 PER 1 DAYS)                                  |
| <i>desvenlafaxine succinate er 100 mg tab er 24h</i>   | TIER 3 | QL (4 PER 1 DAYS)                                  |
| <i>escitalopram oxalate (5 mg tab, 10 mg tab, 20 mg tab)</i>                                 | TIER 1 |  |
| <i>escitalopram oxalate 5 mg/5ml solution</i>  | TIER 2 |  |
| FETZIMA (20 MG CAP ER 24H, 40 MG CAP ER 24H, 80 MG CAP ER 24H, 120 MG CAP ER 24H)            | TIER 4 | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| FETZIMA TITRATION 20 & 40 MG CP24 THPK   | TIER 4 | QL (28 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY |
| <i>fluoxetine hcl (10 mg cap, 20 mg cap, 40 mg cap)</i>                                      | TIER 1 |  |
| <i>fluoxetine hcl (10 mg tab, 20 mg tab)</i>   | TIER 4 |  |
| FLUOXETINE HCL (PMDD) ((PMDD) 10 MG TAB, (PMDD) 20 MG TAB)                                   | TIER 4 |  |
| <i>fluoxetine hcl 20 mg/5ml solution</i>   | TIER 2 |  |
| <i>fluoxetine hcl 60 mg tab</i>  | TIER 4 | QL (1 PER 1 DAYS)                                  |
| FLUOXETINE HCL 90 MG CAP DR  | TIER 4 | QL (4 PER 28 OVER TIME)                            |
| <i>fluvoxamine maleate 100 mg tab</i>  | TIER 2 | QL (3 PER 1 DAYS)                                  |
| <i>fluvoxamine maleate 25 mg tab</i>   | TIER 2 | QL (12 PER 1 DAYS)                                 |
| <i>fluvoxamine maleate 50 mg tab</i>   | TIER 2 | QL (6 PER 1 DAYS)                                  |
| <i>fluvoxamine maleate er (er 100 mg cap er 24h, er 150 mg cap er 24h)</i>                   | TIER 4 | ST, QL (2 PER 1 DAYS)                              |
| NEFAZODONE HCL (50 MG TAB, 100 MG TAB, 150 MG TAB, 200 MG TAB, 250 MG TAB)                   | TIER 3 |  |
| <i>paroxetine hcl (10 mg tab, 20 mg tab, 30 mg tab, 40 mg tab)</i>                           | TIER 1 |  |
| <i>paroxetine hcl 10 mg/5ml suspension</i>   | TIER 4 | QL (30 PER 1 DAYS)                                 |
| <i>paroxetine hcl er (er 12.5 mg tab er 24h, er 25 mg tab er 24h, er 37.5 mg tab er 24h)</i> | TIER 3 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>   |
|---|------------------|------------------------------|
| <i>sertraline hcl (25 mg tab, 50 mg tab, 100 mg tab)</i>                          | TIER 1           |                              |
| <i>sertraline hcl 20 mg/ml conc</i>   | TIER 2           |                              |
| <i>trazodone hcl (50 mg tab, 100 mg tab, 150 mg tab)</i>                          | TIER 2           |                              |
| <i>trazodone hcl 300 mg tab</i>   | TIER 3           |                              |
| TRINTELLIX (5 MG TAB, 10 MG TAB, 20 MG TAB)                                       | TIER 4           | ST, QL (1 PER 1 DAYS)        |
| <i>venlafaxine hcl (25 mg tab, 37.5 mg tab, 50 mg tab, 75 mg tab, 100 mg tab)</i> | TIER 2           |                              |
| <i>venlafaxine hcl er (er 150 mg tab er 24h, er 225 mg tab er 24h)</i>            | TIER 4           | QL (1 PER 1 DAYS)            |
| <i>venlafaxine hcl er (er 37.5 mg cap er 24h, er 150 mg cap er 24h)</i>           | TIER 2           | QL (2 PER 1 DAYS)            |
| <i>venlafaxine hcl er 37.5 mg tab er 24h</i>                                      | TIER 4           | QL (6 PER 1 DAYS)            |
| <i>venlafaxine hcl er 75 mg cap er 24h</i>  | TIER 2           | QL (3 PER 1 DAYS)            |
| <i>venlafaxine hcl er 75 mg tab er 24h</i>  | TIER 4           | QL (3 PER 1 DAYS)            |
| VIIIBRYD STARTER PACK 10 & 20 MG KIT  | TIER 4           | ST, QL (30 PER 30 OVER TIME) |
| <i>vilazodone hcl (10 mg tab, 20 mg tab, 40 mg tab)</i>                           | TIER 4           | ST, QL (1 PER 1 DAYS)        |

## TRICYCLICS

|  |        |                          |
|--|--------|--------------------------|
| <i>amitriptyline hcl (10 mg tab, 25 mg tab, 50 mg tab, 75 mg tab, 100 mg tab, 150 mg tab)</i>          | TIER 2 | PA - FOR NEW STARTS ONLY |
| <i>amoxapine (25 mg tab, 50 mg tab, 100 mg tab, 150 mg tab)</i>  | TIER 2 |                          |
| <i>clomipramine hcl (25 mg cap, 50 mg cap, 75 mg cap)</i>  | TIER 4 | PA - FOR NEW STARTS ONLY |
| <i>desipramine hcl (10 mg tab, 25 mg tab, 50 mg tab, 75 mg tab, 100 mg tab, 150 mg tab)</i>            | TIER 3 |                          |
| <i>doxepin hcl (10 mg cap, 10 mg/ml conc, 25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap)</i> | TIER 2 | PA - FOR NEW STARTS ONLY |
| <i>imipramine hcl (10 mg tab, 25 mg tab, 50 mg tab)</i>  | TIER 2 | PA - FOR NEW STARTS ONLY |
| <i>nortriptyline hcl (10 mg cap, 25 mg cap, 50 mg cap, 75 mg cap)</i>                                  | TIER 2 |                          |
| <i>nortriptyline hcl 10 mg/5ml solution</i>  | TIER 4 |                          |
| <i>protriptyline hcl (5 mg tab, 10 mg tab)</i>   | TIER 4 |                          |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>trimipramine maleate (25 mg cap, 50 mg cap, 100 mg cap)</i> | TIER 4           | PA - FOR NEW STARTS ONLY   |

## ANTIEMETICS

### ANTIEMETICS, OTHER

|  |        |    |
|--|--------|----|
| <i>compro 25 mg suppos</i>   | TIER 4 |    |
| <i>meclizine hcl (12.5 mg tab, 25 mg tab)</i>                      | TIER 2 |    |
| <i>metoclopramide hcl (5 mg tab, 10 mg tab)</i>                    | TIER 1 |    |
| <i>metoclopramide hcl (5 mg/5ml solution, 10 mg/10ml solution)</i> | TIER 2 |    |
| <i>metoclopramide hcl 5 mg/ml solution</i>                         | TIER 4 |    |
| <i>perphenazine (2 mg tab, 4 mg tab, 8 mg tab, 16 mg tab)</i>      | TIER 2 |    |
| <i>prochlorperazine 25 mg suppos</i>                               | TIER 4 |    |
| <i>prochlorperazine maleate (5 mg tab, 10 mg tab)</i>              | TIER 2 |    |
| <i>promethazine hcl (12.5 mg suppos, 25 mg suppos)</i>             | TIER 4 | PA |
| <i>promethazine hcl (12.5 mg tab, 25 mg tab, 50 mg tab)</i>        | TIER 2 | PA |
| <i>promethegan (12.5 mg suppos, 25 mg suppos)</i>                  | TIER 4 | PA |
| <i>scopolamine 1 mg/3days patch 72hr</i>                           | TIER 3 |    |

### EMETOGENIC THERAPY ADJUNCTS

|  |        |  |
|--|--------|--|
| <i>aprepitant (80 &amp; 125 mg cap, 80 &amp; 125 mg misc, 80 mg cap, 125 mg cap)</i> | TIER 4 | PA - PART B VS D DETERMINATION                           |
| <i>aprepitant 40 mg cap</i>  | TIER 4 | PA, QL (1 PER 30 OVER TIME)                              |
| <i>dronabinol (2.5 mg cap, 5 mg cap, 10 mg cap)</i>                                  | TIER 4 | PA, QL (6 PER 1 DAYS)                                    |
| <i>granisetron hcl (1 mg/ml solution, 4 mg/4ml solution)</i>                         | TIER 4 | PA - PART B VS D DETERMINATION                           |
| <i>granisetron hcl 1 mg tab</i>  | TIER 3 | QL (2 PER 1 DAYS), PA - PART B VS D DETERMINATION        |
| <i>ondansetron 4 mg tab disp</i>   | TIER 2 | QL (6 PER 1 DAYS), PA - PART B VS D DETERMINATION        |
| <i>ondansetron 8 mg tab disp</i>   | TIER 2 | QL (3 PER 1 DAYS), PA - PART B VS D DETERMINATION        |
| ONDANSETRON HCL 24 MG TAB  | TIER 2 | QL (15 PER 30 OVER TIME), PA - PART B VS D DETERMINATION |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                         | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                         |
|--|------------------|--|
| <i>ondansetron hcl 4 mg tab</i>          | TIER 2           | QL (6 PER 1 DAYS), PA - PART B VS D DETERMINATION  |
| <i>ondansetron hcl 4 mg/5ml solution</i> | TIER 3           | QL (30 PER 1 DAYS), PA - PART B VS D DETERMINATION |
| <i>ondansetron hcl 8 mg tab</i>          | TIER 2           | QL (3 PER 1 DAYS), PA - PART B VS D DETERMINATION  |

## **ANTIFUNGALS**

|  |        |                                |
|--|--------|--------------------------------|
| ABELCET 5 MG/ML SUSPENSION   | TIER 4 | PA - PART B VS D DETERMINATION |
| AMPHOTERICIN B 50 MG RECON SOLN  | TIER 4 | PA - PART B VS D DETERMINATION |
| <i>amphotericin b liposome 50 mg recon susp</i>  | TIER 5 | PA - PART B VS D DETERMINATION |
| <i>casprofungin acetate 50 mg recon soln</i>   | TIER 5 | PA                             |
| <i>casprofungin acetate 70 mg recon soln</i>   | TIER 4 | PA                             |
| <i>ciclopirox olamine (0.77 % cream, 0.77 % suspension)</i>  | TIER 2 |                                |
| <i>clotrimazole (1 % cream, 1 % solution, 10 mg troche)</i>  | TIER 2 |                                |
| CRESEMBA (74.5 MG CAP, 186 MG CAP, 372 MG RECON SOLN)  | TIER 5 | PA                             |
| <i>econazole nitrate 1 % cream</i>   | TIER 3 |                                |
| <i>fluconazole (10 mg/ml recon susp, 40 mg/ml recon susp, 50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i> | TIER 2 |                                |
| <i>fluconazole in sodium chloride (200-0.9 mg/100ml-% solution, 400-0.9 mg/200ml-% solution)</i>             | TIER 4 |                                |
| <i>flucytosine (250 mg cap, 500 mg cap)</i>  | TIER 5 |                                |
| <i>griseofulvin microsize (125 mg/5ml suspension, 500 mg tab)</i>  | TIER 4 |                                |
| <i>griseofulvin ultramicrosize (125 mg tab, 250 mg tab)</i>  | TIER 3 |                                |
| <i>itraconazole 10 mg/ml solution</i>  | TIER 5 | PA                             |
| <i>itraconazole 100 mg cap</i>   | TIER 4 |                                |
| <i>ketoconazole (2 % cream, 2 % shampoo, 200 mg tab)</i>   | TIER 2 |                                |
| <i>micafungin sodium (50 mg recon soln, 100 mg recon soln)</i>   | TIER 5 |                                |
| MICONAZOLE 3 200 MG SUPPOS   | TIER 3 |                                |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|--|------------------|--------------------------------|
| <i>naftifine hcl 2 % gel</i>   | TIER 4           |                                |
| <i>nyamyc 100000 unit/gm powder</i>  | TIER 2           |                                |
| <i>nystatin (100000 unit/gm cream, 100000 unit/gm ointment, 100000 unit/gm powder, 100000 unit/ml suspension, 500000 unit tab)</i> | TIER 2           |                                |
| <i>nystop 100000 unit/gm powder</i>  | TIER 2           |                                |
| <i>posaconazole 100 mg tab dr</i>  | TIER 5           | PA, QL (3 PER 1 DAYS)          |
| <i>posaconazole 40 mg/ml suspension</i>  | TIER 5           | PA                             |
| <i>terbinafine hcl 250 mg tab</i>  | TIER 2           | QL (1 PER 1 DAYS)              |
| <i>terconazole (0.4 % cream, 0.8 % cream)</i>  | TIER 3           |                                |
| <i>terconazole 80 mg suppos</i>  | TIER 4           |                                |
| <i>voriconazole (40 mg/ml recon susp, 50 mg tab, 200 mg tab)</i>   | TIER 4           | PA                             |
| <i>voriconazole 200 mg recon soln</i>  | TIER 4           | PA - PART B VS D DETERMINATION |

## **ANTIGOUT AGENTS**

|   |        |                       |
|---|--------|-----------------------|
| <i>allopurinol (100 mg tab, 300 mg tab)</i> | TIER 1 |                       |
| <i>colchicine (0.6 mg cap, 0.6 mg tab)</i>  | TIER 3 | QL (4 PER 1 DAYS)     |
| <i>colchicine-probenecid 0.5-500 mg tab</i> | TIER 2 |                       |
| <i>febuxostat (40 mg tab, 80 mg tab)</i>    | TIER 3 | ST, QL (1 PER 1 DAYS) |
| <i>probenecid 500 mg tab</i>                | TIER 2 |                       |

## **ANTIMIGRAINE AGENTS**

### **ANTIMIGRAINE AGENTS, OTHER**

|                                 |        |                              |
|---------------------------------|--------|------------------------------|
| NURTEC 75 MG TAB DISP           | TIER 5 | PA, QL (16 PER 30 OVER TIME) |
| UBRELVY (50 MG TAB, 100 MG TAB) | TIER 5 | PA, QL (16 PER 30 OVER TIME) |

## **ERGOT ALKALOIDS**

|  |        |                             |
|--|--------|-----------------------------|
| <i>dihydroergotamine mesylate 1 mg/ml solution</i> | TIER 4 | PA                          |
| <i>dihydroergotamine mesylate 4 mg/ml solution</i> | TIER 5 | PA, QL (8 PER 30 OVER TIME) |
| MIGERGOT 2-100 MG SUPPOS                           | TIER 4 | QL (20 PER 30 OVER TIME)    |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS         |
|--|-----------|-----------------------------|
| <b>PROPHYLACTIC</b>  |           |                             |
| AIMOVIG (70 MG/ML SOLN A-INJ, 140 MG/ML SOLN A-INJ)  | TIER 3    | PA, QL (1 PER 28 OVER TIME) |
| <i>timolol maleate (5 mg tab, 10 mg tab, 20 mg tab)</i>  | TIER 2    |                             |
| <b>SEROTONIN (5-HT) RECEPTOR AGONIST</b>   |           |                             |
| <i>naratriptan hcl (1 mg tab, 2.5 mg tab)</i>  | TIER 3    | QL (18 PER 30 OVER TIME)    |
| <i>rizatriptan benzoate (5 mg tab, 5 mg tab disp, 10 mg tab, 10 mg tab disp)</i>                                       | TIER 2    | QL (24 PER 30 OVER TIME)    |
| <i>sumatriptan (5 mg/act solution, 20 mg/act solution)</i>   | TIER 4    | QL (18 PER 30 OVER TIME)    |
| <i>sumatriptan succinate (25 mg tab, 50 mg tab, 100 mg tab)</i>  | TIER 2    | QL (18 PER 30 OVER TIME)    |
| <i>sumatriptan succinate (4 mg/0.5ml soln a-inj, 6 mg/0.5ml soln a-inj, 6 mg/0.5ml soln prsy, 6 mg/0.5ml solution)</i> | TIER 4    | QL (8 PER 30 OVER TIME)     |
| <i>sumatriptan succinate refill (4 mg/0.5ml soln cart, 6 mg/0.5ml soln cart)</i>                                       | TIER 4    | QL (8 PER 30 OVER TIME)     |
| <i>zolmitriptan (2.5 mg tab, 2.5 mg tab disp, 5 mg tab, 5 mg tab disp)</i>   | TIER 4    | QL (18 PER 30 OVER TIME)    |
| <b>ANTIMYASTHENIC AGENTS</b>   |           |                             |
| <b>PARASYMPATHOMIMETICS</b>  |           |                             |
| GUANIDINE HCL 125 MG TAB   | TIER 2    |                             |
| <i>pyridostigmine bromide 60 mg tab</i>  | TIER 2    |                             |
| <i>pyridostigmine bromide 60 mg/5ml solution</i>   | TIER 5    |                             |
| <i>pyridostigmine bromide er 180 mg tab er</i>   | TIER 3    |                             |
| <b>ANTIMYCOBACTERIALS</b>  |           |                             |
| <b>ANTIMYCOBACTERIALS, OTHER</b>   |           |                             |
| <i>dapsone (25 mg tab, 100 mg tab)</i>   | TIER 2    |                             |
| <i>rifabutin 150 mg cap</i>  | TIER 4    |                             |
| <b>ANTITUBERCULARS</b>   |           |                             |
| <i>ethambutol hcl (100 mg tab, 400 mg tab)</i>   | TIER 2    |                             |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>isoniazid (50 mg/5ml syrup, 100 mg tab, 300 mg tab)</i> | TIER 2           |                            |
| ISONIAZID 100 MG/ML SOLUTION                               | TIER 4           |                            |
| PASER 4 GM PACKET  | TIER 4           |                            |
| PRIFTIN 150 MG TAB   | TIER 4           |                            |
| <i>pyrazinamide 500 mg tab</i>                             | TIER 2           |                            |
| <i>rifampin (150 mg cap, 300 mg cap)</i>                   | TIER 2           |                            |
| <i>rifampin 600 mg recon soln</i>                          | TIER 4           |                            |
| RIFATER 50-120-300 MG TAB                                  | TIER 4           |                            |
| SIRTURO (20 MG TAB, 100 MG TAB)                            | TIER 5           | PA                         |
| TRECTOR 250 MG TAB   | TIER 4           |                            |

## **ANTINEOPLASTICS**

### **ALKYLATING AGENTS**

|   |        |  |
|---|--------|--|
| CYCLOPHOSPHAMIDE (25 MG CAP, 25 MG TAB, 50 MG CAP, 50 MG TAB) | TIER 3 | PA - PART B VS D DETERMINATION                         |
| GLEOSTINE (40 MG CAP, 100 MG CAP)                             | TIER 5 |  |
| GLEOSTINE 10 MG CAP   | TIER 4 |  |
| LEUKERAN 2 MG TAB   | TIER 4 |  |
| MATULANE 50 MG CAP  | TIER 5 | LA   |
| <i>thiotepa (15 mg recon soln, 100 mg recon soln)</i>         | TIER 5 | PA - PART B VS D DETERMINATION                         |
| VALCHLOR 0.016 % GEL  | TIER 5 | LA, QL (60 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY |

### **ANTIANDROGENS**

|                                       |        |   |
|---------------------------------------|--------|---|
| <i>abiraterone acetate 250 mg tab</i> | TIER 5 | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| <i>abiraterone acetate 500 mg tab</i> | TIER 5 | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| <i>bicalutamide 50 mg tab</i>         | TIER 2 |   |
| ERLEADA 240 MG TAB                    | TIER 5 | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ERLEADA 60 MG TAB                     | TIER 5 | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| <i>flutamide 125 mg cap</i>           | TIER 3 |   |
| <i>nilutamide 150 mg tab</i>          | TIER 5 | QL (1 PER 1 DAYS)                               |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>              | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                      |
|-------------------------------|------------------|---|
| NUBEQA 300 MG TAB             | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| ORSERDU 345 MG TAB            | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ORSERDU 86 MG TAB             | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| XTANDI (40 MG CAP, 40 MG TAB) | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| XTANDI 80 MG TAB              | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY |

## **ANTIANGIOGENIC AGENTS**

|  |        |   |
|--|--------|---|
| <i>lenalidomide (2.5 mg cap, 5 mg cap, 10 mg cap, 15 mg cap, 20 mg cap, 25 mg cap)</i> | TIER 5 | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| POMALYST (1 MG CAP, 2 MG CAP, 3 MG CAP, 4 MG CAP)                                      | TIER 5 | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| REVLIMID (2.5 MG CAP, 5 MG CAP, 10 MG CAP, 15 MG CAP, 20 MG CAP, 25 MG CAP)            | TIER 5 | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| THALOMID (150 MG CAP, 200 MG CAP)  | TIER 5 | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |
| THALOMID (50 MG CAP, 100 MG CAP)   | TIER 5 | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY     |

## **ANTIESTROGENS/MODIFIERS**

|   |        |                          |
|---|--------|--------------------------|
| EMCYT 140 MG CAP                                | TIER 4 |                          |
| <i>fulvestrant 250 mg/5ml soln prsyr</i>        | TIER 5 |                          |
| SOLTAMOX 10 MG/5ML SOLUTION                     | TIER 5 | PA - FOR NEW STARTS ONLY |
| <i>tamoxifen citrate (10 mg tab, 20 mg tab)</i> | TIER 2 |                          |
| <i>toremifene citrate 60 mg tab</i>             | TIER 4 |                          |

## **ANTIMETABOLITES**

|   |        |   |
|---|--------|---|
| DROXIA (200 MG CAP, 300 MG CAP, 400 MG CAP) | TIER 3 |   |
| <i>hydroxyurea 500 mg cap</i>               | TIER 2 |   |
| INQOVI 35-100 MG TAB                        | TIER 5 | LA, QL (5 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| <i>mercaptopurine 50 mg tab</i>             | TIER 2 |   |
| PURIXAN 2000 MG/100ML SUSPENSION            | TIER 5 | LA, PA - FOR NEW STARTS ONLY                          |
| TABLOID 40 MG TAB                           | TIER 3 |   |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                              |
|---|------------------|---|
| <b>ANTINEOPLASTICS, OTHER</b>   |                  |   |
| AKEEGA (50-500 MG TAB, 100-500 MG TAB)                                | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| AUGTYRO 40 MG CAP   | TIER 5           | QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY             |
| AYVAKIT (25 MG TAB, 50 MG TAB, 100 MG TAB, 200 MG TAB, 300 MG TAB)    | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| BESREMI 500 MCG/ML SOLN PRSYR   | TIER 5           | LA, QL (2 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY   |
| BRUKINSA 80 MG CAP  | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| EXKIVITY 40 MG CAP  | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| FOTIVDA (0.89 MG CAP, 1.34 MG CAP)                                    | TIER 5           | LA, QL (21 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |
| IDHIFA (50 MG TAB, 100 MG TAB)  | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| INREBIC 100 MG CAP  | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY             |
| KISQALI FEMARA (400 MG DOSE) 200 & 2.5 MG TAB THPK                    | TIER 5           | QL (70 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY      |
| KISQALI FEMARA (600 MG DOSE) 200 & 2.5 MG TAB THPK                    | TIER 5           | QL (91 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY      |
| KISQALI FEMARA(200 MG DOSE) 200 & 2.5 MG TAB THPK                     | TIER 5           | QL (49 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY      |
| KOSELUGO 10 MG CAP  | TIER 5           | LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| KOSELUGO 25 MG CAP  | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| KRAZATI 200 MG TAB  | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| <i>leucovorin calcium (100 mg recon soln, 350 mg recon soln)</i>      | TIER 4           |   |
| <i>leucovorin calcium (5 mg tab, 10 mg tab, 15 mg tab, 25 mg tab)</i> | TIER 2           |   |
| LONSURF 15-6.14 MG TAB  | TIER 5           | LA, QL (100 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| LONSURF 20-8.19 MG TAB  | TIER 5           | LA, QL (80 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |
| LUMAKRAS 120 MG TAB   | TIER 5           | QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY             |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>                           | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                             |
|--|------------------|--|
| LUMAKRAS 320 MG TAB                        | TIER 5           | QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| LYSODREN 500 MG TAB                        | TIER 5           |  |
| NINLARO (2.3 MG CAP, 3 MG CAP, 4 MG CAP)   | TIER 5           | QL (3 PER 21 OVER TIME), PA - FOR NEW STARTS ONLY      |
| OGSIVEO 100 MG TAB                         | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| OGSIVEO 150 MG TAB                         | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| OGSIVEO 50 MG TAB                          | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| ONUREG (200 MG TAB, 300 MG TAB)            | TIER 5           | QL (14 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY     |
| QINLOCK 50 MG TAB                          | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| RETEVMO 40 MG CAP                          | TIER 5           | QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| RETEVMO 80 MG CAP                          | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| ROZLYTREK 100 MG CAP                       | TIER 5           | QL (5 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| ROZLYTREK 200 MG CAP                       | TIER 5           | QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| ROZLYTREK 50 MG PACKET                     | TIER 5           | QL (12 PER 1 DAYS), PA - FOR NEW STARTS ONLY           |
| SYNRIBO 3.5 MG RECON SOLN                  | TIER 5           | PA - PART B VS D DETERMINATION                         |
| TABRECTA (150 MG TAB, 200 MG TAB)          | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| TAZVERIK 200 MG TAB                        | TIER 5           | LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| VANFLYTA 17.7 MG TAB                       | TIER 5           | QL (28 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY     |
| VANFLYTA 26.5 MG TAB                       | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| WELIREG 40 MG TAB                          | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| XPOVIO (100 MG ONCE WEEKLY) 20 MG TAB THPK | TIER 5           | LA, QL (20 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| XPOVIO (100 MG ONCE WEEKLY) 50 MG TAB THPK | TIER 5           | LA, QL (8 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                           | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                             |
|--|------------------|--|
| XPOVIO (40 MG ONCE WEEKLY) 20 MG TAB THPK  | TIER 5           | LA, QL (8 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |
| XPOVIO (40 MG ONCE WEEKLY) 40 MG TAB THPK  | TIER 5           | LA, QL (4 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |
| XPOVIO (40 MG TWICE WEEKLY) 20 MG TAB THPK | TIER 5           | LA, QL (16 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| XPOVIO (40 MG TWICE WEEKLY) 40 MG TAB THPK | TIER 5           | LA, QL (8 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |
| XPOVIO (60 MG ONCE WEEKLY) 20 MG TAB THPK  | TIER 5           | LA, QL (12 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| XPOVIO (60 MG ONCE WEEKLY) 60 MG TAB THPK  | TIER 5           | LA, QL (4 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |
| XPOVIO (60 MG TWICE WEEKLY) 20 MG TAB THPK | TIER 5           | LA, QL (24 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| XPOVIO (80 MG ONCE WEEKLY) 20 MG TAB THPK  | TIER 5           | LA, QL (16 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| XPOVIO (80 MG ONCE WEEKLY) 40 MG TAB THPK  | TIER 5           | LA, QL (8 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |
| XPOVIO (80 MG TWICE WEEKLY) 20 MG TAB THPK | TIER 5           | LA, QL (32 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| ZOLINZA 100 MG CAP                         | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |

## **AROMATASE INHIBITORS, 3RD GENERATION**

|                             |        |
|-----------------------------|--------|
| <i>anastrozole 1 mg tab</i> | TIER 2 |
| <i>exemestane 25 mg tab</i> | TIER 3 |
| <i>letrozole 2.5 mg tab</i> | TIER 2 |

## **ENZYME INHIBITORS**

|  |        |  |
|--|--------|--|
| OJJAARA (100 MG TAB, 150 MG TAB, 200 MG TAB) | TIER 5 | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| TRUQAP (160 MG TAB, 200 MG TAB)              | TIER 5 | LA, QL (64 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |

## **MOLECULAR TARGET INHIBITORS**

|                                  |        |   |
|----------------------------------|--------|---|
| ALECENSA 150 MG CAP              | TIER 5 | LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ALUNBRIG (90 MG TAB, 180 MG TAB) | TIER 5 | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ALUNBRIG 30 MG TAB               | TIER 5 | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                                   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                             |
|--|------------------|--|
| ALUNBRIG 90 & 180 MG TAB THPK                      | TIER 5           | LA, QL (30 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY |
| BALVERSA 3 MG TAB                                  | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| BALVERSA 4 MG TAB                                  | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| BALVERSA 5 MG TAB                                  | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| BOSULIF (400 MG TAB, 500 MG TAB)                   | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| BOSULIF 100 MG TAB                                 | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| BRAFTOVI 75 MG CAP                                 | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| CABOMETYX (20 MG TAB, 40 MG TAB, 60 MG TAB)        | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| CALQUENCE (100 MG CAP, 100 MG TAB)                 | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| CAPRELSA 100 MG TAB                                | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| CAPRELSA 300 MG TAB                                | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| COMETRIQ (100 MG DAILY DOSE) 80 & 20 MG KIT        | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| COMETRIQ (140 MG DAILY DOSE) 3 X 20 MG & 80 MG KIT | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| COMETRIQ (60 MG DAILY DOSE) 20 MG KIT              | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| COPIKTRA (15 MG CAP, 25 MG CAP)                    | TIER 5           | LA, QL (56 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| COTELLIC 20 MG TAB                                 | TIER 5           | LA, QL (63 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| DAURISMO 100 MG TAB                                | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| DAURISMO 25 MG TAB                                 | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| ERIVEDGE 150 MG CAP                                | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| <i>erlotinib hcl (100 mg tab, 150 mg tab)</i>      | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| <i>erlotinib hcl 25 mg tab</i>                     | TIER 5           | QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                             |
|--|------------------|--|
| <i>everolimus (2 mg tab sol, 3 mg tab sol, 5 mg tab sol)</i>                   | TIER 5           | PA - FOR NEW STARTS ONLY                               |
| <i>everolimus (2.5 mg tab, 5 mg tab)</i>                                       | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| <i>everolimus (7.5 mg tab, 10 mg tab)</i>                                      | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| FRUZAQLA 1 MG CAP  | TIER 5           | LA, QL (84 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| FRUZAQLA 5 MG CAP  | TIER 5           | LA, QL (21 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| GAVRETO 100 MG CAP   | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| <i>gefitinib 250 mg tab</i>  | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| GILOTRIF (20 MG TAB, 30 MG TAB, 40 MG TAB)                                     | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| IBRANCE (75 MG CAP, 75 MG TAB, 100 MG CAP, 100 MG TAB, 125 MG CAP, 125 MG TAB) | TIER 5           | LA, QL (21 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| ICLUSIG (10 MG TAB, 15 MG TAB, 30 MG TAB, 45 MG TAB)                           | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| <i>imatinib mesylate 100 mg tab</i>  | TIER 5           | QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| <i>imatinib mesylate 400 mg tab</i>  | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| IMBRUVICA (70 MG CAP, 280 MG TAB, 420 MG TAB, 560 MG TAB)                      | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| IMBRUVICA 140 MG CAP   | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| IMBRUVICA 70 MG/ML SUSPENSION  | TIER 5           | LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| INLYTA 1 MG TAB  | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| INLYTA 5 MG TAB  | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| JAKAFI (5 MG TAB, 10 MG TAB, 15 MG TAB, 20 MG TAB, 25 MG TAB)                  | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| JAYPIRCA 100 MG TAB  | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| JAYPIRCA 50 MG TAB   | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| KISQALI (200 MG DOSE) 200 MG TAB THPK  | TIER 5           | QL (21 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY     |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                                     | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                              |
|--|------------------|---|
| KISQALI (400 MG DOSE) 200 MG TAB THPK                | TIER 5           | QL (42 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY      |
| KISQALI (600 MG DOSE) 200 MG TAB THPK                | TIER 5           | QL (63 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY      |
| <i>lapatinib ditosylate 250 mg tab</i>               | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LENVIMA (10 MG DAILY DOSE) 10 MG CAP THPK            | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LENVIMA (12 MG DAILY DOSE) 3 X 4 MG CAP THPK         | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LENVIMA (14 MG DAILY DOSE) 10 & 4 MG CAP THPK        | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LENVIMA (18 MG DAILY DOSE) 10 MG & 2 X 4 MG CAP THPK | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LENVIMA (20 MG DAILY DOSE) 2 X 10 MG CAP THPK        | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LENVIMA (24 MG DAILY DOSE) 2 X 10 MG & 4 MG CAP THPK | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LENVIMA (4 MG DAILY DOSE) 4 MG CAP THPK              | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LENVIMA (8 MG DAILY DOSE) 2 X 4 MG CAP THPK          | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LORBRENA 100 MG TAB                                  | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LORBRENA 25 MG TAB                                   | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LYNPARZA (100 MG TAB, 150 MG TAB)                    | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| LYTGOBI (12 MG DAILY DOSE) 4 MG TAB THPK             | TIER 5           | LA, QL (84 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY  |
| LYTGOBI (16 MG DAILY DOSE) 4 MG TAB THPK             | TIER 5           | LA, QL (112 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| LYTGOBI (20 MG DAILY DOSE) 4 MG TAB THPK             | TIER 5           | LA, QL (140 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| MEKINIST 0.05 MG/ML RECON SOLN                       | TIER 5           | LA, QL (40 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| MEKINIST 0.5 MG TAB                                  | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| MEKINIST 2 MG TAB                                    | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| MEKTOVI 15 MG TAB                                    | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                                 | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                             |
|--|------------------|--|
| NERLYNX 40 MG TAB                                | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| ODOMZO 200 MG CAP                                | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| <i>pazopanib hcl 200 mg tab</i>                  | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| PEMAZYRE (4.5 MG TAB, 9 MG TAB, 13.5 MG TAB)     | TIER 5           | LA, QL (30 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY |
| PIQRAY (200 MG DAILY DOSE) 200 MG TAB THPK       | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| PIQRAY (250 MG DAILY DOSE) 200 & 50 MG TAB THPK  | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| PIQRAY (300 MG DAILY DOSE) 2 X 150 MG TAB THPK   | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| REZLIDHIA 150 MG CAP                             | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| RUBRACA (200 MG TAB, 250 MG TAB, 300 MG TAB)     | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| RYDAPT 25 MG CAP                                 | TIER 5           | QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| SCEMBLIX 20 MG TAB                               | TIER 5           | QL (20 PER 1 DAYS), PA - FOR NEW STARTS ONLY           |
| SCEMBLIX 40 MG TAB                               | TIER 5           | QL (10 PER 1 DAYS), PA - FOR NEW STARTS ONLY           |
| <i>sorafenib tosylate 200 mg tab</i>             | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| SPRYCEL (100 MG TAB, 140 MG TAB)                 | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| SPRYCEL (70 MG TAB, 80 MG TAB)                   | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| SPRYCEL 20 MG TAB                                | TIER 5           | QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| SPRYCEL 50 MG TAB                                | TIER 5           | QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| STIVARGA 40 MG TAB                               | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| <i>sunitinib malate (37.5 mg cap, 50 mg cap)</i> | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| <i>sunitinib malate 12.5 mg cap</i>              | TIER 5           | QL (7 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| <i>sunitinib malate 25 mg cap</i>                | TIER 5           | QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                              |
|---|------------------|---|
| TAFINLAR (50 MG CAP, 75 MG CAP)                                       | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| TAFINLAR 10 MG TAB SOL  | TIER 5           | LA, QL (30 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| TAGRISSE (40 MG TAB, 80 MG TAB)                                       | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| TALZENNA (0.1 MG CAP, 0.35 MG CAP, 0.5 MG CAP, 0.75 MG CAP, 1 MG CAP) | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| TALZENNA 0.25 MG CAP  | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| TASIGNA (50 MG CAP, 150 MG CAP, 200 MG CAP)                           | TIER 5           | QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY             |
| TEPMETKO 225 MG TAB   | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| TIBSOVO 250 MG TAB  | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| TUKYSA (50 MG TAB, 150 MG TAB)  | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| TURALIO (125 MG CAP, 200 MG CAP)                                      | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| UKONIQ 200 MG TAB   | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| VENCLEXTA 10 MG TAB   | TIER 3           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| VENCLEXTA 100 MG TAB  | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| VENCLEXTA 50 MG TAB   | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| VENCLEXTA STARTING PACK 10 & 50 & 100 MG TAB THPK                     | TIER 5           | LA, QL (84 PER 365 OVER TIME), PA - FOR NEW STARTS ONLY |
| VERZENIO (50 MG TAB, 100 MG TAB, 150 MG TAB, 200 MG TAB)              | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| VITRAKVI 100 MG CAP   | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| VITRAKVI 20 MG/ML SOLUTION  | TIER 5           | LA, QL (10 PER 1 DAYS), PA - FOR NEW STARTS ONLY        |
| VITRAKVI 25 MG CAP  | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| VIZIMPRO (15 MG TAB, 30 MG TAB, 45 MG TAB)                            | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |
| XALKORI (20 MG CAP SPRINK, 50 MG CAP SPRINK, 200 MG CAP, 250 MG CAP)  | TIER 5           | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY         |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                            | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                      |
|---|------------------|---|
| XALKORI 150 MG CAP SPRINK                   | TIER 5           | LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| XOSPATA 40 MG TAB                           | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ZEJULA (100 MG TAB, 200 MG TAB, 300 MG TAB) | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ZEJULA 100 MG CAP                           | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ZELBORAF 240 MG TAB                         | TIER 5           | LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ZYDELIG (100 MG TAB, 150 MG TAB)            | TIER 5           | LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| ZYKADIA 150 MG TAB                          | TIER 5           | LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY |

## **RETINOIDS**

|                             |        |  |
|-----------------------------|--------|--|
| <i>bexarotene 1 % gel</i>   | TIER 5 | QL (60 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY |
| <i>bexarotene 75 mg cap</i> | TIER 5 | QL (10 PER 1 DAYS), PA - FOR NEW STARTS ONLY       |
| PANRETIN 0.1 % GEL          | TIER 5 | PA - FOR NEW STARTS ONLY                           |
| <i>tretinoin 10 mg cap</i>  | TIER 5 |  |

## **TREATMENT ADJUNCTS**

|                                 |        |   |
|---------------------------------|--------|---|
| <i>mesna 100 mg/ml solution</i> | TIER 4 |   |
| MESNEX 400 MG TAB               | TIER 5 |   |
| VONJO 100 MG CAP                | TIER 5 | LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY |

## **ANTIPARASITICS**

### **ANTHELMINTHICS**

|                                |        |                           |
|--------------------------------|--------|---------------------------|
| <i>albendazole 200 mg tab</i>  | TIER 4 |                           |
| <i>ivermectin 3 mg tab</i>     | TIER 2 | QL (16 PER 365 OVER TIME) |
| <i>praziquantel 600 mg tab</i> | TIER 3 |                           |

### **ANTIPROTOZOALS**

|  |        |    |
|--|--------|----|
| <i>atovaquone 750 mg/5ml suspension</i>                          | TIER 4 | PA |
| <i>atovaquone-proguanil hcl (62.5-25 mg tab, 250-100 mg tab)</i> | TIER 2 |    |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>                                  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|---|------------------|--------------------------------|
| BENZNIDAZOLE 100 MG TAB                           | TIER 4           | QL (240 PER 365 OVER TIME)     |
| BENZNIDAZOLE 12.5 MG TAB                          | TIER 4           | QL (720 PER 365 OVER TIME)     |
| <i>chloroquine phosphate 250 mg tab</i>           | TIER 2           | QL (50 PER 30 OVER TIME)       |
| <i>chloroquine phosphate 500 mg tab</i>           | TIER 2           | QL (25 PER 30 OVER TIME)       |
| COARTEM 20-120 MG TAB                             | TIER 3           | QL (24 PER 2 OVER TIME)        |
| <i>hydroxychloroquine sulfate 100 mg tab</i>      | TIER 2           | QL (4 PER 1 DAYS)              |
| <i>hydroxychloroquine sulfate 200 mg tab</i>      | TIER 2           | QL (3 PER 1 DAYS)              |
| <i>hydroxychloroquine sulfate 300 mg tab</i>      | TIER 2           | QL (2 PER 1 DAYS)              |
| <i>hydroxychloroquine sulfate 400 mg tab</i>      | TIER 2           | QL (1 PER 1 DAYS)              |
| <i>mefloquine hcl 250 mg tab</i>                  | TIER 2           |                                |
| <i>nitazoxanide 500 mg tab</i>                    | TIER 5           | PA, QL (6 PER 3 OVER TIME)     |
| <i>pentamidine isethionate 300 mg recon soln</i>  | TIER 3           | PA - PART B VS D DETERMINATION |
| <i>primaquine phosphate 26.3 (15 base) mg tab</i> | TIER 2           |                                |
| <i>pyrimethamine 25 mg tab</i>                    | TIER 5           | PA                             |
| <i>quinine sulfate 324 mg cap</i>                 | TIER 3           | PA, QL (6 PER 1 DAYS)          |

## **ANTIPARKINSON AGENTS**

### **ANTICHOLINERGICS**

|   |        |  |
|---|--------|--|
| <i>benztropine mesylate (0.5 mg tab, 1 mg tab, 2 mg tab)</i>        | TIER 2 |  |
| <i>benztropine mesylate 1 mg/ml solution</i>                        | TIER 4 |  |
| <i>trihexyphenidyl hcl (0.4 mg/ml solution, 2 mg tab, 5 mg tab)</i> | TIER 2 |  |

### **ANTIPARKINSON AGENTS, OTHER**

|   |        |                   |
|---|--------|-------------------|
| <i>amantadine hcl (50 mg/5ml solution, 100 mg cap, 100 mg tab)</i>  | TIER 2 |                   |
| <i>carbidopa-levodopa-entacapone (12.5-50-200 mg tab, 18.75-75-200 mg tab, 25-100-200 mg tab, 31.25-125-200 mg tab, 37.5-150-200 mg tab, 50-200-200 mg tab)</i> | TIER 4 |                   |
| <i>entacapone 200 mg tab</i>  | TIER 3 | QL (8 PER 1 DAYS) |

### **DOPAMINE AGONISTS**

|  |        |    |
|--|--------|----|
| <i>apomorphine hcl 30 mg/3ml soln cart</i>           | TIER 5 | PA |
| <i>bromocriptine mesylate (2.5 mg tab, 5 mg cap)</i> | TIER 2 |    |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| NEUPRO (1 MG/24HR PATCH 24HR, 2 MG/24HR PATCH 24HR, 3 MG/24HR PATCH 24HR, 4 MG/24HR PATCH 24HR, 6 MG/24HR PATCH 24HR, 8 MG/24HR PATCH 24HR)   | TIER 4           | QL (30 PER 30 OVER TIME)   |
| <i>pramipexole dihydrochloride (0.125 mg tab, 0.25 mg tab, 0.5 mg tab, 0.75 mg tab, 1 mg tab, 1.5 mg tab)</i>   | TIER 2           |                            |
| <i>pramipexole dihydrochloride er (er 0.375 mg tab er 24h, er 0.75 mg tab er 24h, er 1.5 mg tab er 24h, er 2.25 mg tab er 24h, er 3 mg tab er 24h, er 3.75 mg tab er 24h, er 4.5 mg tab er 24h)</i> | TIER 4           | QL (1 PER 1 DAYS)          |
| <i>ropinirole hcl (0.25 mg tab, 0.5 mg tab, 1 mg tab, 2 mg tab, 3 mg tab, 4 mg tab, 5 mg tab)</i>   | TIER 2           |                            |
| <i>ropinirole hcl er (er 2 mg tab er 24h, er 4 mg tab er 24h, er 6 mg tab er 24h)</i>   | TIER 4           | QL (1 PER 1 DAYS)          |
| <i>ropinirole hcl er 12 mg tab er 24h</i>   | TIER 4           | QL (2 PER 1 DAYS)          |
| <i>ropinirole hcl er 8 mg tab er 24h</i>  | TIER 4           | QL (3 PER 1 DAYS)          |

## **DOPAMINE PRECURSORS AND/OR L-AMINO ACID DECARBOXYLASE INHIBITORS**

|   |        |  |
|---|--------|--|
| <i>carbidopa 25 mg tab</i>  | TIER 4 |  |
| <i>carbidopa-levodopa (10-100 mg tab, 10-100 mg tab disp, 25-100 mg tab, 25-100 mg tab disp, 25-250 mg tab, 25-250 mg tab disp)</i> | TIER 2 |  |
| <i>carbidopa-levodopa er (er 25-100 mg tab er, er 50-200 mg tab er)</i>   | TIER 2 |  |

## **MONOAMINE OXIDASE B (MAO-B) INHIBITORS**

|   |        |                   |
|---|--------|-------------------|
| <i>rasagiline mesylate (0.5 mg tab, 1 mg tab)</i> | TIER 4 | QL (1 PER 1 DAYS) |
| <i>selegiline hcl (5 mg cap, 5 mg tab)</i>        | TIER 2 |                   |

## **ANTIPSYCHOTICS**

### **1ST GENERATION/TYPICAL**

|   |        |  |
|---|--------|--|
| <i>chlorpromazine hcl (10 mg tab, 25 mg tab, 25 mg/ml solution, 30 mg/ml conc, 50 mg tab, 50 mg/2ml solution, 100 mg tab, 100 mg/ml conc, 200 mg tab)</i> | TIER 4 |  |
| <i>fluphenazine decanoate 25 mg/ml solution</i>   | TIER 4 |  |
| FLUPHENAZINE HCL (1 MG TAB, 2.5 MG TAB, 2.5 MG/5ML ELIXIR, 5 MG TAB, 5 MG/ML CONC, 10 MG TAB)   | TIER 2 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| FLUPHENAZINE HCL 2.5 MG/ML SOLUTION   | TIER 4           |                            |
| <i>haloperidol (0.5 mg tab, 1 mg tab, 2 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i> | TIER 2           |                            |
| <i>haloperidol decanoate (50 mg/ml solution, 100 mg/ml solution)</i>                | TIER 3           |                            |
| <i>haloperidol lactate (2 mg/ml conc, 5 mg/ml solution)</i>                         | TIER 3           |                            |
| <i>loxapine succinate (5 mg cap, 10 mg cap, 25 mg cap, 50 mg cap)</i>               | TIER 2           |                            |
| MOLINDONE HCL 10 MG TAB   | TIER 4           | QL (8 PER 1 DAYS)          |
| MOLINDONE HCL 25 MG TAB   | TIER 4           | QL (9 PER 1 DAYS)          |
| MOLINDONE HCL 5 MG TAB  | TIER 4           | QL (12 PER 1 DAYS)         |
| PIMOZIDE (1 MG TAB, 2 MG TAB)   | TIER 3           |                            |
| <i>thioridazine hcl (10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i>               | TIER 2           | PA - FOR NEW STARTS ONLY   |
| <i>thiothixene (1 mg cap, 2 mg cap, 5 mg cap, 10 mg cap)</i>                        | TIER 2           |                            |
| <i>trifluoperazine hcl (1 mg tab, 2 mg tab, 5 mg tab, 10 mg tab)</i>                | TIER 2           |                            |

## 2ND GENERATION/ATYPICAL

|  |        |   |
|--|--------|---|
| ABILIFY ASIMTUFLII (720 MG/2.4ML PRSYR, 960 MG/3.2ML PRSYR)                                | TIER 5 | PA - PART B VS D DETERMINATION                            |
| ABILIFY MAINTENA (300 MG PRSYR, 300 MG SRER, 400 MG PRSYR, 400 MG SRER)                    | TIER 5 | PA - PART B VS D DETERMINATION                            |
| <i>aripiprazole (10 mg tab disp, 15 mg tab disp)</i>                                       | TIER 4 | QL (2 PER 1 DAYS)   |
| <i>aripiprazole (10 mg tab, 15 mg tab, 20 mg tab, 30 mg tab)</i>                           | TIER 3 | QL (1 PER 1 DAYS)   |
| <i>aripiprazole 1 mg/ml solution</i>   | TIER 4 | QL (25 PER 1 DAYS)  |
| <i>aripiprazole 2 mg tab</i>   | TIER 3 | QL (4 PER 1 DAYS)   |
| <i>aripiprazole 5 mg tab</i>   | TIER 3 | QL (2 PER 1 DAYS)   |
| ARISTADA (441 MG/1.6ML PRSYR, 662 MG/2.4ML PRSYR, 882 MG/3.2ML PRSYR, 1064 MG/3.9ML PRSYR) | TIER 5 | PA - PART B VS D DETERMINATION                            |
| ARISTADA INITIO 675 MG/2.4ML PRSYR   | TIER 5 | QL (2.4 PER 42 OVER TIME), PA - PART B VS D DETERMINATION |
| <i>asenapine maleate (2.5 mg sl tab, 5 mg sl tab, 10 mg sl tab)</i>                        | TIER 4 | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY               |
| CAPLYTA (10.5 MG CAP, 21 MG CAP, 42 MG CAP)  | TIER 5 | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY               |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                                 |
|---|------------------|--|
| FANAPT (1 MG TAB, 2 MG TAB, 4 MG TAB)   | TIER 4           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY                |
| FANAPT (6 MG TAB, 8 MG TAB, 10 MG TAB, 12 MG TAB)   | TIER 5           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY                |
| FANAPT TITRATION PACK 1 & 2 & 4 & 6 MG TAB  | TIER 4           | QL (8 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY          |
| INVEGA HAFYERA 1092 MG/3.5ML SUSP PRSYR   | TIER 5           | QL (3.5 PER 180 OVER TIME), PA - PART B VS D DETERMINATION |
| INVEGA HAFYERA 1560 MG/5ML SUSP PRSYR   | TIER 5           | QL (5 PER 180 OVER TIME), PA - PART B VS D DETERMINATION   |
| INVEGA SUSTENNA 117 MG/0.75ML SUSP PRSYR  | TIER 5           | QL (0.75 PER 28 OVER TIME), PA - PART B VS D DETERMINATION |
| INVEGA SUSTENNA 156 MG/ML SUSP PRSYR  | TIER 5           | QL (1 PER 28 OVER TIME), PA - PART B VS D DETERMINATION    |
| INVEGA SUSTENNA 234 MG/1.5ML SUSP PRSYR   | TIER 5           | QL (1.5 PER 28 OVER TIME), PA - PART B VS D DETERMINATION  |
| INVEGA SUSTENNA 39 MG/0.25ML SUSP PRSYR   | TIER 4           | QL (0.25 PER 28 OVER TIME), PA - PART B VS D DETERMINATION |
| INVEGA SUSTENNA 78 MG/0.5ML SUSP PRSYR  | TIER 5           | QL (0.5 PER 28 OVER TIME), PA - PART B VS D DETERMINATION  |
| INVEGA TRINZA 273 MG/0.88ML SUSP PRSYR  | TIER 5           | QL (0.88 PER 84 OVER TIME), PA - PART B VS D DETERMINATION |
| INVEGA TRINZA 410 MG/1.32ML SUSP PRSYR  | TIER 5           | QL (1.32 PER 84 OVER TIME), PA - PART B VS D DETERMINATION |
| INVEGA TRINZA 546 MG/1.75ML SUSP PRSYR  | TIER 5           | QL (1.75 PER 84 OVER TIME), PA - PART B VS D DETERMINATION |
| INVEGA TRINZA 819 MG/2.63ML SUSP PRSYR  | TIER 5           | QL (2.63 PER 84 OVER TIME), PA - PART B VS D DETERMINATION |
| <i>lurasidone hcl (20 mg tab, 40 mg tab, 60 mg tab)</i>   | TIER 4           | QL (1 PER 1 DAYS)  |
| <i>lurasidone hcl (80 mg tab, 120 mg tab)</i>   | TIER 4           | QL (2 PER 1 DAYS)  |
| NUPLAZID (10 MG TAB, 34 MG CAP)   | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY            |
| <i>olanzapine (2.5 mg tab, 5 mg tab, 7.5 mg tab, 10 mg tab, 15 mg tab, 20 mg tab)</i>               | TIER 2           |  |
| <i>olanzapine (5 mg tab disp, 10 mg recon soln, 10 mg tab disp, 15 mg tab disp, 20 mg tab disp)</i> | TIER 4           |  |
| <i>paliperidone er (er 1.5 mg tab er 24h, er 3 mg tab er 24h, er 9 mg tab er 24h)</i>               | TIER 4           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY                |
| <i>paliperidone er 6 mg tab er 24h</i>  | TIER 4           | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY                |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                              |
|---|------------------|---|
| PERSERIS (90 MG PRSYR, 120 MG PRSYR)  | TIER 5           | QL (1 PER 28 OVER TIME), PA - PART B VS D DETERMINATION |
| <i>quetiapine fumarate (25 mg tab, 50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab, 300 mg tab, 400 mg tab)</i>   | TIER 2           |   |
| <i>quetiapine fumarate er (er 50 mg tab er 24h, er 150 mg tab er 24h, er 200 mg tab er 24h, er 300 mg tab er 24h, er 400 mg tab er 24h)</i>   | TIER 3           |   |
| REXULTI (0.25 MG TAB, 0.5 MG TAB, 1 MG TAB, 2 MG TAB, 3 MG TAB, 4 MG TAB)   | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY             |
| <i>risperidone (0.25 mg tab, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp, 1 mg tab, 1 mg tab disp, 1 mg/ml solution, 2 mg tab, 2 mg tab disp, 3 mg tab, 3 mg tab disp, 4 mg tab, 4 mg tab disp)</i> | TIER 2           |   |
| <i>risperidone microspheres er (er 25 mg, er 37.5 mg, er 50 mg)</i>   | TIER 5           | PA - PART B VS D DETERMINATION                          |
| <i>risperidone microspheres er 12.5 mg srer</i>   | TIER 4           | PA - PART B VS D DETERMINATION                          |
| SECUADO (3.8 MG/24HR PATCH 24HR, 5.7 MG/24HR PATCH 24HR, 7.6 MG/24HR PATCH 24HR)  | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY             |
| VRAYLAR (1.5 MG CAP, 3 MG CAP, 4.5 MG CAP, 6 MG CAP)  | TIER 5           | QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY             |
| VRAYLAR 1.5 & 3 MG CAP THPK   | TIER 4           | QL (7 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY       |
| <i>ziprasidone hcl (20 mg cap, 40 mg cap, 60 mg cap, 80 mg cap)</i>   | TIER 2           |   |
| <i>ziprasidone mesylate 20 mg recon soln</i>  | TIER 4           |   |
| ZYPREXA RELPREVV (210 MG RECON SUSP, 300 MG RECON SUSP, 405 MG RECON SUSP)  | TIER 4           | PA - PART B VS D DETERMINATION                          |

## **TREATMENT-RESISTANT**

|   |        |  |
|---|--------|--|
| <i>clozapine (12.5 mg tab disp, 25 mg tab disp, 100 mg tab disp, 150 mg tab disp)</i> | TIER 4 |  |
| <i>clozapine (25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab)</i>                       | TIER 2 |  |
| <i>clozapine 200 mg tab disp</i>  | TIER 5 |  |
| VERSACLOZ 50 MG/ML SUSPENSION   | TIER 5 | QL (18 PER 1 DAYS), PA - FOR NEW STARTS ONLY |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS        |
|---|-----------|----------------------------|
| <b>ANTISPASTICITY AGENTS</b>                                |           |                            |
| <i>baclofen 10 mg tab</i>                                   | TIER 2    | QL (8 PER 1 DAYS)          |
| BACLOFEN 15 MG TAB  | TIER 2    | QL (6 PER 1 DAYS)          |
| <i>baclofen 20 mg tab</i>                                   | TIER 2    | QL (4 PER 1 DAYS)          |
| <i>baclofen 5 mg tab</i>                                    | TIER 2    | QL (16 PER 1 DAYS)         |
| <i>dantrolene sodium (25 mg cap, 50 mg cap, 100 mg cap)</i> | TIER 3    |                            |
| <i>tizanidine hcl (2 mg tab, 4 mg tab)</i>                  | TIER 2    |                            |
| <b>ANTIVIRALS</b>   |           |                            |
| <b>ANTI-CYTOMEGALOVIRUS (CMV) AGENTS</b>                    |           |                            |
| PREVYMIS 240 MG TAB   | TIER 5    | QL (200 PER 365 OVER TIME) |
| PREVYMIS 480 MG TAB   | TIER 5    | QL (100 PER 365 OVER TIME) |
| <i>valganciclovir hcl 450 mg tab</i>                        | TIER 3    | QL (2 PER 1 DAYS)          |
| <i>valganciclovir hcl 50 mg/ml recon soln</i>               | TIER 5    | QL (18 PER 1 DAYS)         |
| ZIRGAN 0.15 % GEL   | TIER 4    | QL (5 PER 30 OVER TIME)    |
| <b>ANTI-HEPATITIS B (HBV) AGENTS</b>                        |           |                            |
| <i>adefovir dipivoxil 10 mg tab</i>                         | TIER 4    | QL (1 PER 1 DAYS)          |
| BARACLUDE 0.05 MG/ML SOLUTION                               | TIER 5    | QL (21 PER 1 DAYS)         |
| <i>entecavir (0.5 mg tab, 1 mg tab)</i>                     | TIER 4    | QL (1 PER 1 DAYS)          |
| EPIVIR HBV 5 MG/ML SOLUTION                                 | TIER 3    |                            |
| <i>lamivudine 100 mg tab</i>                                | TIER 3    |                            |
| <b>ANTI-HEPATITIS C (HCV) AGENTS</b>                        |           |                            |
| EPCLUSA (150-37.5 MG PACKET, 200-50 MG TAB, 400-100 MG TAB) | TIER 5    | PA, QL (1 PER 1 DAYS)      |
| EPCLUSA 200-50 MG PACKET                                    | TIER 5    | PA, QL (2 PER 1 DAYS)      |
| HARVONI (33.75-150 MG PACKET, 45-200 MG TAB, 90-400 MG TAB) | TIER 5    | PA, QL (1 PER 1 DAYS)      |
| HARVONI 45-200 MG PACKET                                    | TIER 5    | PA, QL (2 PER 1 DAYS)      |
| LEDIPASVIR-SOFOSBUVIR 90-400 MG TAB                         | TIER 5    | PA, QL (1 PER 1 DAYS)      |
| MAVYRET 100-40 MG TAB                                       | TIER 5    | PA, QL (3 PER 1 DAYS)      |
| MAVYRET 50-20 MG PACKET                                     | TIER 5    | PA, QL (6 PER 1 DAYS)      |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                          | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>ribavirin (200 mg cap, 200 mg tab)</i> | TIER 2           |                            |
| SOFOBUVIR-VELPATASVIR 400-100 MG TAB      | TIER 5           | PA, QL (1 PER 1 DAYS)      |
| VOSEVI 400-100-100 MG TAB                 | TIER 5           | PA, QL (1 PER 1 DAYS)      |

### **ANTI-HIV AGENTS, INTEGRASE INHIBITORS (INSTI)**

|   |        |   |
|---|--------|---|
| APRETUDE 600 MG/3ML SUSP                      | TIER 5 | QL (21 PER 365 OVER TIME), PA - PART B VS D DETERMINATION |
| BIKTARVY (30-120-15 MG TAB, 50-200-25 MG TAB) | TIER 5 | QL (1 PER 1 DAYS)   |
| DOVATO 50-300 MG TAB                          | TIER 5 | QL (1 PER 1 DAYS)   |
| GENVOYA 150-150-200-10 MG TAB                 | TIER 5 | QL (1 PER 1 DAYS)   |
| ISENTRESS 100 MG CHEW TAB                     | TIER 5 | QL (6 PER 1 DAYS)   |
| ISENTRESS 100 MG PACKET                       | TIER 5 | QL (2 PER 1 DAYS)   |
| ISENTRESS 25 MG CHEW TAB                      | TIER 3 | QL (6 PER 1 DAYS)   |
| ISENTRESS 400 MG TAB                          | TIER 5 | QL (4 PER 1 DAYS)   |
| ISENTRESS HD 600 MG TAB                       | TIER 5 | QL (2 PER 1 DAYS)   |
| JULUCA 50-25 MG TAB                           | TIER 5 | QL (1 PER 1 DAYS)   |
| STRIBILD 150-150-200-300 MG TAB               | TIER 5 | QL (1 PER 1 DAYS)   |
| TIVICAY (25 MG TAB, 50 MG TAB)                | TIER 5 | QL (2 PER 1 DAYS)   |
| TIVICAY 10 MG TAB                             | TIER 4 | QL (2 PER 1 DAYS)   |
| TIVICAY PD 5 MG TAB SOL                       | TIER 4 | QL (6 PER 1 DAYS)   |

### **ANTI-HIV AGENTS, NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)**

|  |        |                   |
|--|--------|-------------------|
| COMPLERA 200-25-300 MG TAB   | TIER 5 | QL (1 PER 1 DAYS) |
| DELSTRIGO 100-300-300 MG TAB   | TIER 5 | QL (1 PER 1 DAYS) |
| EDURANT 25 MG TAB  | TIER 5 | QL (2 PER 1 DAYS) |
| EFAVIRENZ 200 MG CAP   | TIER 4 | QL (3 PER 1 DAYS) |
| EFAVIRENZ 50 MG CAP  | TIER 4 | QL (6 PER 1 DAYS) |
| <i>efavirenz 600 mg tab</i>  | TIER 4 | QL (1 PER 1 DAYS) |
| <i>efavirenz-emtricitab-tenofo df 600-200-300 mg tab</i>                       | TIER 5 | QL (1 PER 1 DAYS) |
| <i>efavirenz-lamivudine-tenofovir (400-300-300 mg tab, 600-300-300 mg tab)</i> | TIER 5 | QL (1 PER 1 DAYS) |
| <i>etravirine 100 mg tab</i>   | TIER 5 | QL (4 PER 1 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME                              | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>etravirine 200 mg tab</i>           | TIER 5    | QL (2 PER 1 DAYS)   |
| INTELENCE 25 MG TAB                    | TIER 4    | QL (12 PER 1 DAYS)  |
| <i>nevirapine 200 mg tab</i>           | TIER 2    | QL (2 PER 1 DAYS)   |
| NEVIRAPINE 50 MG/5ML SUSPENSION        | TIER 4    | QL (40 PER 1 DAYS)  |
| NEVIRAPINE ER 100 MG TAB ER 24H        | TIER 4    | QL (3 PER 1 DAYS)   |
| <i>nevirapine er 400 mg tab er 24h</i> | TIER 4    | QL (1 PER 1 DAYS)   |
| ODEFSEY 200-25-25 MG TAB               | TIER 5    | QL (1 PER 1 DAYS)   |
| PIFELTRO 100 MG TAB                    | TIER 5    | QL (2 PER 1 DAYS)   |

## ANTI-HIV AGENTS, NUCLEOSIDE AND NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)

|  |        |                    |
|--|--------|--------------------|
| <i>abacavir sulfat e 20 mg/ml solution</i>   | TIER 4 | QL (30 PER 1 DAYS) |
| <i>abacavir sulfat e 300 mg tab</i>  | TIER 3 | QL (2 PER 1 DAYS)  |
| <i>abacavir sulfat e-lamivudine 600-300 mg tab</i>                                 | TIER 4 | QL (1 PER 1 DAYS)  |
| <i>abacavir-lamivudine-zidovudine 300-150-300 mg tab</i>                           | TIER 5 | QL (2 PER 1 DAYS)  |
| CIMDUO 300-300 MG TAB  | TIER 5 | QL (1 PER 1 DAYS)  |
| DESCOVY (120-15 MG TAB, 200-25 MG TAB)   | TIER 5 | QL (1 PER 1 DAYS)  |
| DIDANOSINE (200 MG CAP DR, 250 MG CAP DR, 400 MG CAP DR)                           | TIER 2 | QL (1 PER 1 DAYS)  |
| <i>emtricitabine 200 mg cap</i>  | TIER 4 | QL (1 PER 1 DAYS)  |
| <i>emtricitabine-tenofovir df (100-150 mg tab, 133-200 mg tab, 167-250 mg tab)</i> | TIER 5 | QL (1 PER 1 DAYS)  |
| <i>emtricitabine-tenofovir df 200-300 mg tab</i>                                   | TIER 4 | QL (1 PER 1 DAYS)  |
| EMTRIVA 10 MG/ML SOLUTION  | TIER 4 | QL (24 PER 1 DAYS) |
| <i>lamivudine 10 mg/ml solution</i>  | TIER 2 | QL (30 PER 1 DAYS) |
| <i>lamivudine 150 mg tab</i>   | TIER 3 | QL (2 PER 1 DAYS)  |
| <i>lamivudine 300 mg tab</i>   | TIER 3 | QL (1 PER 1 DAYS)  |
| <i>lamivudine-zidovudine 150-300 mg tab</i>  | TIER 4 | QL (2 PER 1 DAYS)  |
| <i>stavudine (15 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>                      | TIER 2 | QL (2 PER 1 DAYS)  |
| TEMIXYS 300-300 MG TAB   | TIER 5 | QL (1 PER 1 DAYS)  |
| <i>tenofovir disoproxil fumarate 300 mg tab</i>                                    | TIER 4 | QL (1 PER 1 DAYS)  |
| TRIUMEQ 600-50-300 MG TAB  | TIER 5 | QL (1 PER 1 DAYS)  |
| TRIUMEQ PD 60-5-30 MG TAB SOL  | TIER 5 | QL (6 PER 1 DAYS)  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>                  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|-----------------------------------|------------------|----------------------------|
| TRIZIVIR 300-150-300 MG TAB       | TIER 5           | QL (2 PER 1 DAYS)          |
| VIREAD (200 MG TAB, 250 MG TAB)   | TIER 5           | QL (1 PER 1 DAYS)          |
| VIREAD 150 MG TAB                 | TIER 5           | QL (2 PER 1 DAYS)          |
| VIREAD 40 MG/GM POWDER            | TIER 4           | QL (240 PER 30 OVER TIME)  |
| <i>zidovudine 100 mg cap</i>      | TIER 2           | QL (6 PER 1 DAYS)          |
| <i>zidovudine 300 mg tab</i>      | TIER 2           | QL (2 PER 1 DAYS)          |
| <i>zidovudine 50 mg/5ml syrup</i> | TIER 2           | QL (60 PER 1 DAYS)         |

## **ANTI-HIV AGENTS, OTHER**

|                                  |        |  |
|----------------------------------|--------|--|
| CABENUVA 400 & 600 MG/2ML SUSP   | TIER 5 | QL (4 PER 30 OVER TIME), PA - PART B VS D DETERMINATION  |
| CABENUVA 600 & 900 MG/3ML SUSP   | TIER 5 | QL (6 PER 30 OVER TIME), PA - PART B VS D DETERMINATION  |
| FUZEON 90 MG RECON SOLN          | TIER 5 | QL (60 PER 30 OVER TIME)                                 |
| <i>maraviroc 150 mg tab</i>      | TIER 5 | QL (2 PER 1 DAYS)  |
| <i>maraviroc 300 mg tab</i>      | TIER 5 | QL (4 PER 1 DAYS)  |
| RUKOBIA 600 MG TAB ER 12H        | TIER 5 | QL (2 PER 1 DAYS)  |
| SELZENTRY 20 MG/ML SOLUTION      | TIER 5 | QL (60 PER 1 DAYS)                                       |
| SELZENTRY 25 MG TAB              | TIER 3 | QL (8 PER 1 DAYS)  |
| SELZENTRY 75 MG TAB              | TIER 5 | QL (8 PER 1 DAYS)  |
| SUNLENCA 4 X 300 MG TAB THPK     | TIER 5 | QL (4 PER 180 OVER TIME)                                 |
| SUNLENCA 463.5 MG/1.5ML SOLUTION | TIER 5 | QL (3 PER 180 OVER TIME), PA - PART B VS D DETERMINATION |
| SUNLENCA 5 X 300 MG TAB THPK     | TIER 5 | QL (5 PER 180 OVER TIME)                                 |
| TYBOST 150 MG TAB                | TIER 3 | QL (1 PER 1 DAYS)  |

## **ANTI-HIV AGENTS, PROTEASE INHIBITORS (PI)**

|  |        |                    |
|--|--------|--------------------|
| APTIVUS 100 MG/ML SOLUTION                         | TIER 5 | QL (10 PER 1 DAYS) |
| APTIVUS 250 MG CAP                                 | TIER 5 | QL (4 PER 1 DAYS)  |
| <i>atazanavir sulfate (150 mg cap, 200 mg cap)</i> | TIER 4 | QL (2 PER 1 DAYS)  |
| <i>atazanavir sulfate 300 mg cap</i>               | TIER 4 | QL (1 PER 1 DAYS)  |
| CRIXIVAN 200 MG CAP                                | TIER 3 | QL (9 PER 1 DAYS)  |
| CRIXIVAN 400 MG CAP                                | TIER 3 | QL (6 PER 1 DAYS)  |
| <i>darunavir 600 mg tab</i>                        | TIER 5 | QL (2 PER 1 DAYS)  |
| <i>darunavir 800 mg tab</i>                        | TIER 5 | QL (1 PER 1 DAYS)  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                                   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| EVOTAZ 300-150 MG TAB                              | TIER 5           | QL (1 PER 1 DAYS)          |
| <i>fosamprenavir calcium 700 mg tab</i>            | TIER 4           | QL (4 PER 1 DAYS)          |
| LEXIVA 50 MG/ML SUSPENSION                         | TIER 4           | QL (56 PER 1 DAYS)         |
| <i>lopinavir-ritonavir 100-25 mg tab</i>           | TIER 4           | QL (10 PER 1 DAYS)         |
| <i>lopinavir-ritonavir 200-50 mg tab</i>           | TIER 4           | QL (4 PER 1 DAYS)          |
| <i>lopinavir-ritonavir 400-100 mg/5ml solution</i> | TIER 4           | QL (13 PER 1 DAYS)         |
| NORVIR (100 MG CAP, 100 MG PACKET)                 | TIER 4           | QL (12 PER 1 DAYS)         |
| NORVIR 80 MG/ML SOLUTION                           | TIER 4           | QL (15 PER 1 DAYS)         |
| PREZCOBIX 800-150 MG TAB                           | TIER 5           | QL (1 PER 1 DAYS)          |
| PREZISTA 100 MG/ML SUSPENSION                      | TIER 5           | QL (12 PER 1 DAYS)         |
| PREZISTA 150 MG TAB                                | TIER 3           | QL (8 PER 1 DAYS)          |
| PREZISTA 75 MG TAB                                 | TIER 3           | QL (10 PER 1 DAYS)         |
| REYATAZ 50 MG PACKET                               | TIER 5           | QL (8 PER 1 DAYS)          |
| <i>ritonavir 100 mg tab</i>                        | TIER 3           | QL (12 PER 1 DAYS)         |
| SYM TUZA 800-150-200-10 MG TAB                     | TIER 5           | QL (1 PER 1 DAYS)          |
| VIRACEPT 250 MG TAB                                | TIER 5           | QL (9 PER 1 DAYS)          |
| VIRACEPT 625 MG TAB                                | TIER 5           | QL (4 PER 1 DAYS)          |

## **ANTI-INFLUENZA AGENTS**

|   |        |                             |
|---|--------|-----------------------------|
| <i>oseltamivir phosphate 30 mg cap</i>  | TIER 2 | QL (120 PER 180 OVER TIME)  |
| <i>oseltamivir phosphate 45 mg cap</i>  | TIER 2 | QL (42 PER 180 OVER TIME)   |
| <i>oseltamivir phosphate 6 mg/ml recon susp</i>   | TIER 4 | QL (1080 PER 365 OVER TIME) |
| <i>oseltamivir phosphate 75 mg cap</i>  | TIER 2 | QL (60 PER 180 OVER TIME)   |
| RELENZA DISKHALER 5 MG/ACT AER POW BA   | TIER 3 | QL (60 PER 180 OVER TIME)   |
| RIMANTADINE HCL 100 MG TAB  | TIER 4 |                             |
| XOFLUZA (40 MG DOSE) (OFLUZA MG DOSE) 1 40 MG TAB THPK, OFLUZA MG DOSE) 2 20 MG TAB THPK) | TIER 4 | QL (2 PER 30 OVER TIME)     |
| XOFLUZA (80 MG DOSE) 1 X 80 MG TAB THPK   | TIER 4 | QL (1 PER 30 OVER TIME)     |
| XOFLUZA (80 MG DOSE) 2 X 40 MG TAB THPK   | TIER 4 | QL (2 PER 30 OVER TIME)     |

## **ANTIHERPETIC AGENTS**

|   |        |  |
|---|--------|--|
| <i>acyclovir (200 mg cap, 400 mg tab, 800 mg tab)</i> | TIER 2 |  |
|---|--------|--|

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|---|------------------|--------------------------------|
| <i>acyclovir 200 mg/5ml suspension</i>                  | TIER 4           |                                |
| <i>acyclovir sodium 50 mg/ml solution</i>               | TIER 4           | PA - PART B VS D DETERMINATION |
| <i>famciclovir (125 mg tab, 250 mg tab, 500 mg tab)</i> | TIER 2           |                                |
| TRIFLURIDINE 1% SOLUTION                                | TIER 3           |                                |
| <i>valacyclovir hcl (1 gm tab, 500 mg tab)</i>          | TIER 2           |                                |

## **ANXIOLYTICS**

### **ANXIOLYTICS, OTHER**

|  |        |  |
|--|--------|--|
| <i>buspirone hcl (5 mg tab, 7.5 mg tab, 10 mg tab, 15 mg tab, 30 mg tab)</i> | TIER 2 |  |
| <i>meprobamate (200 mg tab, 400 mg tab)</i>                                  | TIER 4 |  |

### **BENZODIAZEPINES**

|  |        |                    |
|--|--------|--------------------|
| <i>alprazolam (0.25 mg tab, 0.5 mg tab, 1 mg tab)</i>                                | TIER 2 | QL (4 PER 1 DAYS)  |
| <i>alprazolam 2 mg tab</i>   | TIER 2 | QL (5 PER 1 DAYS)  |
| <i>alprazolam er (er 0.5 mg tab er 24h, er 1 mg tab er 24h, er 3 mg tab er 24h)</i>  | TIER 2 | QL (1 PER 1 DAYS)  |
| <i>alprazolam er 2 mg tab er 24h</i>   | TIER 2 | QL (5 PER 1 DAYS)  |
| <i>alprazolam xr (0.5 mg tab er 24h, 1 mg tab er 24h, 3 mg tab er 24h)</i>           | TIER 2 | QL (1 PER 1 DAYS)  |
| <i>alprazolam xr 2 mg tab er 24h</i>   | TIER 2 | QL (5 PER 1 DAYS)  |
| <i>clonazepam (0.125 mg tab disp, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp)</i> | TIER 2 | QL (40 PER 1 DAYS) |
| <i>clonazepam (1 mg tab, 1 mg tab disp)</i>  | TIER 2 | QL (20 PER 1 DAYS) |
| <i>clonazepam (2 mg tab, 2 mg tab disp)</i>  | TIER 2 | QL (10 PER 1 DAYS) |
| <i>clorazepate dipotassium 15 mg tab</i>   | TIER 2 | QL (6 PER 1 DAYS)  |
| <i>clorazepate dipotassium 3.75 mg tab</i>   | TIER 2 | QL (24 PER 1 DAYS) |
| <i>clorazepate dipotassium 7.5 mg tab</i>  | TIER 2 | QL (12 PER 1 DAYS) |
| <i>diazepam (5 mg tab, 5 mg/ml conc)</i>   | TIER 2 | QL (12 PER 1 DAYS) |
| <i>diazepam 10 mg tab</i>  | TIER 2 | QL (6 PER 1 DAYS)  |
| <i>diazepam 2 mg tab</i>   | TIER 2 | QL (30 PER 1 DAYS) |
| <i>diazepam 5 mg/5ml solution</i>  | TIER 2 | QL (60 PER 1 DAYS) |
| <i>diazepam intensol 5 mg/ml conc</i>  | TIER 2 | QL (12 PER 1 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| <i>lorazepam (2 mg tab, 2 mg/ml conc)</i>         | TIER 2    | QL (5 PER 1 DAYS)   |
| <i>lorazepam 0.5 mg tab</i>                       | TIER 2    | QL (20 PER 1 DAYS)  |
| <i>lorazepam 1 mg tab</i>                         | TIER 2    | QL (10 PER 1 DAYS)  |
| <i>lorazepam intensol 2 mg/ml conc</i>            | TIER 2    | QL (5 PER 1 DAYS)   |
| <i>oxazepam (10 mg cap, 15 mg cap, 30 mg cap)</i> | TIER 4    | QL (4 PER 1 DAYS)   |

## BIPOLAR AGENTS

### MOOD STABILIZERS

|   |        |
|---|--------|
| <i>lithium 8 meq/5ml solution</i>   | TIER 2 |
| <i>lithium carbonate (150 mg cap, 300 mg cap, 300 mg tab, 600 mg cap)</i> | TIER 2 |
| <i>lithium carbonate er (er 300 mg tab er, er 450 mg tab er)</i>          | TIER 2 |

## BLOOD GLUCOSE REGULATORS

### ANTIDIABETIC AGENTS

|   |        |                               |
|---|--------|-------------------------------|
| <i>acarbose (25 mg tab, 50 mg tab, 100 mg tab)</i>                                  | TIER 2 |                               |
| BYETTA 10 MCG PEN 10 MCG/0.04ML SOLN PEN  | TIER 4 | PA, QL (2.4 PER 28 OVER TIME) |
| BYETTA 5 MCG PEN 5 MCG/0.02ML SOLN PEN  | TIER 4 | PA, QL (1.2 PER 28 OVER TIME) |
| FARXIGA (5 MG TAB, 10 MG TAB)   | TIER 3 | QL (1 PER 1 DAYS)             |
| <i>glimepiride (1 mg tab, 2 mg tab, 4 mg tab)</i>                                   | TIER 1 |                               |
| <i>glipizide (2.5 mg tab, 5 mg tab, 10 mg tab)</i>                                  | TIER 1 |                               |
| <i>glipizide er (er 2.5 mg tab er 24h, er 5 mg tab er 24h, er 10 mg tab er 24h)</i> | TIER 1 |                               |
| <i>glipizide xl (2.5 mg tab er 24h, 5 mg tab er 24h, 10 mg tab er 24h)</i>          | TIER 1 |                               |
| <i>glipizide-metformin hcl (2.5-250 mg tab, 2.5-500 mg tab, 5-500 mg tab)</i>       | TIER 1 |                               |
| <i>glyburide (1.25 mg tab, 2.5 mg tab, 5 mg tab)</i>                                | TIER 1 |                               |
| GLYBURIDE MICRONIZED (1.5 MG TAB, 3 MG TAB, 6 MG TAB)                               | TIER 1 |                               |
| <i>glyburide-metformin (1.25-250 mg tab, 2.5-500 mg tab, 5-500 mg tab)</i>          | TIER 1 |                               |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS           |
|--|-----------|-------------------------------|
| GLYXAMBI (10-5 MG TAB, 25-5 MG TAB)  | TIER 3    | QL (1 PER 1 DAYS)             |
| JANUMET (50-1000 MG TAB, 50-500 MG TAB)  | TIER 3    | QL (2 PER 1 DAYS)             |
| JANUMET XR (50-500 MG TAB ER 24H, 100-1000 MG TAB ER 24H)  | TIER 3    | QL (1 PER 1 DAYS)             |
| JANUMET XR 50-1000 MG TAB ER 24H   | TIER 3    | QL (2 PER 1 DAYS)             |
| JANUVIA (25 MG TAB, 50 MG TAB, 100 MG TAB)   | TIER 3    | QL (1 PER 1 DAYS)             |
| JARDIANCE (10 MG TAB, 25 MG TAB)   | TIER 3    | QL (1 PER 1 DAYS)             |
| JENTADUETO (2.5-1000 MG TAB, 2.5-500 MG TAB, 2.5-850 MG TAB)   | TIER 3    | QL (2 PER 1 DAYS)             |
| JENTADUETO XR 2.5-1000 MG TAB ER 24H   | TIER 3    | QL (2 PER 1 DAYS)             |
| JENTADUETO XR 5-1000 MG TAB ER 24H   | TIER 3    | QL (1 PER 1 DAYS)             |
| KERENDIA (10 MG TAB, 20 MG TAB)  | TIER 4    | PA, QL (1 PER 1 DAYS)         |
| <i>metformin hcl (500 mg tab, 850 mg tab, 1000 mg tab)</i>   | TIER 1    |                               |
| <i>metformin hcl er (er 500 mg tab er 24h, er 750 mg tab er 24h)</i>   | TIER 1    |                               |
| <i>miglitol (25 mg tab, 50 mg tab, 100 mg tab)</i>   | TIER 3    | QL (3 PER 1 DAYS)             |
| MOUNJARO (2.5 MG/0.5ML SOLN PEN, 5 MG/0.5ML SOLN PEN, 7.5 MG/0.5ML SOLN PEN, 10 MG/0.5ML SOLN PEN, 12.5 MG/0.5ML SOLN PEN, 15 MG/0.5ML SOLN PEN) | TIER 3    | PA, QL (2 PER 28 OVER TIME)   |
| <i>nateglinide (60 mg tab, 120 mg tab)</i>   | TIER 1    |                               |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) 2 MG/1.5ML SOLN PEN  | TIER 3    | PA, QL (1.5 PER 28 OVER TIME) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) 2 MG/3ML SOLN PEN  | TIER 3    | PA, QL (3 PER 28 OVER TIME)   |
| OZEMPIC (1 MG/DOSE) (MG/DOSE) 2 MG/1.5ML SOLN PEN, (MG/DOSE) 4 MG/3ML SOLN PEN)  | TIER 3    | PA, QL (3 PER 28 OVER TIME)   |
| OZEMPIC (2 MG/DOSE) 8 MG/3ML SOLN PEN  | TIER 3    | PA, QL (3 PER 28 OVER TIME)   |
| <i>pioglitazone hcl (15 mg tab, 30 mg tab, 45 mg tab)</i>  | TIER 1    |                               |
| <i>pioglitazone hcl-glimepiride (30-2 mg tab, 30-4 mg tab)</i>   | TIER 1    | QL (1 PER 1 DAYS)             |
| <i>pioglitazone hcl-metformin hcl (-metformin 15-500 mg tab, -metformin 15-850 mg tab)</i>   | TIER 1    |                               |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|---|------------------|--------------------------------|
| <i>repaglinide (0.5 mg tab, 1 mg tab, 2 mg tab)</i>   | TIER 1           |                                |
| RYBELSUS (3 MG TAB, 7 MG TAB, 14 MG TAB)  | TIER 3           | PA, QL (1 PER 1 DAYS)          |
| SYMLINPEN 120 2700 MCG/2.7ML SOLN PEN   | TIER 5           | PA, QL (10.8 PER 28 OVER TIME) |
| SYMLINPEN 60 1500 MCG/1.5ML SOLN PEN  | TIER 5           | PA, QL (12 PER 28 OVER TIME)   |
| SYNJARDY (5-1000 MG TAB, 5-500 MG TAB, 12.5-1000 MG TAB, 12.5-500 MG TAB)                             | TIER 3           | QL (2 PER 1 DAYS)              |
| SYNJARDY XR (5-1000 MG TAB ER 24H, 10-1000 MG TAB ER 24H, 12.5-1000 MG TAB ER 24H)                    | TIER 3           | QL (2 PER 1 DAYS)              |
| SYNJARDY XR 25-1000 MG TAB ER 24H   | TIER 3           | QL (1 PER 1 DAYS)              |
| TOLBUTAMIDE 500 MG TAB  | TIER 1           |                                |
| TRADJENTA 5 MG TAB  | TIER 3           | QL (1 PER 1 DAYS)              |
| TRULICITY (0.75 MG/0.5ML SOLN PEN, 1.5 MG/0.5ML SOLN PEN, 3 MG/0.5ML SOLN PEN, 4.5 MG/0.5ML SOLN PEN) | TIER 3           | PA, QL (2 PER 28 OVER TIME)    |
| VICTOZA 18 MG/3ML SOLN PEN  | TIER 3           | PA, QL (9 PER 30 OVER TIME)    |
| XIGDUO XR (2.5-1000 MG TAB ER 24H, 5-1000 MG TAB ER 24H, 10-1000 MG TAB ER 24H)                       | TIER 3           | QL (2 PER 1 DAYS)              |
| XIGDUO XR (5-500 MG TAB ER 24H, 10-500 MG TAB ER 24H)   | TIER 3           | QL (1 PER 1 DAYS)              |

## GLYCEMIC AGENTS

|   |        |                         |
|---|--------|-------------------------|
| BAQSIMI ONE PACK 3 MG/DOSE POWDER                 | TIER 3 | QL (2 PER 30 OVER TIME) |
| BAQSIMI TWO PACK 3 MG/DOSE POWDER                 | TIER 3 | QL (2 PER 30 OVER TIME) |
| <i>diazoxide 50 mg/ml suspension</i>              | TIER 5 |                         |
| GLUCAGEN HYPOKIT 1 MG RECON SOLN                  | TIER 3 | QL (2 PER 2 OVER TIME)  |
| GLUCAGON EMERGENCY (1 MG KIT, 1 MG/ML RECON SOLN) | TIER 3 | QL (2 PER 2 OVER TIME)  |

## INSULINS

|  |        |     |
|--|--------|-----|
| HUMALOG 100 UNIT/ML SOLN CART                                | TIER 3 | INS |
| HUMALOG JUNIOR KWIKPEN 100 UNIT/ML SOLN PEN                  | TIER 3 | INS |
| HUMALOG KWIKPEN (100 UNIT/ML SOLN PEN, 200 UNIT/ML SOLN PEN) | TIER 3 | INS |
| HUMALOG MIX 50/50 (50-50) 100 UNIT/ML SUSPENSION             | TIER 3 | INS |
| HUMALOG MIX 50/50 KWIKPEN (50-50) 100 UNIT/ML SUSP PEN       | TIER 3 | INS |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>          |
|---|------------------|-------------------------------------|
| HUMALOG MIX 75/25 (75-25) 100 UNIT/ML SUSPENSION          | TIER 3           | INS                                 |
| HUMALOG MIX 75/25 KWIKPEN (75-25) 100 UNIT/ML SUSP PEN    | TIER 3           | INS                                 |
| HUMULIN 70/30 (70-30) 100 UNIT/ML SUSPENSION              | TIER 3           | INS                                 |
| HUMULIN 70/30 KWIKPEN (70-30) 100 UNIT/ML SUSP PEN        | TIER 3           | INS                                 |
| HUMULIN N 100 UNIT/ML SUSPENSION                          | TIER 3           | INS                                 |
| HUMULIN N KWIKPEN 100 UNIT/ML SUSP PEN                    | TIER 3           | INS                                 |
| HUMULIN R 100 UNIT/ML SOLUTION                            | TIER 3           | INS                                 |
| HUMULIN R U-500 (CONCENTRATED) 500 UNIT/ML SOLUTION       | TIER 3           | PA - PART B VS D DETERMINATION, INS |
| HUMULIN R U-500 KWIKPEN 500 UNIT/ML SOLN PEN              | TIER 3           | INS                                 |
| INSULIN LISPRO (1 UNIT DIAL) 100 UNIT/ML SOLN PEN         | TIER 3           | INS                                 |
| INSULIN LISPRO 100 UNIT/ML SOLUTION                       | TIER 3           | INS                                 |
| INSULIN LISPRO JUNIOR KWIKPEN 100 UNIT/ML SOLN PEN        | TIER 3           | INS                                 |
| INSULIN LISPRO PROT & LISPRO (75-25) 100 UNIT/ML SUSP PEN | TIER 3           | INS                                 |
| LANTUS 100 UNIT/ML SOLUTION                               | TIER 3           | QL (40 PER 30 OVER TIME), INS       |
| LANTUS SOLOSTAR 100 UNIT/ML SOLN PEN                      | TIER 3           | QL (45 PER 30 OVER TIME), INS       |
| TOUJEO MAX SOLOSTAR 300 UNIT/ML SOLN PEN                  | TIER 3           | QL (18 PER 28 OVER TIME), INS       |
| TOUJEO SOLOSTAR 300 UNIT/ML SOLN PEN                      | TIER 3           | QL (18 PER 28 OVER TIME), INS       |
| TRESIBA 100 UNIT/ML SOLUTION                              | TIER 3           | QL (30 PER 30 OVER TIME), INS       |
| TRESIBA FLEXTOUCH 100 UNIT/ML SOLN PEN                    | TIER 3           | QL (30 PER 30 OVER TIME), INS       |
| TRESIBA FLEXTOUCH 200 UNIT/ML SOLN PEN                    | TIER 3           | QL (27 PER 30 OVER TIME), INS       |

## **BLOOD PRODUCTS AND MODIFIERS**

### **ANTICOAGULANTS**

|  |        |                   |
|--|--------|-------------------|
| <i>dabigatran etexilate mesylate (75 mg cap, 110 mg cap, 150 mg cap)</i> | TIER 4 | QL (2 PER 1 DAYS) |
|--|--------|-------------------|

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|--|------------------|--------------------------------|
| ELIQUIS (2.5 MG TAB, 5 MG TAB)   | TIER 3           | QL (2 PER 1 DAYS)              |
| ELIQUIS DVT/PE STARTER PACK 5 MG TAB THPK  | TIER 3           | QL (74 PER 180 OVER TIME)      |
| <i>enoxaparin sodium (100 mg/ml soln prsyr, 150 mg/ml soln prsyr, 300 mg/3ml solution)</i>   | TIER 4           | QL (60 PER 30 OVER TIME)       |
| <i>enoxaparin sodium (80 mg/0.8ml soln prsyr, 120 mg/0.8ml soln prsyr)</i>   | TIER 4           | QL (48 PER 30 OVER TIME)       |
| <i>enoxaparin sodium 30 mg/0.3ml soln prsyr</i>  | TIER 4           | QL (18 PER 30 OVER TIME)       |
| <i>enoxaparin sodium 40 mg/0.4ml soln prsyr</i>  | TIER 4           | QL (24 PER 30 OVER TIME)       |
| <i>enoxaparin sodium 60 mg/0.6ml soln prsyr</i>  | TIER 4           | QL (36 PER 30 OVER TIME)       |
| <i>fondaparinux sodium 10 mg/0.8ml solution</i>  | TIER 5           | QL (24 PER 30 OVER TIME)       |
| <i>fondaparinux sodium 2.5 mg/0.5ml solution</i>   | TIER 4           | QL (15 PER 30 OVER TIME)       |
| <i>fondaparinux sodium 5 mg/0.4ml solution</i>   | TIER 5           | QL (12 PER 30 OVER TIME)       |
| <i>fondaparinux sodium 7.5 mg/0.6ml solution</i>   | TIER 5           | QL (18 PER 30 OVER TIME)       |
| <i>heparin sodium (porcine) ((porcine) 1000 unit/ml solution, (porcine) 5000 unit/ml solution, (porcine) 10000 unit/ml solution, (porcine) 20000 unit/ml solution)</i> | TIER 2           | PA - PART B VS D DETERMINATION |
| <i>heparin sodium (porcine) pf 1000 unit/ml solution</i>   | TIER 2           | PA - PART B VS D DETERMINATION |
| <i>jantoven (1 mg tab, 2 mg tab, 2.5 mg tab, 3 mg tab, 4 mg tab, 5 mg tab, 6 mg tab, 7.5 mg tab, 10 mg tab)</i>  | TIER 1           |                                |
| <i>warfarin sodium (1 mg tab, 2 mg tab, 2.5 mg tab, 3 mg tab, 4 mg tab, 5 mg tab, 6 mg tab, 7.5 mg tab, 10 mg tab)</i>   | TIER 1           |                                |
| XARELTO (10 MG TAB, 15 MG TAB, 20 MG TAB)  | TIER 3           | QL (1 PER 1 DAYS)              |
| XARELTO 1 MG/ML RECON SUSP   | TIER 3           | QL (20 PER 1 DAYS)             |
| XARELTO 2.5 MG TAB   | TIER 3           | QL (2 PER 1 DAYS)              |
| XARELTO STARTER PACK 15 & 20 MG TAB THPK   | TIER 3           | QL (51 PER 180 OVER TIME)      |
| ZONTIVITY 2.08 MG TAB  | TIER 4           | QL (1 PER 1 DAYS)              |

## **BLOOD PRODUCTS AND MODIFIERS, OTHER**

|  |        |
|--|--------|
| <i>anagrelide hcl (0.5 mg cap, 1 mg cap)</i> | TIER 3 |
|--|--------|

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| ARANESP (ALBUMIN FREE) (FREE) 10 MCG/0.4ML SOLN PRSYR, FREE) 25 MCG/0.42ML SOLN PRSYR, FREE) 25 MCG/ML SOLUTION, FREE) 40 MCG/0.4ML SOLN PRSYR, FREE) 40 MCG/ML SOLUTION, FREE) 100 MCG/ML SOLUTION)   | TIER 4           | PA                         |
| ARANESP (ALBUMIN FREE) (FREE) 60 MCG/0.3ML SOLN PRSYR, FREE) 60 MCG/ML SOLUTION, FREE) 100 MCG/0.5ML SOLN PRSYR, FREE) 150 MCG/0.3ML SOLN PRSYR, FREE) 200 MCG/0.4ML SOLN PRSYR, FREE) 200 MCG/ML SOLUTION, FREE) 300 MCG/0.6ML SOLN PRSYR, FREE) 500 MCG/ML SOLN PRSYR) | TIER 5           | PA                         |
| LEUKINE 250 MCG RECON SOLN   | TIER 5           | PA                         |
| PROMACTA (12.5 MG PACKET, 12.5 MG TAB)   | TIER 5           | PA, LA, QL (1 PER 1 DAYS)  |
| PROMACTA (25 MG TAB, 50 MG TAB)  | TIER 5           | PA, LA, QL (3 PER 1 DAYS)  |
| PROMACTA 25 MG PACKET  | TIER 5           | PA, LA, QL (6 PER 1 DAYS)  |
| PROMACTA 75 MG TAB   | TIER 5           | PA, LA, QL (2 PER 1 DAYS)  |
| RETACRIT (2000 UNIT/ML SOLUTION, 3000 UNIT/ML SOLUTION, 4000 UNIT/ML SOLUTION, 10000 UNIT/ML SOLUTION, 20000 UNIT/ML SOLUTION, 40000 UNIT/ML SOLUTION)   | TIER 4           | PA                         |
| ZARXIO (300 MCG/0.5ML SOLN PRSYR, 480 MCG/0.8ML SOLN PRSYR)  | TIER 5           | PA                         |

## HEMOSTASIS AGENTS

|                                   |        |                   |
|-----------------------------------|--------|-------------------|
| <i>tranexamic acid 650 mg tab</i> | TIER 3 | QL (1 PER 1 DAYS) |
|-----------------------------------|--------|-------------------|

## PLATELET MODIFYING AGENTS

|   |        |                           |
|---|--------|---------------------------|
| <i>aspirin-dipyridamole er 25-200 mg cap er 12h</i>   | TIER 4 |                           |
| BRILINTA (60 MG TAB, 90 MG TAB)                       | TIER 3 | QL (2 PER 1 DAYS)         |
| CABLIVI 11 MG KIT                                     | TIER 5 | PA, LA, QL (1 PER 1 DAYS) |
| <i>cilostazol (50 mg tab, 100 mg tab)</i>             | TIER 2 |                           |
| <i>clopidogrel bisulfate 75 mg tab</i>                | TIER 1 | QL (1 PER 1 DAYS)         |
| <i>dipyridamole (25 mg tab, 50 mg tab, 75 mg tab)</i> | TIER 2 |                           |
| <i>prasugrel hcl (5 mg tab, 10 mg tab)</i>            | TIER 2 | QL (1 PER 1 DAYS)         |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS           |
|---|-----------|-------------------------------|
| <b>CARDIOVASCULAR AGENTS</b>  |           |                               |
| <b>ALPHA-ADRENERGIC AGONISTS</b>  |           |                               |
| <i>clonidine (0.1 mg/24hr patch wk, 0.2 mg/24hr patch wk, 0.3 mg/24hr patch wk)</i> | TIER 3    |                               |
| <i>clonidine hcl (0.1 mg tab, 0.2 mg tab, 0.3 mg tab)</i>                           | TIER 1    |                               |
| <i>droxidopa 100 mg cap</i>   | TIER 5    | PA, QL (252 PER 90 OVER TIME) |
| <i>droxidopa 200 mg cap</i>   | TIER 5    | PA, QL (120 PER 30 OVER TIME) |
| <i>droxidopa 300 mg cap</i>   | TIER 5    | PA, QL (84 PER 90 OVER TIME)  |
| <i>guanfacine hcl (1 mg tab, 2 mg tab)</i>  | TIER 2    |                               |
| <i>methyl dopa (250 mg tab, 500 mg tab)</i>   | TIER 2    |                               |
| <i>midodrine hcl (2.5 mg tab, 5 mg tab, 10 mg tab)</i>                              | TIER 3    |                               |
| <b>ALPHA-ADRENERGIC BLOCKING AGENTS</b>   |           |                               |
| <i>doxazosin mesylate (1 mg tab, 2 mg tab, 4 mg tab, 8 mg tab)</i>                  | TIER 2    |                               |
| <i>prazosin hcl (1 mg cap, 2 mg cap, 5 mg cap)</i>                                  | TIER 2    |                               |
| <i>terazosin hcl (1 mg cap, 2 mg cap, 5 mg cap, 10 mg cap)</i>                      | TIER 1    |                               |
| <b>ANGIOTENSIN II RECEPTOR ANTAGONISTS</b>  |           |                               |
| <i>candesartan cilexetil (4 mg tab, 8 mg tab, 16 mg tab, 32 mg tab)</i>             | TIER 1    |                               |
| EDARBI (40 MG TAB, 80 MG TAB)   | TIER 4    | ST                            |
| EPROSARTAN MESYLATE 600 MG TAB  | TIER 1    | QL (1 PER 1 DAYS)             |
| <i>irbesartan (75 mg tab, 150 mg tab, 300 mg tab)</i>                               | TIER 1    |                               |
| <i>losartan potassium (25 mg tab, 50 mg tab, 100 mg tab)</i>                        | TIER 1    |                               |
| <i>olmesartan medoxomil (5 mg tab, 20 mg tab, 40 mg tab)</i>                        | TIER 1    |                               |
| <i>telmisartan (20 mg tab, 40 mg tab, 80 mg tab)</i>                                | TIER 1    |                               |
| <i>valsartan (40 mg tab, 80 mg tab, 160 mg tab, 320 mg tab)</i>                     | TIER 1    |                               |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <b>ANGIOTENSIN-CONVERTING ENZYME (ACE) INHIBITORS</b>  |                  |                            |
| <i>benazepril hcl (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab)</i>                            | TIER 1           |                            |
| <i>captopril (12.5 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i>                             | TIER 1           |                            |
| <i>enalapril maleate (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i>                        | TIER 1           |                            |
| <i>fosinopril sodium (10 mg tab, 20 mg tab, 40 mg tab)</i>                                   | TIER 1           |                            |
| <i>lisinopril (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab, 40 mg tab)</i>         | TIER 1           |                            |
| <i>moexipril hcl (7.5 mg tab, 15 mg tab)</i>   | TIER 1           |                            |
| <i>perindopril erbumine (2 mg tab, 4 mg tab, 8 mg tab)</i>                                   | TIER 1           |                            |
| <i>quinapril hcl (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab)</i>                             | TIER 1           |                            |
| <i>ramipril (1.25 mg cap, 2.5 mg cap, 5 mg cap, 10 mg cap)</i>                               | TIER 1           |                            |
| <i>trandolapril (1 mg tab, 2 mg tab, 4 mg tab)</i>   | TIER 1           |                            |
| <b>ANTIARRHYTHMICS</b>   |                  |                            |
| <i>amiodarone hcl (100 mg tab, 400 mg tab)</i>   | TIER 3           |                            |
| <i>amiodarone hcl 200 mg tab</i>   | TIER 1           |                            |
| <i>disopyramide phosphate (100 mg cap, 150 mg cap)</i>                                       | TIER 4           |                            |
| <i>dofetilide (125 mcg cap, 250 mcg cap, 500 mcg cap)</i>                                    | TIER 4           |                            |
| <i>flecainide acetate (50 mg tab, 100 mg tab, 150 mg tab)</i>                                | TIER 2           |                            |
| <i>mexiletine hcl (150 mg cap, 200 mg cap, 250 mg cap)</i>                                   | TIER 2           |                            |
| MULTAQ 400 MG TAB  | TIER 3           | QL (2 PER 1 DAYS)          |
| <i>pacerone (100 mg tab, 400 mg tab)</i>   | TIER 3           |                            |
| <i>pacerone 200 mg tab</i>   | TIER 1           |                            |
| <i>propafenone hcl (150 mg tab, 225 mg tab, 300 mg tab)</i>                                  | TIER 2           |                            |
| <i>propafenone hcl er (er 225 mg cap er 12h, er 325 mg cap er 12h, er 425 mg cap er 12h)</i> | TIER 4           |                            |
| <i>quinidine gluconate er 324 mg tab er</i>  | TIER 4           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>quinidine sulfate (200 mg tab, 300 mg tab)</i>                          | TIER 2           |                            |
| <i>sorine (80 mg tab, 120 mg tab, 160 mg tab, 240 mg tab)</i>              | TIER 2           |                            |
| <i>sotalol hcl (80 mg tab, 120 mg tab, 160 mg tab, 240 mg tab)</i>         | TIER 2           |                            |
| <i>sotalol hcl (af) ((af) 80 mg tab, (af) 120 mg tab, (af) 160 mg tab)</i> | TIER 2           |                            |

## **BETA-ADRENERGIC BLOCKING AGENTS**

|  |        |    |
|--|--------|----|
| <i>acebutolol hcl (200 mg cap, 400 mg cap)</i>   | TIER 2 |    |
| <i>atenolol (25 mg tab, 50 mg tab, 100 mg tab)</i>   | TIER 1 |    |
| <i>betaxolol hcl (10 mg tab, 20 mg tab)</i>  | TIER 2 |    |
| <i>bisoprolol fumarate (5 mg tab, 10 mg tab)</i>   | TIER 2 |    |
| <i>carvedilol (3.125 mg tab, 6.25 mg tab, 12.5 mg tab, 25 mg tab)</i>  | TIER 1 |    |
| <i>carvedilol phosphate er (er 10 mg cap er 24h, er 20 mg cap er 24h, er 40 mg cap er 24h, er 80 mg cap er 24h)</i>    | TIER 3 | ST |
| <i>labetalol hcl (100 mg tab, 200 mg tab, 300 mg tab)</i>  | TIER 2 |    |
| <i>metoprolol succinate er (er 25 mg tab er 24h, er 50 mg tab er 24h, er 100 mg tab er 24h, er 200 mg tab er 24h)</i>  | TIER 1 |    |
| <i>metoprolol tartrate (25 mg tab, 50 mg tab, 100 mg tab)</i>  | TIER 1 |    |
| <i>metoprolol tartrate (37.5 mg tab, 75 mg tab)</i>  | TIER 2 |    |
| <i>nadolol (20 mg tab, 40 mg tab, 80 mg tab)</i>   | TIER 2 |    |
| <i>nebivolol hcl (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i>  | TIER 3 |    |
| <i>pindolol (5 mg tab, 10 mg tab)</i>  | TIER 2 |    |
| <i>propranolol hcl (10 mg tab, 20 mg tab, 20 mg/5ml solution, 40 mg tab, 40 mg/5ml solution, 60 mg tab, 80 mg tab)</i> | TIER 2 |    |
| <i>propranolol hcl er (er 60 mg cap er 24h, er 80 mg cap er 24h, er 120 mg cap er 24h, er 160 mg cap er 24h)</i>       | TIER 2 |    |

## **CALCIUM CHANNEL BLOCKING AGENTS, DIHYDROPYRIDINES**

|  |        |  |
|--|--------|--|
| <i>amlodipine besylate (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | TIER 1 |  |
|--|--------|--|

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>felodipine er (er 2.5 mg tab er 24h, er 5 mg tab er 24h, er 10 mg tab er 24h)</i>   | TIER 2           |                            |
| <i>isradipine (2.5 mg cap, 5 mg cap)</i>   | TIER 3           |                            |
| <i>nicardipine hcl (20 mg cap, 30 mg cap)</i>  | TIER 2           |                            |
| <i>nifedipine (10 mg cap, 20 mg cap)</i>   | TIER 2           |                            |
| <i>nifedipine er (er 30 mg tab er 24h, er 60 mg tab er 24h, er 90 mg tab er 24h)</i>   | TIER 2           |                            |
| <i>nifedipine er osmotic release (er 30 mg tab er 24h, er 60 mg tab er 24h, er 90 mg tab er 24h)</i>   | TIER 2           |                            |
| <i>nimodipine 30 mg cap</i>  | TIER 4           |                            |
| <i>nisoldipine er (er 8.5 mg tab er 24h, er 17 mg tab er 24h, er 20 mg tab er 24h, er 25.5 mg tab er 24h, er 30 mg tab er 24h, er 34 mg tab er 24h, er 40 mg tab er 24h)</i> | TIER 4           |                            |
| NYMALIZE 6 MG/ML SOLUTION  | TIER 5           | QL (1260 PER 21 OVER TIME) |

## **CALCIUM CHANNEL BLOCKING AGENTS, NONDIHYDROPYRIDINES**

|  |        |  |
|--|--------|--|
| <i>cartia xt (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h)</i>  | TIER 2 |  |
| <i>dilt-xr (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h)</i>   | TIER 2 |  |
| <i>diltiazem hcl (30 mg tab, 60 mg tab, 90 mg tab, 120 mg tab)</i>   | TIER 2 |  |
| <i>diltiazem hcl 120 mg extended release 24hr capsule</i>  | TIER 2 |  |
| <i>diltiazem hcl 180 mg extended release 24hr capsule</i>  | TIER 2 |  |
| <i>diltiazem hcl 240 mg extended release 24hr capsule</i>  | TIER 2 |  |
| <i>diltiazem hcl 300 mg extended release 24hr capsule</i>  | TIER 2 |  |
| <i>diltiazem hcl 360 mg extended release 24hr capsule</i>  | TIER 2 |  |
| <i>diltiazem hcl er (er 60 mg cap er 12h, er 90 mg cap er 12h, er 120 mg cap er 12h, er 120 mg tab er 24h, er 180 mg tab er 24h, er 240 mg tab er 24h, er 300 mg tab er 24h, er 360 mg tab er 24h, er 420 mg tab er 24h)</i> | TIER 2 |  |
| <i>diltiazem hcl er beads 420 mg cap er 24h</i>  | TIER 2 |  |
| <i>matzim la (180 mg tab er 24h, 240 mg tab er 24h, 300 mg tab er 24h, 360 mg tab er 24h, 420 mg tab er 24h)</i>   | TIER 2 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>taztia xt (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h, 360 mg cap er 24h)</i>                                       | TIER 2           |                            |
| <i>tiadylt er (er 120 mg cap er 24h, er 180 mg cap er 24h, er 240 mg cap er 24h, er 300 mg cap er 24h, er 360 mg cap er 24h, er 420 mg cap er 24h)</i> | TIER 2           |                            |
| <i>verapamil hcl (40 mg tab, 80 mg tab, 120 mg tab)</i>  | TIER 1           |                            |
| VERAPAMIL HCL ER (ER 100 MG CAP ER 24H, ER 200 MG CAP ER 24H, ER 300 MG CAP ER 24H, ER 360 MG CAP ER 24H)  | TIER 4           |                            |
| <i>verapamil hcl er (er 120 mg cap er 24h, er 180 mg cap er 24h, er 240 mg cap er 24h)</i>   | TIER 3           |                            |
| <i>verapamil hcl er (er 120 mg tab er, er 180 mg tab er, er 240 mg tab er)</i>   | TIER 2           |                            |

## **CARDIOVASCULAR AGENTS, OTHER**

|  |        |    |
|--|--------|----|
| <i>acetazolamide (125 mg tab, 250 mg tab)</i>  | TIER 2 |    |
| <i>aliskiren fumarate (150 mg tab, 300 mg tab)</i>   | TIER 4 | PA |
| <i>amiloride-hydrochlorothiazide 5-50 mg tab</i>   | TIER 2 |    |
| <i>amlodipine besy-benazepril hcl (2.5-10 mg cap, 5-10 mg cap, 5-20 mg cap, 5-40 mg cap, 10-20 mg cap, 10-40 mg cap)</i>   | TIER 1 |    |
| <i>amlodipine besylate-valsartan (5-160 mg tab, 5-320 mg tab, 10-160 mg tab, 10-320 mg tab)</i>  | TIER 1 |    |
| <i>amlodipine-atorvastatin (2.5-10 mg tab, 2.5-20 mg tab, 2.5-40 mg tab, 5-10 mg tab, 5-20 mg tab, 5-40 mg tab, 5-80 mg tab, 10-10 mg tab, 10-20 mg tab, 10-40 mg tab, 10-80 mg tab)</i> | TIER 2 |    |
| <i>amlodipine-olmesartan (5-20 mg tab, 5-40 mg tab, 10-20 mg tab, 10-40 mg tab)</i>  | TIER 1 |    |
| <i>amlodipine-valsartan-hctz (5-160-12.5 mg tab, 5-160-25 mg tab, 10-160-12.5 mg tab, 10-160-25 mg tab, 10-320-25 mg tab)</i>  | TIER 1 |    |
| <i>atenolol-chlorthalidone (50-25 mg tab, 100-25 mg tab)</i>   | TIER 1 |    |
| <i>benazepril-hydrochlorothiazide (5-6.25 mg tab, 10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i>  | TIER 1 |    |
| <i>bisoprolol-hydrochlorothiazide (2.5-6.25 mg tab, 5-6.25 mg tab, 10-6.25 mg tab)</i>   | TIER 1 |    |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>candesartan cilexetil-hctz (16-12.5 mg tab, 32-12.5 mg tab, 32-25 mg tab)</i>   | TIER 1           |                            |
| CAPTOPRIL-HYDROCHLOROTHIAZIDE (25-15 MG TAB, 25-25 MG TAB, 50-15 MG TAB, 50-25 MG TAB)                                     | TIER 1           |                            |
| CORLANOR (5 MG TAB, 7.5 MG TAB)  | TIER 4           | PA, QL (2 PER 1 DAYS)      |
| CORLANOR 5 MG/5ML SOLUTION   | TIER 4           | PA, QL (20 PER 1 DAYS)     |
| <i>digitek (125 mcg tab, 250 mcg tab)</i>  | TIER 2           | QL (1 PER 1 DAYS)          |
| <i>digox (125 mcg tab, 250 mcg tab)</i>  | TIER 2           | QL (1 PER 1 DAYS)          |
| <i>digoxin (125 mcg tab, 250 mcg tab)</i>  | TIER 2           | QL (1 PER 1 DAYS)          |
| EDARBYCLOR (40-12.5 MG TAB, 40-25 MG TAB)  | TIER 4           | ST                         |
| <i>enalapril-hydrochlorothiazide (5-12.5 mg tab, 10-25 mg tab)</i>   | TIER 1           |                            |
| ENTRESTO (24-26 MG TAB, 49-51 MG TAB, 97-103 MG TAB)   | TIER 3           | QL (2 PER 1 DAYS)          |
| <i>fosinopril sodium-hctz (10-12.5 mg tab, 20-12.5 mg tab)</i>   | TIER 1           |                            |
| <i>irbesartan-hydrochlorothiazide (150-12.5 mg tab, 300-12.5 mg tab)</i>   | TIER 1           |                            |
| <i>isosorb dinitrate-hydralazine 20-37.5 mg tab</i>  | TIER 4           | QL (6 PER 1 DAYS)          |
| <i>lisinopril-hydrochlorothiazide (10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i>                                       | TIER 1           |                            |
| <i>losartan potassium-hctz (50-12.5 mg tab, 100-12.5 mg tab, 100-25 mg tab)</i>  | TIER 1           |                            |
| METHYLDOPA-HYDROCHLOROTHIAZIDE (250-15 MG TAB, 250-25 MG TAB)  | TIER 2           |                            |
| <i>metoprolol-hydrochlorothiazide (50-25 mg tab, 100-25 mg tab, 100-50 mg tab)</i>   | TIER 2           |                            |
| <i>metirosine 250 mg cap</i>   | TIER 5           |                            |
| <i>olmesartan medoxomil-hctz (20-12.5 mg tab, 40-12.5 mg tab, 40-25 mg tab)</i>  | TIER 1           |                            |
| <i>olmesartan-amlodipine-hctz (20-5-12.5 mg tab, 40-10-12.5 mg tab, 40-10-25 mg tab, 40-5-12.5 mg tab, 40-5-25 mg tab)</i> | TIER 1           |                            |
| <i>pentoxifylline er 400 mg tab er</i>   | TIER 2           |                            |
| PROPRANOLOL-HCTZ (40-25 MG TAB, 80-25 MG TAB)  | TIER 2           |                            |
| <i>quinapril-hydrochlorothiazide (10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i>  | TIER 1           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>ranolazine er (er 500 mg tab er 12h, er 1000 mg tab er 12h)</i>  | TIER 4           | QL (2 PER 1 DAYS)          |
| <i>spironolactone-hctz 25-25 mg tab</i>   | TIER 2           |                            |
| <i>telmisartan-amlodipine (40-10 mg tab, 40-5 mg tab, 80-10 mg tab, 80-5 mg tab)</i>                                  | TIER 1           |                            |
| <i>telmisartan-hctz (40-12.5 mg tab, 80-12.5 mg tab, 80-25 mg tab)</i>  | TIER 1           |                            |
| <i>trandolapril-verapamil hcl er (er 1-240 mg tab er, er 2-180 mg tab er, er 2-240 mg tab er, er 4-240 mg tab er)</i> | TIER 1           |                            |
| <i>triamterene-hctz (37.5-25 mg cap, 37.5-25 mg tab, 75-50 mg tab)</i>  | TIER 1           |                            |
| <i>valsartan-hydrochlorothiazide (80-12.5 mg tab, 160-12.5 mg tab, 160-25 mg tab, 320-12.5 mg tab, 320-25 mg tab)</i> | TIER 1           |                            |
| VERQUVO (2.5 MG TAB, 5 MG TAB, 10 MG TAB)   | TIER 4           | PA, QL (1 PER 1 DAYS)      |
| VYNDAMAX 61 MG CAP  | TIER 5           | PA, LA, QL (1 PER 1 DAYS)  |

## **DIURETICS, LOOP**

|   |        |  |
|---|--------|--|
| <i>bumetanide (0.5 mg tab, 1 mg tab, 2 mg tab)</i>                    | TIER 2 |  |
| <i>bumetanide 0.25 mg/ml solution</i>                                 | TIER 4 |  |
| <i>furosemide (8 mg/ml solution, 20 mg tab, 40 mg tab, 80 mg tab)</i> | TIER 1 |  |
| <i>furosemide 10 mg/ml solution</i>                                   | TIER 4 |  |
| <i>torseamide (5 mg tab, 10 mg tab, 20 mg tab, 100 mg tab)</i>        | TIER 2 |  |

## **DIURETICS, POTASSIUM-SPARING**

|  |        |  |
|--|--------|--|
| <i>amiloride hcl 5 mg tab</i>                            | TIER 2 |  |
| <i>eplerenone (25 mg tab, 50 mg tab)</i>                 | TIER 3 |  |
| <i>spironolactone (25 mg tab, 50 mg tab, 100 mg tab)</i> | TIER 1 |  |

## **DIURETICS, THIAZIDE**

|   |        |  |
|---|--------|--|
| <i>chlorthalidone (25 mg tab, 50 mg tab)</i>                                | TIER 2 |  |
| DIURIL 250 MG/5ML SUSPENSION  | TIER 4 |  |
| <i>hydrochlorothiazide (12.5 mg cap, 12.5 mg tab, 25 mg tab, 50 mg tab)</i> | TIER 1 |  |
| <i>indapamide (1.25 mg tab, 2.5 mg tab)</i>                                 | TIER 1 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>metolazone (2.5 mg tab, 5 mg tab, 10 mg tab)</i>  | TIER 2           |                            |
| <b>DYSLIPIDEMICS, FIBRIC ACID DERIVATIVES</b>  |                  |                            |
| <i>fenofibrate (48 mg tab, 54 mg tab, 67 mg cap, 134 mg cap, 145 mg tab, 160 mg tab, 200 mg cap)</i> | TIER 2           |                            |
| <i>fenofibrate micronized (43 mg cap, 67 mg cap, 130 mg cap, 134 mg cap, 200 mg cap)</i>             | TIER 2           |                            |
| <i>fenofibric acid (45 mg cap dr, 135 mg cap dr)</i>   | TIER 2           |                            |
| <i>gemfibrozil 600 mg tab</i>  | TIER 2           |                            |
| <b>DYSLIPIDEMICS, HMG COA REDUCTASE INHIBITORS</b>   |                  |                            |
| <i>atorvastatin calcium (10 mg tab, 20 mg tab, 40 mg tab, 80 mg tab)</i>                             | TIER 1           |                            |
| <i>fluvastatin sodium (20 mg cap, 40 mg cap)</i>   | TIER 1           |                            |
| <i>fluvastatin sodium er 80 mg tab er 24h</i>  | TIER 2           |                            |
| <i>lovastatin (10 mg tab, 20 mg tab, 40 mg tab)</i>  | TIER 1           |                            |
| <i>pravastatin sodium (10 mg tab, 20 mg tab, 40 mg tab, 80 mg tab)</i>                               | TIER 1           |                            |
| <i>rosuvastatin calcium (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab)</i>                              | TIER 1           |                            |
| <i>simvastatin (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab, 80 mg tab)</i>                            | TIER 1           |                            |
| <b>DYSLIPIDEMICS, OTHER</b>  |                  |                            |
| <i>cholestyramine (4 gm packet, 4 gm/dose powder)</i>  | TIER 2           |                            |
| <i>cholestyramine light (4 gm packet, 4 gm/dose powder)</i>  | TIER 2           |                            |
| <i>colesevelam hcl (3.75 gm packet, 625 mg tab)</i>  | TIER 3           |                            |
| <i>colestipol hcl (5 gm granules, 5 gm packet)</i>   | TIER 3           |                            |
| <i>colestipol hcl 1 gm tab</i>   | TIER 2           |                            |
| <i>ezetimibe 10 mg tab</i>   | TIER 2           |                            |
| <i>ezetimibe-simvastatin (10-10 mg tab, 10-20 mg tab, 10-40 mg tab, 10-80 mg tab)</i>                | TIER 1           |                            |
| <i>icosapent ethyl 0.5 gm cap</i>  | TIER 4           | QL (8 PER 1 DAYS)          |
| <i>icosapent ethyl 1 gm cap</i>  | TIER 4           | QL (4 PER 1 DAYS)          |
| <i>JUXTAPID (40 MG CAP, 60 MG CAP)</i>   | TIER 5           | PA, LA, QL (1 PER 1 DAYS)  |
| <i>JUXTAPID 10 MG CAP</i>  | TIER 5           | PA, LA, QL (6 PER 1 DAYS)  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>    |
|---|------------------|-------------------------------|
| JUXTAPID 20 MG CAP  | TIER 5           | PA, LA, QL (3 PER 1 DAYS)     |
| JUXTAPID 30 MG CAP  | TIER 5           | PA, LA, QL (2 PER 1 DAYS)     |
| JUXTAPID 5 MG CAP   | TIER 5           | PA, LA, QL (12 PER 1 DAYS)    |
| NIACIN (ANTIHYPERTENSIVE) 500 MG TAB  | TIER 4           |                               |
| <i>niacin er (antihyperlipidemic) (er (antihyperlipidemic) 750 mg tab er, er (antihyperlipidemic) 1000 mg tab er)</i> | TIER 2           | QL (2 PER 1 DAYS)             |
| <i>niacin er (antihyperlipidemic) 500 mg tab er</i>   | TIER 2           | QL (4 PER 1 DAYS)             |
| NIACOR 500 MG TAB   | TIER 4           |                               |
| <i>omega-3-acid ethyl esters 1 gm cap</i>   | TIER 3           | QL (4 PER 1 DAYS)             |
| <i>prevalite (4 gm packet, 4 gm/dose powder)</i>  | TIER 2           |                               |
| REPATHA 140 MG/ML SOLN PRSYR  | TIER 3           | PA, QL (2 PER 28 OVER TIME)   |
| REPATHA PUSHTRONEX SYSTEM 420 MG/3.5ML SOLN CART  | TIER 3           | PA, QL (3.5 PER 28 OVER TIME) |
| REPATHA SURECLICK 140 MG/ML SOLN A-INJ  | TIER 3           | PA, QL (2 PER 28 OVER TIME)   |

## **VASODILATORS, DIRECT-ACTING ARTERIAL**

|  |        |
|--|--------|
| <i>hydralazine hcl (10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i> | TIER 2 |
| <i>minoxidil (2.5 mg tab, 10 mg tab)</i>                             | TIER 2 |

## **VASODILATORS, DIRECT-ACTING ARTERIAL/VENOUS**

|  |        |                          |
|--|--------|--------------------------|
| <i>isosorbide dinitrate (5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab)</i>  | TIER 2 |                          |
| <i>isosorbide mononitrate (10 mg tab, 20 mg tab)</i>   | TIER 2 |                          |
| <i>isosorbide mononitrate er (er 30 mg tab er 24h, er 60 mg tab er 24h, er 120 mg tab er 24h)</i>  | TIER 2 |                          |
| <i>minitran (0.1 mg/hr patch 24hr, 0.2 mg/hr patch 24hr, 0.4 mg/hr patch 24hr, 0.6 mg/hr patch 24hr)</i>   | TIER 2 |                          |
| NITRO-BID 2 % OINTMENT   | TIER 3 |                          |
| <i>nitroglycerin (0.1 mg/hr patch 24hr, 0.2 mg/hr patch 24hr, 0.3 mg sl tab, 0.4 mg sl tab, 0.4 mg/hr patch 24hr, 0.6 mg sl tab, 0.6 mg/hr patch 24hr)</i> | TIER 2 |                          |
| <i>nitroglycerin 0.4 % ointment</i>  | TIER 4 | QL (30 PER 30 OVER TIME) |
| <i>nitroglycerin 0.4 mg/spray solution</i>   | TIER 4 |                          |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| NITROSTAT (0.3 MG SL TAB, 0.4 MG SL TAB, 0.6 MG SL TAB) | TIER 3    |                     |

## CENTRAL NERVOUS SYSTEM AGENTS

### ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, AMPHETAMINES

|  |        |                    |
|--|--------|--------------------|
| <i>amphetamine-dextroamphetamine (er 5 mg cap er 24h, er 10 mg cap er 24h, er 15 mg cap er 24h, er 20 mg cap er 24h, er 25 mg cap er 24h, er 30 mg cap er 24h)</i>   | TIER 4 | QL (2 PER 1 DAYS)  |
| <i>amphetamine-dextroamphetamine (5 mg tab, 7.5 mg tab, 10 mg tab, 15 mg tab)</i>  | TIER 2 | QL (4 PER 1 DAYS)  |
| <i>amphetamine-dextroamphetamine 12.5 mg tab</i>   | TIER 2 | QL (5 PER 1 DAYS)  |
| <i>amphetamine-dextroamphetamine 20 mg tab</i>   | TIER 2 | QL (3 PER 1 DAYS)  |
| <i>amphetamine-dextroamphetamine 30 mg tab</i>   | TIER 2 | QL (2 PER 1 DAYS)  |
| <i>dextroamphetamine sulfate (5 mg tab, 10 mg tab)</i>   | TIER 4 | QL (6 PER 1 DAYS)  |
| <i>dextroamphetamine sulfate 15 mg tab</i>   | TIER 4 | QL (4 PER 1 DAYS)  |
| <i>dextroamphetamine sulfate 20 mg tab</i>   | TIER 4 | QL (3 PER 1 DAYS)  |
| <i>dextroamphetamine sulfate 30 mg tab</i>   | TIER 4 | QL (2 PER 1 DAYS)  |
| <i>dextroamphetamine sulfate er 10 mg cap er 24h</i>   | TIER 4 | QL (6 PER 1 DAYS)  |
| <i>dextroamphetamine sulfate er 15 mg cap er 24h</i>   | TIER 4 | QL (4 PER 1 DAYS)  |
| <i>dextroamphetamine sulfate er 5 mg cap er 24h</i>  | TIER 4 | QL (12 PER 1 DAYS) |
| <i>lisdexamfetamine dimesylate (10 mg cap, 10 mg chew tab, 20 mg cap, 20 mg chew tab, 30 mg cap, 30 mg chew tab, 40 mg cap, 40 mg chew tab, 50 mg cap, 50 mg chew tab, 60 mg cap, 60 mg chew tab, 70 mg cap)</i> | TIER 4 | QL (1 PER 1 DAYS)  |
| <i>zenzedi (5 mg tab, 10 mg tab)</i>   | TIER 4 | QL (6 PER 1 DAYS)  |
| <i>zenzedi 15 mg tab</i>   | TIER 4 | QL (4 PER 1 DAYS)  |
| <i>zenzedi 20 mg tab</i>   | TIER 4 | QL (3 PER 1 DAYS)  |
| <i>zenzedi 30 mg tab</i>   | TIER 4 | QL (2 PER 1 DAYS)  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, NON-AMPHETAMINES</b>   |           |                     |
| <i>atomoxetine hcl (10 mg cap, 18 mg cap, 25 mg cap)</i>   | TIER 2    | QL (4 PER 1 DAYS)   |
| <i>atomoxetine hcl (60 mg cap, 80 mg cap, 100 mg cap)</i>  | TIER 2    | QL (1 PER 1 DAYS)   |
| <i>atomoxetine hcl 40 mg cap</i>   | TIER 2    | QL (2 PER 1 DAYS)   |
| <i>clonidine hcl er 0.1 mg tab er 12h</i>  | TIER 4    |                     |
| <i>dexmethylphenidate hcl (2.5 mg tab, 5 mg tab, 10 mg tab)</i>  | TIER 2    | QL (2 PER 1 DAYS)   |
| <i>dexmethylphenidate hcl er (er 5 mg cap er 24h, er 10 mg cap er 24h, er 15 mg cap er 24h, er 20 mg cap er 24h, er 25 mg cap er 24h, er 30 mg cap er 24h, er 35 mg cap er 24h, er 40 mg cap er 24h)</i> | TIER 4    | QL (1 PER 1 DAYS)   |
| <i>guanfacine hcl er (er 1 mg tab er 24h, er 2 mg tab er 24h, er 3 mg tab er 24h, er 4 mg tab er 24h)</i>  | TIER 2    | QL (1 PER 1 DAYS)   |
| <i>methylphenidate hcl (2.5 mg chew tab, 5 mg chew tab)</i>  | TIER 4    | QL (3 PER 1 DAYS)   |
| <i>methylphenidate hcl 10 mg chew tab</i>  | TIER 4    | QL (6 PER 1 DAYS)   |
| <i>methylphenidate hcl 10 mg tab</i>   | TIER 2    | QL (6 PER 1 DAYS)   |
| <i>methylphenidate hcl 20 mg tab</i>   | TIER 2    | QL (3 PER 1 DAYS)   |
| <i>methylphenidate hcl 5 mg tab</i>  | TIER 2    | QL (12 PER 1 DAYS)  |
| <i>methylphenidate hcl er (cd) (er (cd) 10 mg cap er, er (cd) 20 mg cap er, er (cd) 40 mg cap er, er (cd) 50 mg cap er, er (cd) 60 mg cap er)</i>  | TIER 4    | QL (1 PER 1 DAYS)   |
| <i>methylphenidate hcl er (cd) 30 mg cap er</i>  | TIER 4    | QL (2 PER 1 DAYS)   |
| <i>METHYLPHENIDATE HCL ER (ER 18 MG TAB ER, ER 18 MG TAB ER 24H, ER 27 MG TAB ER, ER 27 MG TAB ER 24H, ER 54 MG TAB ER, ER 54 MG TAB ER 24H)</i>   | TIER 4    | QL (1 PER 1 DAYS)   |
| <i>METHYLPHENIDATE HCL ER (ER 36 MG TAB ER, ER 36 MG TAB ER 24H)</i>   | TIER 4    | QL (2 PER 1 DAYS)   |
| <i>methylphenidate hcl er (la) (er (la) 20 mg cap er 24h, er (la) 30 mg cap er 24h, er (la) 40 mg cap er 24h, er (la) 60 mg cap er 24h)</i>  | TIER 4    | QL (1 PER 1 DAYS)   |
| <i>methylphenidate hcl er (la) 10 mg cap er 24h</i>  | TIER 4    | QL (6 PER 1 DAYS)   |
| <i>methylphenidate hcl er (osm) (er (osm) 18 mg tab er, er (osm) 27 mg tab er, er (osm) 54 mg tab er)</i>  | TIER 4    | QL (1 PER 1 DAYS)   |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                                 | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>methylphenidate hcl er (osm) 36 mg tab er</i> | TIER 4           | QL (2 PER 1 DAYS)          |
| <i>methylphenidate hcl er 10 mg tab er</i>       | TIER 3           | QL (6 PER 1 DAYS)          |
| <i>methylphenidate hcl er 20 mg tab er</i>       | TIER 3           | QL (3 PER 1 DAYS)          |

## **CENTRAL NERVOUS SYSTEM, OTHER**

|  |        |                                   |
|--|--------|-----------------------------------|
| AUSTEDO (9 MG TAB, 12 MG TAB)  | TIER 5 | PA, QL (4 PER 1 DAYS)             |
| AUSTEDO 6 MG TAB   | TIER 5 | PA, QL (8 PER 1 DAYS)             |
| AUSTEDO XR (6 MG TAB ER 24H, 12 MG TAB ER 24H, 30 MG TAB ER 24H, 36 MG TAB ER 24H, 42 MG TAB ER 24H, 48 MG TAB ER 24H) | TIER 5 | PA, QL (1 PER 1 DAYS)             |
| AUSTEDO XR 24 MG TAB ER 24H  | TIER 5 | PA, QL (2 PER 1 DAYS)             |
| AUSTEDO XR PATIENT TITRATION 6 & 12 & 24 MG TBER THPK  | TIER 5 | PA, QL (42 PER 30 OVER TIME)      |
| <i>bac 50-325-40 mg tab</i>  | TIER 3 | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>butalbital-acetaminophen 50-300 mg cap</i>  | TIER 4 | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>butalbital-acetaminophen 50-325 mg tab</i>  | TIER 2 | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>butalbital-apap-caffeine (50-325-40 mg cap, 50-325-40 mg tab)</i>   | TIER 3 | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>esgic 50-325-40 mg cap</i>  | TIER 3 | PA, QL (48 PER 30 OVER TIME), NDS |
| INGREZZA (60 MG CAP, 80 MG CAP)  | TIER 5 | PA, LA, QL (1 PER 1 DAYS)         |
| INGREZZA 40 & 80 MG CAP THPK   | TIER 5 | PA, LA, QL (28 PER 28 OVER TIME)  |
| INGREZZA 40 MG CAP   | TIER 5 | PA, LA, QL (2 PER 1 DAYS)         |
| <i>riluzole 50 mg tab</i>  | TIER 3 |                                   |
| TENCON 50-325 MG TAB   | TIER 2 | PA, QL (48 PER 30 OVER TIME), NDS |
| <i>tetrabenazine 12.5 mg tab</i>   | TIER 5 | PA, LA, QL (8 PER 1 DAYS)         |
| <i>tetrabenazine 25 mg tab</i>   | TIER 5 | PA, LA, QL (4 PER 1 DAYS)         |
| <i>zebutal 50-325-40 mg cap</i>  | TIER 3 | PA, QL (48 PER 30 OVER TIME), NDS |

## **FIBROMYALGIA AGENTS**

|  |        |   |
|--|--------|---|
| DRIZALMA SPRINKLE (20 MG CAP DR, 30 MG CAP DR)             | TIER 4 | QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| DRIZALMA SPRINKLE (40 MG CAP DR, 60 MG CAP DR)             | TIER 4 | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| <i>duloxetine hcl (20 mg cp dr part, 60 mg cp dr part)</i> | TIER 2 | QL (2 PER 1 DAYS)                           |
| <i>duloxetine hcl 30 mg cp dr part</i>                     | TIER 2 | QL (3 PER 1 DAYS)                           |
| <i>duloxetine hcl 40 mg cp dr part</i>                     | TIER 3 | QL (2 PER 1 DAYS)                           |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>pregabalin (200 mg cap, 225 mg cap, 300 mg cap)</i>                      | TIER 3           | QL (2 PER 1 DAYS)          |
| <i>pregabalin (25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap)</i> | TIER 3           | QL (3 PER 1 DAYS)          |
| <i>pregabalin 20 mg/ml solution</i>   | TIER 3           | QL (30 PER 1 DAYS)         |

## **MULTIPLE SCLEROSIS AGENTS**

|  |        |                              |
|--|--------|------------------------------|
| BETASERON 0.3 MG KIT   | TIER 5 | PA, QL (15 PER 30 OVER TIME) |
| COPAXONE 20 MG/ML SOLN PRSYR                                     | TIER 5 | PA, QL (30 PER 30 OVER TIME) |
| COPAXONE 40 MG/ML SOLN PRSYR                                     | TIER 5 | PA, QL (12 PER 28 OVER TIME) |
| <i>dalfampridine er 10 mg tab er 12h</i>                         | TIER 3 | PA, QL (2 PER 1 DAYS)        |
| <i>dimethyl fumarate (120 mg cap dr, 240 mg cap dr)</i>          | TIER 5 | PA, QL (2 PER 1 DAYS)        |
| <i>dimethyl fumarate starter pack 120 &amp; 240 mg cpdr thpk</i> | TIER 5 | PA, QL (2 PER 1 DAYS)        |
| <i>fingolimod hcl 0.5 mg cap</i>                                 | TIER 5 | PA, QL (1 PER 1 DAYS)        |
| <i>teriflunomide (7 mg tab, 14 mg tab)</i>                       | TIER 4 | PA, QL (1 PER 1 DAYS)        |
| TYSABRI 300 MG/15ML CONC   | TIER 5 | PA, LA                       |

## **DENTAL AND ORAL AGENTS**

|  |        |                                |
|--|--------|--------------------------------|
| <i>cevimeline hcl 30 mg cap</i>                | TIER 3 |                                |
| <i>chlorhexidine gluconate 0.12 % solution</i> | TIER 2 |                                |
| KEPIVANCE 6.25 MG RECON SOLN                   | TIER 5 | PA - PART B VS D DETERMINATION |
| <i>kourzeq 0.1 % paste</i>                     | TIER 3 |                                |
| <i>oralone 0.1 % paste</i>                     | TIER 3 |                                |
| <i>paroex 0.12 % solution</i>                  | TIER 2 |                                |
| <i>periogard 0.12 % solution</i>               | TIER 2 |                                |
| <i>pilocarpine hcl (5 mg tab, 7.5 mg tab)</i>  | TIER 3 |                                |
| <i>triamcinolone acetonide 0.1 % paste</i>     | TIER 3 |                                |

## **DERMATOLOGICAL AGENTS**

### **ACNE AND ROSACEA AGENTS**

|   |        |  |
|---|--------|--|
| <i>acutane (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i> | TIER 4 |  |
| <i>acitretin (10 mg cap, 17.5 mg cap, 25 mg cap)</i>        | TIER 4 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>adapalene (0.1 % cream, 0.1 % gel, 0.3 % gel)</i>                                 | TIER 3           | PA                         |
| <i>amnesteem (10 mg cap, 20 mg cap, 40 mg cap)</i>                                   | TIER 4           |                            |
| <i>avita (0.025 % cream, 0.025 % gel)</i>  | TIER 3           | PA                         |
| <i>benzoyl peroxide-erythromycin 5-3 % gel</i>                                       | TIER 3           |                            |
| <i>claravis (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>                         | TIER 4           |                            |
| <i>clindamycin phos-benzoyl perox 1-5 % gel</i>                                      | TIER 2           |                            |
| <i>clindamycin phos-benzoyl perox 1.2-5 % gel</i>                                    | TIER 3           |                            |
| <i>isotretinoin (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>                     | TIER 4           |                            |
| <i>myorisan (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>                         | TIER 4           |                            |
| <i>tazarotene 0.1 % cream</i>  | TIER 4           |                            |
| TAZORAC 0.05 % CREAM   | TIER 4           |                            |
| <i>tretinoin (0.01 % gel, 0.025 % cream, 0.025 % gel, 0.05 % cream, 0.1 % cream)</i> | TIER 3           | PA                         |
| <i>tretinoin microsphere (0.04 % gel, 0.1 % gel)</i>                                 | TIER 4           | PA                         |
| <i>tretinoin microsphere pump (pump 0.04 % gel, pump 0.1 % gel)</i>                  | TIER 4           | PA                         |
| <i>zenatane (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>                         | TIER 4           |                            |

## **DERMATITIS AND PRURITUS AGENTS**

|   |        |  |
|---|--------|--|
| <i>ala-cort (1 % cream, 2.5 % cream)</i>  | TIER 2 |  |
| <i>alclometasone dipropionate 0.05 % ointment</i>   | TIER 2 |  |
| <i>ammonium lactate (12 % cream, 12 % lotion)</i>   | TIER 2 |  |
| ANUSOL-HC 2.5 % CREAM   | TIER 2 |  |
| <i>betamethasone dipropionate (0.05 % cream, 0.05 % lotion)</i>                           | TIER 2 |  |
| <i>betamethasone dipropionate aug (0.05 % gel, 0.05 % ointment)</i>                       | TIER 3 |  |
| <i>betamethasone valerate (0.1 % cream, 0.1 % lotion, 0.1 % ointment)</i>                 | TIER 2 |  |
| CAPEX 0.01 % SHAMPOO  | TIER 4 |  |
| <i>clobetasol prop emollient base 0.05 % cream</i>  | TIER 3 |  |
| <i>clobetasol propionate (0.05 % cream, 0.05 % gel, 0.05 % ointment, 0.05 % solution)</i> | TIER 3 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>clobetasol propionate (0.05 % lotion, 0.05 % shampoo)</i>   | TIER 4           |                            |
| <i>clodan 0.05 % shampoo</i>   | TIER 4           |                            |
| <i>desonide (0.05 % cream, 0.05 % ointment)</i>  | TIER 3           |                            |
| <i>desoximetasone 0.05 % cream</i>   | TIER 4           |                            |
| <i>desoximetasone 0.25 % cream</i>   | TIER 2           |                            |
| <i>desoximetasone 0.25 % ointment</i>  | TIER 3           |                            |
| <i>fluocinolone acetonide (0.01 % cream, 0.025 % cream, 0.025 % ointment)</i>  | TIER 2           |                            |
| <i>fluocinolone acetonide body 0.01 % oil</i>  | TIER 4           |                            |
| <i>fluocinolone acetonide scalp 0.01 % oil</i>   | TIER 4           |                            |
| <i>fluocinonide (0.05 % cream, 0.05 % gel, 0.05 % ointment, 0.05 % solution)</i>   | TIER 2           |                            |
| <i>fluocinonide emulsified base 0.05 % cream</i>   | TIER 2           |                            |
| <i>fluticasone propionate (0.005 % ointment, 0.05 % cream)</i>   | TIER 2           |                            |
| <i>halobetasol propionate (0.05 % cream, 0.05 % ointment)</i>  | TIER 2           | QL (200 PER 28 OVER TIME)  |
| <i>hydrocortisone (1 % cream, 1 % ointment, 2.5 % cream, 2.5 % lotion, 2.5 % ointment)</i>   | TIER 2           |                            |
| <i>hydrocortisone (perianal) ((perianal) 1 % cream, (perianal) 2.5 % cream)</i>  | TIER 2           |                            |
| <i>hydrocortisone butyrate 0.1 % solution</i>  | TIER 3           | ST                         |
| <i>hydrocortisone valerate 0.2 % cream</i>   | TIER 2           | ST                         |
| <i>mometasone furoate 0.1 % solution</i>   | TIER 2           |                            |
| <i>procto-med hc 2.5 % cream</i>   | TIER 2           |                            |
| <i>procto-pak 1 % cream</i>  | TIER 2           |                            |
| <i>proctosol hc 2.5 % cream</i>  | TIER 2           |                            |
| <i>proctozone-hc 2.5 % cream</i>   | TIER 2           |                            |
| <i>selenium sulfide 2.5 % lotion</i>   | TIER 2           |                            |
| <i>tacrolimus (0.03 % ointment, 0.1 % ointment)</i>  | TIER 3           | QL (100 PER 30 OVER TIME)  |
| <i>triamcinolone acetonide (0.025 % cream, 0.025 % lotion, 0.025 % ointment, 0.1 % cream, 0.1 % lotion, 0.1 % ointment, 0.5 % cream, 0.5 % ointment)</i> | TIER 2           |                            |
| <i>triderm (0.1 % cream, 0.5 % cream)</i>  | TIER 2           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS            |
|---|-----------|--------------------------------|
| <b>DERMATOLOGICAL AGENTS, OTHER</b>   |           |                                |
| <i>calcipotriene (0.005 % cream, 0.005 % ointment, 0.005 % solution)</i>                  | TIER 3    |                                |
| <i>calcitrene 0.005 % ointment</i>  | TIER 3    |                                |
| CALCITRIOL 3 MCG/GM OINTMENT  | TIER 4    |                                |
| <i>clotrimazole-betamethasone 1-0.05 % cream</i>  | TIER 2    |                                |
| <i>clotrimazole-betamethasone 1-0.05 % lotion</i>   | TIER 4    |                                |
| <i>diclofenac sodium 3 % gel</i>  | TIER 4    | PA, QL (100 PER 30 OVER TIME)  |
| DUOBRII 0.01-0.045 % LOTION   | TIER 4    | PA, QL (200 PER 28 OVER TIME)  |
| <i>fluorouracil (2 % solution, 5 % solution)</i>  | TIER 2    |                                |
| <i>fluorouracil 5 % cream</i>   | TIER 3    |                                |
| <i>imiquimod 5 % cream</i>  | TIER 2    | QL (24 PER 30 OVER TIME)       |
| <i>methoxsalen rapid 10 mg cap</i>  | TIER 5    |                                |
| <i>nystatin-triamcinolone (100000-0.1 unit/gm-% cream, 100000-0.1 unit/gm-% ointment)</i> | TIER 3    |                                |
| OTEZLA 30 MG TAB  | TIER 5    | PA, QL (2 PER 1 DAYS)          |
| <i>podofilox 0.5 % solution</i>   | TIER 2    |                                |
| REGRANEX 0.01 % GEL   | TIER 5    | PA, QL (15 PER 2 OVER TIME)    |
| SANTYL 250 UNIT/GM OINTMENT   | TIER 3    | QL (180 PER 30 OVER TIME)      |
| <i>silver sulfadiazine 1 % cream</i>  | TIER 2    |                                |
| SKYRIZI 600 MG/10ML SOLUTION  | TIER 5    | PA, QL (30 PER 365 OVER TIME)  |
| <i>ssd 1 % cream</i>  | TIER 2    |                                |
| STELARA 130 MG/26ML SOLUTION  | TIER 5    | PA, QL (104 PER 365 OVER TIME) |
| TOLAK 4 % CREAM   | TIER 3    |                                |
| <b>PEDICULICIDES/SCABICIDES</b>   |           |                                |
| LINDANE 1 % SHAMPOO   | TIER 4    |                                |
| <i>malathion 0.5 % lotion</i>   | TIER 3    |                                |
| <i>permethrin 5 % cream</i>   | TIER 2    |                                |
| <b>TOPICAL ANTI-INFECTIVES</b>  |           |                                |
| <i>acyclovir 5 % ointment</i>   | TIER 4    | PA, QL (30 PER 30 OVER TIME)   |
| <i>ciclodan 8 % solution</i>  | TIER 2    |                                |
| <i>ciclopirox 0.77 % gel</i>  | TIER 4    |                                |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>ciclopirox 1 % shampoo</i>                                    | TIER 3    |                     |
| <i>ciclopirox 8 % solution</i>                                   | TIER 2    |                     |
| <i>clindamycin phosphate (1 % gel, 1 % lotion, 1 % solution)</i> | TIER 2    |                     |
| ERY 2 % PAD  | TIER 2    |                     |
| <i>erythromycin (2 % gel, 2 % solution)</i>                      | TIER 2    |                     |
| <i>mupirocin 2 % ointment</i>                                    | TIER 2    |                     |
| SULFAMYLON 85 MG/GM CREAM  | TIER 4    |                     |

## ELECTROLYTES/MINERALS/METALS/VITAMINS

### ELECTROLYTE/MINERAL REPLACEMENT

|   |        |                                 |
|---|--------|---------------------------------|
| AMINOSYN II 10 % SOLUTION   | TIER 4 | PA - PART B VS D DETERMINATION  |
| <i>carglumic acid 200 mg tab sol</i>  | TIER 5 | PA, LA                          |
| CRYSVITA 10 MG/ML SOLUTION  | TIER 5 | PA, LA, QL (2 PER 28 OVER TIME) |
| CRYSVITA 20 MG/ML SOLUTION  | TIER 5 | PA, LA, QL (8 PER 28 OVER TIME) |
| CRYSVITA 30 MG/ML SOLUTION  | TIER 5 | PA, LA, QL (6 PER 28 OVER TIME) |
| HEPATAMINE 8 % SOLUTION   | TIER 4 | PA - PART B VS D DETERMINATION  |
| INTRALIPID (20 % EMULSION, 30 % EMULSION)   | TIER 4 | PA - PART B VS D DETERMINATION  |
| ISOLYTE-P IN D5W SOLUTION   | TIER 4 | PA - PART B VS D DETERMINATION  |
| ISOLYTE-S SOLUTION  | TIER 4 | PA - PART B VS D DETERMINATION  |
| ISOLYTE-S PH 7.4 SOLUTION   | TIER 4 | PA - PART B VS D DETERMINATION  |
| KCL (0.149%) IN NAACL 20-0.45 MEQ/L-% SOLUTION  | TIER 4 | PA - PART B VS D DETERMINATION  |
| <i>kcl in dextrose-nacl ( 10-5-0.45 meq/l-%-% solution, 30-5-0.45 meq/l-%-% solution, 40-5-0.45 meq/l-%-% solution)</i>   | TIER 4 | PA - PART B VS D DETERMINATION  |
| <i>kcl in dextrose-nacl ( 20-5-0.2 meq/l-%-% solution, 20-5-0.225 meq/l-%-% solution, 20-5-0.45 meq/l-%-% solution, 20-5-0.9 meq/l-%-% solution, 40-5-0.9 meq/l-%-% solution)</i> | TIER 4 |                                 |
| <i>klor-con 10 10 meq tab er</i>  | TIER 2 |                                 |
| <i>klor-con 8 meq tab er</i>  | TIER 2 |                                 |
| <i>klor-con m10 10 meq tab er</i>   | TIER 2 |                                 |
| <i>klor-con m15 15 meq tab er</i>   | TIER 2 |                                 |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|--|------------------|--------------------------------|
| <i>klor-con m20 20 meq tab er</i>  | TIER 2           |                                |
| <i>klor-con sprinkle (8 cap er, 10 cap er)</i>   | TIER 2           |                                |
| <i>magnesium sulfate 50 % solution</i>   | TIER 4           |                                |
| <i>multiple electro type 1 ph 5.5 solution</i>   | TIER 4           | PA - PART B VS D DETERMINATION |
| <i>multiple electro type 1 ph 7.4 solution</i>   | TIER 4           | PA - PART B VS D DETERMINATION |
| NORMOSOL-M IN D5W SOLUTION   | TIER 4           |                                |
| NORMOSOL-R SOLUTION  | TIER 4           | PA - PART B VS D DETERMINATION |
| NORMOSOL-R PH 7.4 SOLUTION   | TIER 4           | PA - PART B VS D DETERMINATION |
| NUTRILIPID 20 % EMULSION   | TIER 4           | PA - PART B VS D DETERMINATION |
| <i>potassium chloride (10 % solution, 20 meq/15ml (10%) solution, 40 meq/15ml (20%) solution)</i>                  | TIER 3           |                                |
| <i>potassium chloride (2 meq/ml solution, 10 meq/100ml solution, 20 meq/100ml solution, 40 meq/100ml solution)</i> | TIER 4           |                                |
| <i>potassium chloride crys er (crys er 10 tab er, crys er 15 tab er, crys er 20 tab er)</i>                        | TIER 2           |                                |
| <i>potassium chloride er (er 8 cap er, er 8 tab er, er 10 cap er, er 10 tab er, er 20 tab er)</i>                  | TIER 2           |                                |
| <i>potassium chloride in nacl (20-0.9 meq/l-% solution, 40-0.9 meq/l-% solution)</i>                               | TIER 4           |                                |
| <i>potassium chloride in nacl 20-0.45 meq/l-% solution</i>   | TIER 4           | PA - PART B VS D DETERMINATION |
| <i>potassium citrate er (er 5 (540 mg) tab er, er 10 (1080 mg) tab er)</i>   | TIER 2           |                                |
| <i>potassium citrate er 15 meq (1620 mg) tab er</i>  | TIER 3           |                                |
| PREMASOL 10 % SOLUTION   | TIER 4           | PA - PART B VS D DETERMINATION |
| <i>sodium chloride (0.45 % solution, 0.9 % solution, 2.5 meq/ml solution, 3 % solution, 5 % solution)</i>          | TIER 4           |                                |
| <i>sodium chloride (pf) 0.9 % solution</i>   | TIER 4           |                                |

## **ELECTROLYTE/MINERAL/METAL MODIFIERS**

|   |        |                       |
|---|--------|-----------------------|
| CHEMET 100 MG CAP   | TIER 5 |                       |
| <i>clovique 250 mg cap</i>  | TIER 5 | PA, QL (8 PER 1 DAYS) |
| <i>deferasirox (180 mg tab, 250 mg tab sol, 360 mg tab, 500 mg tab sol)</i> | TIER 5 |                       |
| <i>deferasirox 125 mg tab sol</i>   | TIER 3 |                       |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---------------------------------|------------------|----------------------------|
| <i>deferasirox 90 mg tab</i>    | TIER 4           |                            |
| <i>deferiprone 1000 mg tab</i>  | TIER 5           | PA                         |
| <i>deferiprone 500 mg tab</i>   | TIER 5           | PA, LA                     |
| FERRIPROX 100 MG/ML SOLUTION    | TIER 5           | PA, LA                     |
| <i>trientine hcl 250 mg cap</i> | TIER 5           | PA, QL (8 PER 1 DAYS)      |
| TRIENTINE HCL 500 MG CAP        | TIER 5           | PA, QL (4 PER 1 DAYS)      |

## PHOSPHATE BINDERS

|   |        |                        |
|---|--------|------------------------|
| AURYXIA 1 GM 210 MG(FE) TAB   | TIER 4 | PA, QL (12 PER 1 DAYS) |
| <i>calcium acetate (phos binder) (binder) 667 mg cap, binder) 667 mg tab)</i>   | TIER 2 |                        |
| <i>calcium acetate 667 mg tab</i>   | TIER 2 |                        |
| <i>lanthanum carbonate (500 mg chew tab, 750 mg chew tab, 1000 mg chew tab)</i> | TIER 4 |                        |
| <i>sevelamer carbonate (0.8 gm packet, 2.4 gm packet)</i>                       | TIER 4 |                        |
| <i>sevelamer carbonate 800 mg tab</i>   | TIER 2 |                        |

## POTASSIUM BINDERS

|   |        |  |
|---|--------|--|
| <i>kionex 15 gm/60ml suspension</i>                                 | TIER 2 |  |
| <i>sodium polystyrene sulfonate (15 gm/60ml suspension, powder)</i> | TIER 2 |  |
| SPS 15 GM/60ML SUSPENSION   | TIER 2 |  |
| VELTASSA (8.4 GM PACKET, 16.8 GM PACKET, 25.2 GM PACKET)            | TIER 3 |  |

## VITAMINS

|  |        |  |
|--|--------|--|
| <i>dextrose (5 % solution, 10 % solution)</i>  | TIER 4 |  |
| <i>dextrose in lactated ringers 5 % solution</i>   | TIER 4 |  |
| <i>dextrose-sodium chloride (2.5-0.45 % solution, 5-0.2 % solution, 5-0.225 % solution, 5-0.3 % solution, 5-0.33 % solution, 5-0.45 % solution, 5-0.9 % solution, 10-0.2 % solution, 10-0.45 % solution)</i> | TIER 4 |  |
| KCL-LACTATED RINGERS-D5W 20 MEQ/L SOLUTION   | TIER 4 |  |
| LACTATED RINGERS SOLUTION  | TIER 4 |  |
| <i>lactated ringers solution</i>   | TIER 2 |  |
| <i>levocarnitine 330 mg tab</i>  | TIER 2 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|--|------------------|--------------------------------|
| <i>nafrinse 2.2 (1 f) mg chew tab</i>  | TIER 2           |                                |
| POTASSIUM CHLORIDE IN DEXTROSE (20-5 MEQ/L-% SOLUTION, 40-5 MEQ/L-% SOLUTION)  | TIER 4           |                                |
| <i>prenatal vitamins</i>   | TIER 3           |                                |
| <i>ringers solution</i>  | TIER 4           |                                |
| <i>ringers irrigation solution</i>   | TIER 2           |                                |
| SMOFLIPID 20 % EMULSION  | TIER 4           | PA - PART B VS D DETERMINATION |
| <i>sodium fluoride (0.55 (0.25 f) mg chew tab, 1.1 (0.5 f) mg chew tab, 1.1 (0.5 f) mg/ml solution, 2.2 (1 f) mg chew tab)</i> | TIER 2           |                                |
| <i>tis-u-sol solution</i>  | TIER 2           |                                |
| TPN ELECTROLYTES CONC  | TIER 4           | PA - PART B VS D DETERMINATION |

## **GASTROINTESTINAL AGENTS**

### **ANTI-CONSTIPATION AGENTS**

|   |        |                   |
|---|--------|-------------------|
| <i>constulose 10 gm/15ml solution</i>                               | TIER 2 |                   |
| <i>enulose 10 gm/15ml solution</i>                                  | TIER 2 |                   |
| <i>gavilyte-n with flavor pack 420 gm recon soln</i>                | TIER 2 |                   |
| <i>generlac 10 gm/15ml solution</i>                                 | TIER 2 |                   |
| <i>lactulose (10 gm/15ml solution, 20 gm/30ml solution)</i>         | TIER 2 |                   |
| <i>lactulose encephalopathy 10 gm/15ml solution</i>                 | TIER 2 |                   |
| LINZESS (72 MCG CAP, 145 MCG CAP, 290 MCG CAP)                      | TIER 3 | QL (1 PER 1 DAYS) |
| <i>lubiprostone (8 mcg cap, 24 mcg cap)</i>                         | TIER 3 | QL (2 PER 1 DAYS) |
| MOVANTIK (12.5 MG TAB, 25 MG TAB)                                   | TIER 3 | QL (1 PER 1 DAYS) |
| <i>na sulfate-k sulfate-mg sulf 17.5-3.13-1.6 gm/177ml solution</i> | TIER 3 |                   |
| NULYTELY LEMON-LIME 420 GM RECON SOLN                               | TIER 3 |                   |
| NULYTELY WITH FLAVOR PACKS 420 GM RECON SOLN                        | TIER 3 |                   |
| <i>peg 3350-kcl-na bicarb-nacl 420 gm recon soln</i>                | TIER 2 |                   |
| PLENVU 140 GM RECON SOLN  | TIER 3 |                   |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>       |
|---|------------------|----------------------------------|
| RELISTOR (8 MG/0.4ML SOLUTION, 12 MG/0.6ML SOLUTION)                  | TIER 5           | PA                               |
| <i>trilyte 420 gm recon soln</i>                                      | TIER 2           |                                  |
| <b>ANTI-DIARRHEAL AGENTS</b>  |                  |                                  |
| <i>alosetron hcl (0.5 mg tab, 1 mg tab)</i>                           | TIER 4           | PA                               |
| <i>diphenoxylate-atropine 2.5-0.025 mg tab</i>                        | TIER 2           |                                  |
| DIPHENOXYLATE-ATROPINE 2.5-0.025 MG/5ML LIQUID                        | TIER 4           |                                  |
| <i>loperamide hcl 2 mg cap</i>  | TIER 2           |                                  |
| XERMELO 250 MG TAB  | TIER 5           | PA, LA, QL (3 PER 1 DAYS)        |
| <b>ANTISPASMODICS, GASTROINTESTINAL</b>                               |                  |                                  |
| <i>atropine sulfate (0.5 mg/5ml soln prsyr, 1 mg/10ml soln prsyr)</i> | TIER 4           |                                  |
| <i>dicyclomine hcl (10 mg cap, 20 mg tab)</i>                         | TIER 2           | PA                               |
| <i>dicyclomine hcl 10 mg/5ml solution</i>                             | TIER 4           | PA                               |
| <i>glycopyrrolate (1 mg tab, 2 mg tab)</i>                            | TIER 2           |                                  |
| <i>methscopolamine bromide (2.5 mg tab, 5 mg tab)</i>                 | TIER 3           |                                  |
| <b>GASTROINTESTINAL AGENTS, OTHER</b>                                 |                  |                                  |
| GATTEX 5 MG KIT   | TIER 5           | PA, LA                           |
| GAVILYTE-C 240 GM RECON SOLN  | TIER 2           |                                  |
| <i>gavilyte-g 236 gm recon soln</i>                                   | TIER 2           |                                  |
| GOLYTELY 236 GM RECON SOLN  | TIER 3           |                                  |
| MYALEPT 11.3 MG RECON SOLN  | TIER 5           | PA, LA, QL (60 PER 30 OVER TIME) |
| <i>peg-3350/electrolytes 236 gm recon soln</i>                        | TIER 2           |                                  |
| SKYRIZI 180 MG/1.2ML SOLN CART  | TIER 5           | PA, QL (1.2 PER 56 OVER TIME)    |
| SKYRIZI 360 MG/2.4ML SOLN CART  | TIER 5           | PA, QL (2.4 PER 56 OVER TIME)    |
| <i>ursodiol (250 mg tab, 300 mg cap, 500 mg tab)</i>                  | TIER 3           |                                  |
| <b>HISTAMINE2 (H2) RECEPTOR ANTAGONISTS</b>                           |                  |                                  |
| <i>cimetidine (200 mg tab, 300 mg tab, 400 mg tab, 800 mg tab)</i>    | TIER 2           |                                  |
| <i>cimetidine hcl (300 mg/5ml solution, 400 mg/6.67ml solution)</i>   | TIER 2           |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                           | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>famotidine (20 mg tab, 40 mg tab)</i>   | TIER 1           |                            |
| <i>nizatidine (150 mg cap, 300 mg cap)</i> | TIER 2           |                            |

## **PROTECTANTS**

|   |        |  |
|---|--------|--|
| <i>misoprostol (100 mcg tab, 200 mcg tab)</i> | TIER 2 |  |
| <i>sucralfate 1 gm tab</i>                    | TIER 2 |  |

## **PROTON PUMP INHIBITORS**

|   |        |                   |
|---|--------|-------------------|
| <i>esomeprazole magnesium 20 mg cap dr</i>  | TIER 3 |                   |
| <i>esomeprazole magnesium 40 mg cap dr</i>  | TIER 3 | QL (2 PER 1 DAYS) |
| <i>esomeprazole sodium 40 mg recon soln</i> | TIER 4 |                   |
| <i>lansoprazole 15 mg cap dr</i>            | TIER 2 |                   |
| <i>lansoprazole 30 mg cap dr</i>            | TIER 2 | QL (2 PER 1 DAYS) |
| <i>omeprazole 10 mg cap dr</i>              | TIER 2 |                   |
| <i>omeprazole 20 mg cap dr</i>              | TIER 1 |                   |
| <i>omeprazole 40 mg cap dr</i>              | TIER 1 | QL (2 PER 1 DAYS) |
| <i>pantoprazole sodium 20 mg tab dr</i>     | TIER 1 |                   |
| <i>pantoprazole sodium 40 mg recon soln</i> | TIER 4 |                   |
| <i>pantoprazole sodium 40 mg tab dr</i>     | TIER 1 | QL (2 PER 1 DAYS) |
| <i>rabeprazole sodium 20 mg tab dr</i>      | TIER 2 |                   |

## **GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT**

|  |        |                                    |
|--|--------|------------------------------------|
| ALDURAZYME 2.9 MG/5ML SOLUTION                     | TIER 5 | LA, PA - PART B VS D DETERMINATION |
| ARALAST NP (500 MG RECON SOLN, 1000 MG RECON SOLN) | TIER 5 | LA, PA - PART B VS D DETERMINATION |
| <i>betaine powder</i>                              | TIER 5 |                                    |
| BYLVAY (PELLETS) 200 MCG CAP SPRINK                | TIER 5 | PA, LA, QL (30 PER 1 DAYS)         |
| BYLVAY (PELLETS) 600 MCG CAP SPRINK                | TIER 5 | PA, LA, QL (10 PER 1 DAYS)         |
| BYLVAY 1200 MCG CAP                                | TIER 5 | PA, LA, QL (6 PER 1 DAYS)          |
| BYLVAY 400 MCG CAP                                 | TIER 5 | PA, LA, QL (18 PER 1 DAYS)         |
| CERDELGA 84 MG CAP                                 | TIER 5 | PA, LA, QL (2 PER 1 DAYS)          |
| CEREZYME 400 UNIT RECON SOLN                       | TIER 5 | PA, LA                             |
| CHOLBAM 250 MG CAP                                 | TIER 5 | PA, QL (5 PER 1 DAYS)              |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS                |
|---|-----------|------------------------------------|
| CHOLBAM 50 MG CAP   | TIER 5    | PA, QL (4 PER 1 DAYS)              |
| CREON (3000-9500 CP DR PART, 6000-19000 CP DR PART, 12000-38000 CP DR PART, 24000-76000 CP DR PART, 36000-114000 CP DR PART)  | TIER 3    |                                    |
| <i>cromolyn sodium 100 mg/5ml conc</i>  | TIER 4    |                                    |
| CYSTAGON (50 MG CAP, 150 MG CAP)  | TIER 4    | PA, LA                             |
| CYSTARAN 0.44 % SOLUTION  | TIER 5    | PA, LA, QL (60 PER 28 OVER TIME)   |
| ELAPRASE 6 MG/3ML SOLUTION  | TIER 5    | LA, PA - PART B VS D DETERMINATION |
| ENDARI 5 GM PACKET  | TIER 5    | PA, LA, QL (6 PER 1 DAYS)          |
| FABRAZYME (5 MG RECON SOLN, 35 MG RECON SOLN)   | TIER 5    | LA, PA - PART B VS D DETERMINATION |
| <i>javygtor (100 mg packet, 100 mg tab, 500 mg packet)</i>  | TIER 5    | PA                                 |
| <i>miglustat 100 mg cap</i>   | TIER 5    | PA, LA, QL (3 PER 1 DAYS)          |
| NAGLAZYME 1 MG/ML SOLUTION  | TIER 5    | LA, PA - PART B VS D DETERMINATION |
| <i>nitisinone (2 mg cap, 5 mg cap, 10 mg cap)</i>   | TIER 5    | PA                                 |
| PROCYSBI (25 MG CAP DR, 75 MG CAP DR)   | TIER 5    | PA, LA                             |
| PROLASTIN-C (1000 MG RECON SOLN, 1000 MG/20ML SOLUTION)   | TIER 5    | LA, PA - PART B VS D DETERMINATION |
| RAVICTI 1.1 GM/ML LIQUID  | TIER 5    | PA, LA, QL (525 PER 30 OVER TIME)  |
| <i>sapropterin dihydrochloride (100 mg packet, 100 mg tab, 500 mg packet)</i>   | TIER 5    | PA                                 |
| <i>sodium phenylbutyrate (3 gm/tsp powder, 500 mg tab)</i>  | TIER 5    | PA                                 |
| STRENSIQ (18 MG/0.45ML SOLUTION, 28 MG/0.7ML SOLUTION, 40 MG/ML SOLUTION)   | TIER 5    | PA, LA                             |
| STRENSIQ 80 MG/0.8ML SOLUTION   | TIER 5    | PA, LA, QL (38.4 PER 28 OVER TIME) |
| SUCRAID 8500 UNIT/ML SOLUTION   | TIER 5    | PA, LA                             |
| VYNDAQEL 20 MG CAP  | TIER 5    | PA, LA, QL (4 PER 1 DAYS)          |
| <i>yargesa 100 mg cap</i>   | TIER 5    | PA, QL (3 PER 1 DAYS)              |
| ZENPEP (3000-10000 CP DR PART, 5000-24000 CP DR PART, 10000-32000 CP DR PART, 15000-47000 CP DR PART, 20000-63000 CP DR PART, 25000-79000 CP DR PART, 40000-126000 CP DR PART, 60000-189600 CP DR PART) | TIER 4    |                                    |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>GENITOURINARY AGENTS</b>  |           |                     |
| <b>ANTISPASMODICS, URINARY</b>   |           |                     |
| <i>flavoxate hcl 100 mg tab</i>  | TIER 3    |                     |
| GEMTESA 75 MG TAB  | TIER 3    | QL (1 PER 1 DAYS)   |
| MYRBETRIQ (25 MG TAB ER 24H, 50 MG TAB ER 24H)   | TIER 3    |                     |
| <i>oxybutynin chloride 5 mg tab</i>  | TIER 2    |                     |
| <i>oxybutynin chloride er (er 5 mg tab er 24h, er 10 mg tab er 24h, er 15 mg tab er 24h)</i> | TIER 2    |                     |
| <i>solifenacin succinate (5 mg tab, 10 mg tab)</i>   | TIER 2    | QL (1 PER 1 DAYS)   |
| <i>tolterodine tartrate (1 mg tab, 2 mg tab)</i>   | TIER 2    | ST                  |
| <i>tolterodine tartrate er (er 2 mg cap er 24h, er 4 mg cap er 24h)</i>                      | TIER 2    | ST                  |
| <i>tropium chloride 20 mg tab</i>  | TIER 2    |                     |
| <i>tropium chloride er 60 mg cap er 24h</i>  | TIER 3    |                     |
| <b>BENIGN PROSTATIC HYPERTROPHY AGENTS</b>   |           |                     |
| <i>alfuzosin hcl er 10 mg tab er 24h</i>   | TIER 2    |                     |
| <i>dutasteride 0.5 mg cap</i>  | TIER 2    | QL (1 PER 1 DAYS)   |
| <i>dutasteride-tamsulosin hcl 0.5-0.4 mg cap</i>   | TIER 4    | QL (1 PER 1 DAYS)   |
| <i>finasteride 5 mg tab</i>  | TIER 1    |                     |
| <i>silodosin (4 mg cap, 8 mg cap)</i>  | TIER 2    | QL (1 PER 1 DAYS)   |
| <i>tamsulosin hcl 0.4 mg cap</i>   | TIER 1    |                     |
| <b>GENITOURINARY AGENTS, OTHER</b>   |           |                     |
| <i>bethanechol chloride (5 mg tab, 10 mg tab, 25 mg tab, 50 mg tab)</i>                      | TIER 2    |                     |
| ELMIRON 100 MG CAP   | TIER 4    |                     |
| <i>penicillamine 250 mg tab</i>  | TIER 5    | PA                  |
| THIOLA EC (EC 100 MG TAB DR, EC 300 MG TAB DR)   | TIER 5    | PA, LA              |
| <i>tiopronin (100 mg tab, 100 mg tab dr, 300 mg tab dr)</i>                                  | TIER 5    | PA                  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS                         |
|--|-----------|---|
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)</b>  |           |   |
| <i>alclometasone dipropionate 0.05 % cream</i>   | TIER 2    |   |
| <i>betamethasone dipropionate 0.05 % ointment</i>  | TIER 2    |   |
| <i>betamethasone dipropionate aug (0.05 % cream, 0.05 % lotion)</i>  | TIER 2    |   |
| <i>clobetasol prop emollient base 0.05 % cream</i>   | TIER 3    |   |
| <i>clobetasol propionate e 0.05 % cream</i>  | TIER 3    |   |
| CORTISONE ACETATE 25 MG TAB  | TIER 2    |   |
| CORTROPHIN 80 UNIT/ML GEL  | TIER 5    | PA, LA                                      |
| <i>decadron (0.5 mg tab, 0.75 mg tab, 4 mg tab, 6 mg tab)</i>  | TIER 2    |   |
| <i>dexamethasone (0.5 mg tab, 0.5 mg/5ml elixir, 0.5 mg/5ml solution, 0.75 mg tab, 1 mg tab, 1.5 mg tab, 2 mg tab, 4 mg tab, 6 mg tab)</i> | TIER 2    |   |
| <i>dexamethasone sod phosphate pf 10 mg/ml solution</i>  | TIER 4    | PA - PART B VS D DETERMINATION              |
| <i>dexamethasone sodium phosphate (10 mg/ml solution, 100 mg/10ml solution)</i>  | TIER 4    | PA - PART B VS D DETERMINATION              |
| <i>dexamethasone sodium phosphate (4 mg/ml soln prsyr, 4 mg/ml solution, 20 mg/5ml solution, 120 mg/30ml solution)</i>                     | TIER 4    |   |
| <i>fludrocortisone acetate 0.1 mg tab</i>  | TIER 2    |   |
| HEMADY 20 MG TAB   | TIER 4    | QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| <i>hydrocortisone butyrate 0.1 % ointment</i>  | TIER 3    | ST  |
| <i>hydrocortisone valerate 0.2 % ointment</i>  | TIER 2    |   |
| MEDROL 2 MG TAB  | TIER 3    |   |
| <i>methylprednisolone (4 mg tab, 4 mg tab thpk, 8 mg tab, 16 mg tab, 32 mg tab)</i>  | TIER 2    |   |
| <i>methylprednisolone acetate (40 mg/ml suspension, 80 mg/ml suspension)</i>   | TIER 4    |   |
| <i>methylprednisolone sodium succ 125 mg recon soln</i>  | TIER 4    | PA - PART B VS D DETERMINATION              |
| <i>methylprednisolone sodium succ 40 mg recon soln</i>   | TIER 4    |   |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|--|------------------|--------------------------------|
| <i>mifepristone 300 mg tab</i>   | TIER 5           | PA, LA, QL (4 PER 1 DAYS)      |
| <i>millipred 5 mg tab</i>  | TIER 4           |                                |
| <i>mometasone furoate (0.1 % cream, 0.1 % ointment)</i>  | TIER 2           |                                |
| <i>prednisolone 15 mg/5ml solution</i>   | TIER 2           |                                |
| <i>prednisolone 5 mg tab</i>   | TIER 4           |                                |
| <i>prednisolone sodium phosphate (6.7 (5 base) mg/5ml solution, 15 mg/5ml solution, 25 mg/5ml solution)</i>  | TIER 2           |                                |
| <i>prednisone (1 mg tab, 2.5 mg tab, 5 mg (21) tab thpk, 5 mg (48) tab thpk, 5 mg tab, 5 mg/5ml solution, 10 mg (21) tab thpk, 10 mg (48) tab thpk, 10 mg tab, 20 mg tab, 50 mg tab)</i> | TIER 2           |                                |
| PREDNISONE INTENSOL 5 MG/ML CONC   | TIER 3           |                                |
| SOLU-CORTEF 100 MG RECON SOLN  | TIER 4           |                                |
| SOLU-CORTEF 250 MG RECON SOLN  | TIER 4           | PA - PART B VS D DETERMINATION |
| SOLU-MEDROL 2 GM RECON SOLN  | TIER 4           | PA - PART B VS D DETERMINATION |

## **HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)**

|   |        |                                  |
|---|--------|----------------------------------|
| <i>desmopressin ace spray refrig 0.01 % solution</i>  | TIER 3 |                                  |
| <i>desmopressin acetate (0.1 mg tab, 0.2 mg tab)</i>  | TIER 2 |                                  |
| <i>desmopressin acetate 4 mcg/ml solution</i>   | TIER 4 |                                  |
| <i>desmopressin acetate pf 4 mcg/ml solution</i>  | TIER 4 |                                  |
| <i>desmopressin acetate spray 0.01 % solution</i>   | TIER 3 |                                  |
| EGRIFTA 1 MG RECON SOLN   | TIER 5 | PA, LA, QL (60 PER 30 OVER TIME) |
| EGRIFTA SV 2 MG RECON SOLN  | TIER 5 | PA, LA, QL (30 PER 30 OVER TIME) |
| GENOTROPIN (5 MG CARTRIDGE, 12 MG CARTRIDGE)  | TIER 5 | PA                               |
| GENOTROPIN MINIQUICK (0.2 MG PRSYR, 0.4 MG PRSYR, 0.6 MG PRSYR, 0.8 MG PRSYR, 1 MG PRSYR, 1.2 MG PRSYR, 1.4 MG PRSYR, 1.6 MG PRSYR, 1.8 MG PRSYR, 2 MG PRSYR) | TIER 5 | PA                               |
| INCRELEX 40 MG/4ML SOLUTION   | TIER 5 | PA, LA                           |
| OMNITROPE (5 MG/1.5ML SOLN CART, 5.8 MG RECON SOLN, 10 MG/1.5ML SOLN CART)  | TIER 5 | PA                               |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS            |
|---|-----------|--------------------------------|
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)</b>      |           |                                |
| <b>ANABOLIC STEROIDS</b>  |           |                                |
| ANADROL-50 50 MG TAB  | TIER 5    |                                |
| <i>oxandrolone (2.5 mg tab, 10 mg tab)</i>  | TIER 3    |                                |
| <b>ANDROGENS</b>  |           |                                |
| <i>danazol (50 mg cap, 100 mg cap, 200 mg cap)</i>                                    | TIER 3    |                                |
| <i>depo-testosterone (100 mg/ml solution, 200 mg/ml solution)</i>                     | TIER 3    |                                |
| <i>testosterone (1.62 % gel, 20.25 mg/act (1.62%) gel, 40.5 mg/2.5gm (1.62%) gel)</i> | TIER 4    | PA, QL (150 PER 30 OVER TIME)  |
| <i>testosterone (12.5 mg/act (1%) gel, 25 mg/2.5gm (1%) gel, 50 mg/5gm (1%) gel)</i>  | TIER 3    | PA, QL (300 PER 30 OVER TIME)  |
| <i>testosterone 20.25 mg/1.25gm (1.62%) gel</i>                                       | TIER 4    | PA, QL (37.5 PER 30 OVER TIME) |
| <i>testosterone cypionate (100 mg/ml solution, 200 mg/ml solution)</i>                | TIER 3    |                                |
| TESTOSTERONE ENANTHATE 200 MG/ML SOLUTION   | TIER 4    | QL (5 PER 30 OVER TIME)        |
| <b>ESTROGENS</b>  |           |                                |
| <i>afirmelle 0.1-20 mg-mcg tab</i>  | TIER 2    |                                |
| <i>altavera 0.15-30 mg-mcg tab</i>  | TIER 2    |                                |
| <i>alyacen 1/35 1-35 mg-mcg tab</i>   | TIER 2    |                                |
| <i>alyacen 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>   | TIER 2    |                                |
| <i>amabelz (0.5-0.1 mg tab, 1-0.5 mg tab)</i>   | TIER 3    |                                |
| <i>amethia 0.15-0.03 &amp; 0.01 mg tab</i>  | TIER 3    |                                |
| <i>amethia lo 0.1-0.02 &amp; 0.01 mg tab</i>  | TIER 2    |                                |
| <i>amethyst 90-20 mcg tab</i>   | TIER 2    |                                |
| <i>apri 0.15-30 mg-mcg tab</i>  | TIER 2    |                                |
| <i>aranelle 0.5/1/0.5-35 mg-mcg tab</i>   | TIER 3    |                                |
| <i>ashlyna 0.15-0.03 &amp; 0.01 mg tab</i>  | TIER 3    |                                |
| <i>aubra 0.1-20 mg-mcg tab</i>  | TIER 2    |                                |
| <i>aubra eq 0.1-20 mg-mcg tab</i>   | TIER 2    |                                |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>aurovela 1.5/30 1.5-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>aurovela 1/20 1-20 mg-mcg tab</i>  | TIER 2           |                            |
| <i>aurovela 24 fe 1-20 mg-mcg(24) tab</i>   | TIER 4           |                            |
| <i>aurovela fe 1.5/30 1.5-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>aurovela fe 1/20 1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>aviane 0.1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>ayuna 0.15-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>azurette 0.15-0.02/0.01 mg (21/5) tab</i>  | TIER 2           |                            |
| <i>balziva 0.4-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>bekyree 0.15-0.02/0.01 mg (21/5) tab</i>   | TIER 2           |                            |
| <i>blisovi 24 fe 1-20 mg-mcg(24) tab</i>  | TIER 4           |                            |
| <i>blisovi fe 1.5/30 1.5-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>blisovi fe 1/20 1-20 mg-mcg tab</i>  | TIER 2           |                            |
| <i>briellyn 0.4-35 mg-mcg tab</i>   | TIER 2           |                            |
| <i>camrese 0.15-0.03 &amp; 0.01 mg tab</i>  | TIER 3           |                            |
| <i>camrese lo 0.1-0.02 &amp; 0.01 mg tab</i>  | TIER 2           |                            |
| <i>caziant 0.1/0.125/0.15 -0.025 mg tab</i>   | TIER 2           |                            |
| <i>chateal 0.15-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>chateal eq 0.15-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>cryselle-28 0.3-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>cyclafem 1/35 1-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>cyclafem 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>cyred 0.15-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>cyred eq 0.15-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>dasetta 1/35 1-35 mg-mcg tab</i>   | TIER 2           |                            |
| <i>dasetta 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>   | TIER 2           |                            |
| <i>daysee 0.15-0.03 &amp; 0.01 mg tab</i>   | TIER 3           |                            |
| <i>delyla 0.1-20 mg-mcg tab</i>   | TIER 2           |                            |
| DEPO-ESTRADIOL 5 MG/ML OIL  | TIER 4           |                            |
| <i>desogestrel-ethinyl estradiol (0.15-0.02/0.01 mg (21/5) tab, 0.15-30 mg-mcg tab)</i> | TIER 2           |                            |
| <i>dolishale 90-20 mcg tab</i>  | TIER 2           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>dotti (0.025 mg/24hr patch tw, 0.0375 mg/24hr patch tw, 0.05 mg/24hr patch tw, 0.075 mg/24hr patch tw, 0.1 mg/24hr patch tw)</i>                            | TIER 2           | QL (16 PER 28 OVER TIME)   |
| <i>drospirenone-ethinyl estradiol 3-0.02 mg tab</i>  | TIER 3           |                            |
| <i>drospirenone-ethinyl estradiol 3-0.03 mg tab</i>  | TIER 2           |                            |
| <i>elinest 0.3-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>eluryng 0.12-0.015 mg/24hr ring</i>   | TIER 4           | QL (1 PER 28 OVER TIME)    |
| <i>emoquette 0.15-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>enilloring 0.12-0.015 mg/24hr ring</i>  | TIER 4           | QL (1 PER 28 OVER TIME)    |
| <i>enpresse-28 50-30/75-40/125-30 mcg tab</i>  | TIER 2           |                            |
| <i>enskyce 0.15-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>estarylla 0.25-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>estradiol (0.025 mg/24hr patch tw, 0.0375 mg/24hr patch tw, 0.05 mg/24hr patch tw, 0.075 mg/24hr patch tw, 0.1 mg/24hr patch tw)</i>                        | TIER 2           | QL (16 PER 28 OVER TIME)   |
| <i>estradiol (0.025 mg/24hr patch wk, 0.0375 mg/24hr patch wk, 0.05 mg/24hr patch wk, 0.06 mg/24hr patch wk, 0.075 mg/24hr patch wk, 0.1 mg/24hr patch wk)</i> | TIER 2           | QL (8 PER 28 OVER TIME)    |
| <i>estradiol (0.1 mg/gm cream, 0.5 mg tab, 1 mg tab, 2 mg tab, 10 mcg tab)</i>   | TIER 2           |                            |
| <i>estradiol valerate (10 mg/ml oil, 20 mg/ml oil, 40 mg/ml oil)</i>   | TIER 4           |                            |
| <i>estradiol-norethindrone acet (0.5-0.1 mg tab, 1-0.5 mg tab)</i>   | TIER 3           |                            |
| <i>ESTRING (2 MG RING, 7.5 MCG/24HR RING)</i>  | TIER 3           | QL (1 PER 84 OVER TIME)    |
| <i>ethynodiol diac-eth estradiol 1-35 mg-mcg tab</i>   | TIER 2           |                            |
| <i>ethynodiol diac-eth estradiol 1-50 mg-mcg tab</i>   | TIER 3           |                            |
| <i>etonogestrel-ethinyl estradiol 0.12-0.015 mg/24hr ring</i>  | TIER 4           | QL (1 PER 28 OVER TIME)    |
| <i>falmina 0.1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>FEMRING (0.05 MG/24HR RING, 0.1 MG/24HR RING)</i>   | TIER 4           | QL (1 PER 84 OVER TIME)    |
| <i>femynor 0.25-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>fyavolv (0.5-2.5 tab, 1-5 tab)</i>  | TIER 2           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                            | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>gianvi 3-0.02 mg tab</i>                 | TIER 3           |                            |
| <i>hailey 1.5/30 1.5-30 mg-mcg tab</i>      | TIER 2           |                            |
| <i>hailey 24 fe 1-20 mg-mcg(24) tab</i>     | TIER 4           |                            |
| <i>hailey fe 1.5/30 1.5-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>hailey fe 1/20 1-20 mg-mcg tab</i>       | TIER 2           |                            |
| <i>haloette 0.12-0.015 mg/24hr ring</i>     | TIER 4           | QL (1 PER 28 OVER TIME)    |
| <i>iclevia 0.15-0.03 mg tab</i>             | TIER 2           |                            |
| <i>introvale 0.15-0.03 mg tab</i>           | TIER 2           |                            |
| <i>isibloom 0.15-30 mg-mcg tab</i>          | TIER 2           |                            |
| <i>jaimiess 0.15-0.03 &amp; 0.01 mg tab</i> | TIER 3           |                            |
| <i>jasmiel 3-0.02 mg tab</i>                | TIER 3           |                            |
| <i>jinteli 1-5 mg-mcg tab</i>               | TIER 2           |                            |
| <i>jolessa 0.15-0.03 mg tab</i>             | TIER 2           |                            |
| <i>juleber 0.15-30 mg-mcg tab</i>           | TIER 2           |                            |
| <i>junel 1.5/30 1.5-30 mg-mcg tab</i>       | TIER 2           |                            |
| <i>junel 1/20 1-20 mg-mcg tab</i>           | TIER 2           |                            |
| <i>junel fe 1.5/30 1.5-30 mg-mcg tab</i>    | TIER 2           |                            |
| <i>junel fe 1/20 1-20 mg-mcg tab</i>        | TIER 2           |                            |
| <i>junel fe 24 1-20 mg-mcg(24) tab</i>      | TIER 4           |                            |
| <i>kalliga 0.15-30 mg-mcg tab</i>           | TIER 2           |                            |
| <i>kariva 0.15-0.02/0.01 mg (21/5) tab</i>  | TIER 2           |                            |
| <i>kelnor 1/35 1-35 mg-mcg tab</i>          | TIER 2           |                            |
| <i>kelnor 1/50 1-50 mg-mcg tab</i>          | TIER 3           |                            |
| <i>kurvelo 0.15-30 mg-mcg tab</i>           | TIER 2           |                            |
| <i>larin 1.5/30 1.5-30 mg-mcg tab</i>       | TIER 2           |                            |
| <i>larin 1/20 1-20 mg-mcg tab</i>           | TIER 2           |                            |
| <i>larin 24 fe 1-20 mg-mcg(24) tab</i>      | TIER 4           |                            |
| <i>larin fe 1.5/30 1.5-30 mg-mcg tab</i>    | TIER 2           |                            |
| <i>larin fe 1/20 1-20 mg-mcg tab</i>        | TIER 2           |                            |
| <i>larissia 0.1-20 mg-mcg tab</i>           | TIER 2           |                            |
| <i>leena 0.5/1/0.5-35 mg-mcg tab</i>        | TIER 3           |                            |
| <i>lessina 0.1-20 mg-mcg tab</i>            | TIER 2           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>levonest 50-30/75-40/ 125-30 mcg tab</i>   | TIER 2           |                            |
| <i>levonorg-eth estrad triphasic 50-30/75-40/ 125-30 mcg tab</i>  | TIER 2           |                            |
| <i>levonorgest-eth estrad 91-day (0.1-0.02 &amp; 0.01 mg tab, 0.15-0.03 mg tab)</i>   | TIER 2           |                            |
| <i>levonorgest-eth estrad 91-day 0.15-0.03 &amp; 0.01 mg tab</i>  | TIER 3           |                            |
| <i>levonorgestrel-ethinyl estrad (0.1-20 mg-mcg tab, 0.15-30 mg-mcg tab, 90-20 mcg tab)</i>   | TIER 2           |                            |
| <i>levora 0.15/30 (28) 0.15-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>lillow 0.15-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>lo-zumandimine 3-0.02 mg tab</i>   | TIER 3           |                            |
| <i>loestrin 1.5/30 (21) 1.5-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>loestrin 1/20 (21) 1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>loestrin fe 1.5/30 1.5-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>loestrin fe 1/20 1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>lojaimiess 0.1-0.02 &amp; 0.01 mg tab</i>  | TIER 2           |                            |
| <i>lopreeza 1-0.5 mg tab</i>  | TIER 3           |                            |
| <i>loryna 3-0.02 mg tab</i>   | TIER 3           |                            |
| <i>low-ogestrel 0.3-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>lutra 0.1-20 mg-mcg tab</i>  | TIER 2           |                            |
| <i>lyllana (0.025 mg/24hr patch tw, 0.0375 mg/24hr patch tw, 0.05 mg/24hr patch tw, 0.075 mg/24hr patch tw, 0.1 mg/24hr patch tw)</i> | TIER 2           | QL (16 PER 28 OVER TIME)   |
| <i>marlissa 0.15-30 mg-mcg tab</i>  | TIER 2           |                            |
| <b>MENEST (0.3 MG TAB, 0.625 MG TAB, 1.25 MG TAB, 2.5 MG TAB)</b>   | TIER 4           |                            |
| <i>microgestin 1.5/30 1.5-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>microgestin 1/20 1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>microgestin 24 fe 1-20 mg-mcg tab</i>  | TIER 4           |                            |
| <i>microgestin fe 1.5/30 1.5-30 mg-mcg tab</i>  | TIER 2           |                            |
| <i>microgestin fe 1/20 1-20 mg-mcg tab</i>  | TIER 2           |                            |
| <i>mili 0.25-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>mimvey 1-0.5 mg tab</i>  | TIER 3           |                            |
| <i>mono-lynyah 0.25-35 mg-mcg tab</i>   | TIER 2           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>necon 0.5/35 (28) 0.5-35 mg-mcg tab</i>                                | TIER 3           |                            |
| <i>nikki 3-0.02 mg tab</i>  | TIER 3           |                            |
| <i>norelgestromin-eth estradiol 150-35 mcg/24hr patch wk</i>              | TIER 4           |                            |
| <i>norethin ace-eth estrad-fe (1-20 tab, 1.5-30 tab)</i>                  | TIER 2           |                            |
| <i>norethin ace-eth estrad-fe 1-20 mg-mcg(24) tab</i>                     | TIER 4           |                            |
| <i>norethin-eth estradiol-fe 0.4-35 mg-mcg chew tab</i>                   | TIER 2           |                            |
| <i>norethindrone acet-ethinyl est (1-20 tab, 1.5-30 tab)</i>              | TIER 2           |                            |
| <i>norethindrone-eth estradiol (0.5-2.5 tab, 1-5 tab)</i>                 | TIER 2           |                            |
| <i>norgestim-eth estrad triphasic 0.18/0.215/0.25 mg-35 mcg tab</i>       | TIER 2           |                            |
| <i>norgestimate-eth estradiol 0.25-35 mg-mcg tab</i>                      | TIER 2           |                            |
| <i>nortrel 0.5/35 (28) 0.5-35 mg-mcg tab</i>                              | TIER 3           |                            |
| <i>nortrel 1/35 (21) 1-35 mg-mcg tab</i>                                  | TIER 2           |                            |
| <i>nortrel 1/35 (28) 1-35 mg-mcg tab</i>                                  | TIER 2           |                            |
| <i>nortrel 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>                             | TIER 2           |                            |
| <i>nylia 1/35 1-35 mg-mcg tab</i>   | TIER 2           |                            |
| <i>nylia 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>                               | TIER 2           |                            |
| <i>nymyo 0.25-35 mg-mcg tab</i>   | TIER 2           |                            |
| <i>ocella 3-0.03 mg tab</i>   | TIER 2           |                            |
| <i>orsythia 0.1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>philith 0.4-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>pimtrea 0.15-0.02/0.01 mg (21/5) tab</i>                               | TIER 2           |                            |
| <i>pirmella 1/35 1-35 mg-mcg tab</i>                                      | TIER 2           |                            |
| <i>pirmella 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>                            | TIER 2           |                            |
| <i>portia-28 0.15-30 mg-mcg tab</i>                                       | TIER 2           |                            |
| PREMARIN (0.3 MG TAB, 0.45 MG TAB, 0.625 MG TAB, 0.9 MG TAB, 1.25 MG TAB) | TIER 4           |                            |
| PREMARIN 0.625 MG/GM CREAM  | TIER 3           |                            |
| PREMPHASE 0.625-5 MG TAB  | TIER 3           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| PREMPRO (0.3-1.5 MG TAB, 0.45-1.5 MG TAB, 0.625-2.5 MG TAB, 0.625-5 MG TAB) | TIER 3           |                            |
| <i>previfem 0.25-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>reclipsen 0.15-30 mg-mcg tab</i>   | TIER 2           |                            |
| <i>setlakin 0.15-0.03 mg tab</i>  | TIER 2           |                            |
| <i>simliya 0.15-0.02/0.01 mg (21/5) tab</i>                                 | TIER 2           |                            |
| <i>simpesse 0.15-0.03 &amp; 0.01 mg tab</i>                                 | TIER 3           |                            |
| <i>sprintec 28 0.25-35 mg-mcg tab</i>                                       | TIER 2           |                            |
| <i>sronyx 0.1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>syeda 3-0.03 mg tab</i>  | TIER 2           |                            |
| <i>tarina 24 fe 1-20 mg-mcg(24) tab</i>                                     | TIER 4           |                            |
| <i>tarina fe 1/20 1-20 mg-mcg tab</i>                                       | TIER 2           |                            |
| <i>tarina fe 1/20 eq 1-20 mg-mcg tab</i>                                    | TIER 2           |                            |
| <i>tri femynor 0.18/0.215/0.25 mg-35 mcg tab</i>                            | TIER 2           |                            |
| <i>tri-estarylla 0.18/0.215/0.25 mg-35 mcg tab</i>                          | TIER 2           |                            |
| <i>tri-lynyah 0.18/0.215/0.25 mg-35 mcg tab</i>                             | TIER 2           |                            |
| <i>tri-mili 0.18/0.215/0.25 mg-35 mcg tab</i>                               | TIER 2           |                            |
| <i>tri-nymyo 0.18/0.215/0.25 mg-35 mcg tab</i>                              | TIER 2           |                            |
| <i>tri-previfem 0.18/0.215/0.25 mg-35 mcg tab</i>                           | TIER 2           |                            |
| <i>tri-sprintec 0.18/0.215/0.25 mg-35 mcg tab</i>                           | TIER 2           |                            |
| <i>tri-vylibra 0.18/0.215/0.25 mg-35 mcg tab</i>                            | TIER 2           |                            |
| <i>trivora (28) 50-30/75-40/ 125-30 mcg tab</i>                             | TIER 2           |                            |
| <i>turqoz 0.3-30 mg-mcg tab</i>   | TIER 2           |                            |
| VELIVET 0.1/0.125/0.15 -0.025 MG TAB  | TIER 2           |                            |
| <i>vestura 3-0.02 mg tab</i>  | TIER 3           |                            |
| <i>vienva 0.1-20 mg-mcg tab</i>   | TIER 2           |                            |
| <i>viorele 0.15-0.02/0.01 mg (21/5) tab</i>                                 | TIER 2           |                            |
| <i>volnea 0.15-0.02/0.01 mg (21/5) tab</i>                                  | TIER 2           |                            |
| <i>vyfemla 0.4-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>vylibra 0.25-35 mg-mcg tab</i>   | TIER 2           |                            |
| <i>wera 0.5-35 mg-mcg tab</i>   | TIER 3           |                            |
| <i>wymzya fe 0.4-35 mg-mcg chew tab</i>                                     | TIER 2           |                            |
| <i>xulane 150-35 mcg/24hr patch wk</i>                                      | TIER 4           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>                        | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|---|------------------|----------------------------|
| <i>yuvafem 10 mcg tab</i>               | TIER 2           |                            |
| <i>zafemy 150-35 mcg/24hr patch wk</i>  | TIER 4           |                            |
| <i>zarah 3-0.03 mg tab</i>              | TIER 2           |                            |
| <i>zovia 1/35 (28) 1-35 mg-mcg tab</i>  | TIER 2           |                            |
| <i>zovia 1/35e (28) 1-35 mg-mcg tab</i> | TIER 2           |                            |
| <i>zumandimine 3-0.03 mg tab</i>        | TIER 2           |                            |

## **PROGESTINS**

|  |        |                          |
|--|--------|--------------------------|
| <i>camila 0.35 mg tab</i>  | TIER 2 |                          |
| <i>deblitane 0.35 mg tab</i>   | TIER 2 |                          |
| DEPO-PROVERA 400 MG/ML SUSPENSION  | TIER 4 |                          |
| DEPO-SUBQ PROVERA 104 104 MG/0.65ML SUSP PRSYR   | TIER 4 |                          |
| <i>errin 0.35 mg tab</i>   | TIER 2 |                          |
| <i>heather 0.35 mg tab</i>   | TIER 2 |                          |
| HYDROXYPROGESTERONE CAPROATE 1.25 GM/5ML SOLUTION  | TIER 5 |                          |
| <i>incassia 0.35 mg tab</i>  | TIER 2 |                          |
| <i>jencycla 0.35 mg tab</i>  | TIER 2 |                          |
| <i>lyleq 0.35 mg tab</i>   | TIER 2 |                          |
| <i>lyza 0.35 mg tab</i>  | TIER 2 |                          |
| <i>medroxyprogesterone acetate (150 mg/ml susp prsyr, 150 mg/ml suspension)</i>                                      | TIER 3 |                          |
| <i>medroxyprogesterone acetate (2.5 mg tab, 5 mg tab, 10 mg tab)</i>   | TIER 2 |                          |
| <i>megestrol acetate (20 mg tab, 40 mg tab, 40 mg/ml suspension, 400 mg/10ml suspension, 800 mg/20ml suspension)</i> | TIER 2 | PA - FOR NEW STARTS ONLY |
| <i>megestrol acetate 625 mg/5ml suspension</i>   | TIER 4 | PA                       |
| <i>nora-be 0.35 mg tab</i>   | TIER 2 |                          |
| <i>norethindrone 0.35 mg tab</i>   | TIER 2 |                          |
| <i>norethindrone acetate 5 mg tab</i>  | TIER 2 |                          |
| <i>norlyda 0.35 mg tab</i>   | TIER 2 |                          |
| <i>norlyroc 0.35 mg tab</i>  | TIER 2 |                          |
| <i>progesterone (100 mg cap, 200 mg cap)</i>   | TIER 2 |                          |
| <i>sharobel 0.35 mg tab</i>  | TIER 2 |                          |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>tulana 0.35 mg tab</i>  | TIER 2           |                            |
| <b>SELECTIVE ESTROGEN RECEPTOR MODIFYING AGENTS</b>  |                  |                            |
| OSPHENA 60 MG TAB  | TIER 4           | PA, QL (1 PER 1 DAYS)      |
| <i>raloxifene hcl 60 mg tab</i>  | TIER 2           | QL (1 PER 1 DAYS)          |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)</b>  |                  |                            |
| <i>euthyrox (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab)</i>  | TIER 1           |                            |
| <i>levo-t (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab, 300 mcg tab)</i>                                   | TIER 3           |                            |
| <i>levothyroxine sodium (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab, 300 mcg tab)</i>                     | TIER 1           |                            |
| <i>levoxyl (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab)</i>   | TIER 3           |                            |
| <i>liothyronine sodium (5 mcg tab, 25 mcg tab, 50 mcg tab)</i>   | TIER 2           |                            |
| SYNTHROID (25 MCG TAB, 50 MCG TAB, 75 MCG TAB, 88 MCG TAB, 100 MCG TAB, 112 MCG TAB, 125 MCG TAB, 137 MCG TAB, 150 MCG TAB, 175 MCG TAB, 200 MCG TAB, 300 MCG TAB)                                       | TIER 3           |                            |
| TIROSINT (13 MCG CAP, 25 MCG CAP, 37.5 MCG CAP, 44 MCG CAP, 50 MCG CAP, 62.5 MCG CAP, 75 MCG CAP, 88 MCG CAP, 100 MCG CAP, 112 MCG CAP, 125 MCG CAP, 137 MCG CAP, 150 MCG CAP, 175 MCG CAP, 200 MCG CAP) | TIER 4           |                            |
| <i>unithroid (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab, 300 mcg tab)</i>                                | TIER 3           |                            |
| <b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>  |                  |                            |
| <i>cabergoline 0.5 mg tab</i>  | TIER 3           |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS                             |
|--|-----------|---|
| ELIGARD (7.5 MG KIT, 22.5 MG KIT, 30 MG KIT, 45 MG KIT)  | TIER 4    |   |
| FIRMAGON (240 MG DOSE) 120 MG/VIAL RECON SOLN  | TIER 5    |   |
| FIRMAGON 80 MG RECON SOLN  | TIER 4    |   |
| LANREOTIDE ACETATE 120 MG/0.5ML SOLUTION   | TIER 5    | PA - FOR NEW STARTS ONLY                        |
| <i>leuprolide acetate 1 mg/0.2ml kit</i>   | TIER 5    |   |
| LUPRON DEPOT (1-MONTH) ((1-MONTH) 3.75 MG KIT, (1-MONTH) 7.5 MG KIT)   | TIER 5    |   |
| LUPRON DEPOT (3-MONTH) ((3-MONTH) 11.25 MG KIT, (3-MONTH) 22.5 MG KIT)   | TIER 5    |   |
| LUPRON DEPOT (4-MONTH) 30 MG KIT   | TIER 5    |   |
| LUPRON DEPOT (6-MONTH) 45 MG KIT   | TIER 5    |   |
| <i>octreotide acetate (50 mcg/ml soln prsyr, 50 mcg/ml solution, 100 mcg/ml soln prsyr, 100 mcg/ml solution, 200 mcg/ml solution, 500 mcg/ml solution, 1000 mcg/ml solution)</i> | TIER 4    | PA  |
| OCTREOTIDE ACETATE 500 MCG/ML SOLN PRSYR   | TIER 5    | PA  |
| ORGOVYX 120 MG TAB   | TIER 5    | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| SANDOSTATIN LAR DEPOT (10 MG KIT, 20 MG KIT, 30 MG KIT)  | TIER 5    | PA  |
| SIGNIFOR (0.3 MG/ML SOLUTION, 0.6 MG/ML SOLUTION, 0.9 MG/ML SOLUTION)  | TIER 5    | PA, LA, QL (60 PER 30 OVER TIME)                |
| SOMATULINE DEPOT (60 MG/0.2ML SOLUTION, 90 MG/0.3ML SOLUTION)  | TIER 5    | PA - FOR NEW STARTS ONLY                        |
| SOMAVERT (10 MG RECON SOLN, 15 MG RECON SOLN, 20 MG RECON SOLN, 25 MG RECON SOLN, 30 MG RECON SOLN)  | TIER 5    | PA, QL (1 PER 1 DAYS)                           |
| SYNAREL 2 MG/ML SOLUTION   | TIER 5    |   |
| TRELSTAR MIXJECT (3.75 MG RECON SUSP, 11.25 MG RECON SUSP, 22.5 MG RECON SUSP)   | TIER 4    | PA - PART B VS D DETERMINATION                  |

## HORMONAL AGENTS, SUPPRESSANT (THYROID)

### ANTITHYROID AGENTS

|  |        |
|--|--------|
| <i>methimazole (5 mg tab, 10 mg tab)</i> | TIER 2 |
|--|--------|

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME                         | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|-----------|---------------------|
| <i>propylthiouracil 50 mg tab</i> | TIER 2    |                     |

## IMMUNOLOGICAL AGENTS

### ANGIOEDEMA AGENTS

|   |        |                              |
|---|--------|------------------------------|
| BERINERT 500 UNIT KIT                         | TIER 5 | PA, LA                       |
| CINRYZE 500 UNIT RECON SOLN                   | TIER 5 | PA, LA                       |
| HAEGARDA (2000 RECON SOLN, 3000 RECON SOLN)   | TIER 5 | PA, LA                       |
| <i>icatibant acetate 30 mg/3ml soln prsyr</i> | TIER 5 | PA, QL (36 PER 60 OVER TIME) |
| <i>sajazir 30 mg/3ml soln prsyr</i>           | TIER 5 | PA, QL (36 PER 60 OVER TIME) |

### IMMUNOGLOBULINS

|  |        |        |
|--|--------|--------|
| BIVIGAM (5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION)   | TIER 5 | PA, LA |
| CARIMUNE NF (6 GM RECON SOLN, 12 GM RECON SOLN)  | TIER 5 | PA     |
| FLEBOGAMMA DIF (0.5 GM/10ML SOLUTION, 2.5 GM/50ML SOLUTION, 5 GM/100ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 10 GM/200ML SOLUTION, 20 GM/200ML SOLUTION, 20 GM/400ML SOLUTION) | TIER 5 | PA     |
| GAMMAGARD (1 GM/10ML SOLUTION, 2.5 GM/25ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 30 GM/300ML SOLUTION)   | TIER 5 | PA     |
| GAMMAGARD S/D LESS IGA (S/D 5 GM RECON SOLN, S/D 10 GM RECON SOLN)   | TIER 5 | PA     |
| GAMMAKED (1 GM/10ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION)  | TIER 5 | PA     |
| GAMMAPLEX (5 GM/100ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 10 GM/200ML SOLUTION, 20 GM/200ML SOLUTION, 20 GM/400ML SOLUTION)  | TIER 5 | PA, LA |
| GAMUNEX-C (1 GM/10ML SOLUTION, 2.5 GM/25ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 40 GM/400ML SOLUTION)   | TIER 5 | PA     |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| HIZENTRA (1 GM/5ML SOLN PRSYR, 1 GM/5ML SOLUTION, 2 GM/10ML SOLN PRSYR, 2 GM/10ML SOLUTION, 4 GM/20ML SOLN PRSYR, 4 GM/20ML SOLUTION, 10 GM/50ML SOLUTION) | TIER 5           | PA, LA                     |
| PRIVIGEN (5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 40 GM/400ML SOLUTION)  | TIER 5           | PA                         |

## **IMMUNOLOGICAL AGENTS, OTHER**

|   |        |                                 |
|---|--------|---------------------------------|
| ARCALYST 220 MG RECON SOLN  | TIER 5 | PA, LA                          |
| BENLYSTA (200 MG/ML SOLN A-INJ, 200 MG/ML SOLN PRSYR)   | TIER 5 | PA, LA, QL (4 PER 28 OVER TIME) |
| BEYFORTUS (50 MG/0.5ML SOLN PRSYR, 100 MG/ML SOLN PRSYR)  | TIER 4 |                                 |
| DUPIXENT (100 MG/0.67ML SOLN PRSYR, 200 MG/1.14ML SOLN PEN, 200 MG/1.14ML SOLN PRSYR, 300 MG/2ML SOLN PEN, 300 MG/2ML SOLN PRSYR) | TIER 5 | PA                              |
| ILARIS 150 MG/ML SOLUTION   | TIER 5 | PA, LA                          |
| OTEZLA 10 & 20 & 30 MG TAB THPK   | TIER 5 | PA, QL (55 PER 28 OVER TIME)    |
| RIDAURA 3 MG CAP  | TIER 5 |                                 |
| SKYRIZI (150 MG DOSE) 75 MG/0.83ML PREF SY KT   | TIER 5 | PA, QL (6 PER 365 OVER TIME)    |
| SKYRIZI 150 MG/ML SOLN PRSYR  | TIER 5 | PA, QL (6 PER 365 OVER TIME)    |
| SKYRIZI PEN 150 MG/ML SOLN A-INJ  | TIER 5 | PA, QL (6 PER 365 OVER TIME)    |
| STELARA (45 MG/0.5ML SOLN PRSYR, 45 MG/0.5ML SOLUTION)  | TIER 5 | PA, QL (0.5 PER 28 OVER TIME)   |
| STELARA 90 MG/ML SOLN PRSYR   | TIER 5 | PA, QL (1 PER 28 OVER TIME)     |
| TALTZ (80 MG/ML SOLN A-INJ, 80 MG/ML SOLN PRSYR)  | TIER 5 | PA, LA, QL (1 PER 28 OVER TIME) |
| XELJANZ (5 MG TAB, 10 MG TAB)   | TIER 5 | PA, QL (2 PER 1 DAYS)           |
| XELJANZ 1 MG/ML SOLUTION  | TIER 5 | PA, QL (10 PER 1 DAYS)          |
| XOLAIR (150 MG RECON SOLN, 150 MG/ML SOLN PRSYR)  | TIER 5 | PA, LA, QL (8 PER 28 OVER TIME) |
| XOLAIR (150 MG/ML SOLN A-INJ, 300 MG/2ML SOLN A-INJ, 300 MG/2ML SOLN PRSYR)   | TIER 5 | PA, QL (8 PER 28 OVER TIME)     |
| XOLAIR 75 MG/0.5ML SOLN A-INJ   | TIER 5 | PA, QL (2 PER 28 OVER TIME)     |
| XOLAIR 75 MG/0.5ML SOLN PRSYR   | TIER 5 | PA, LA, QL (2 PER 28 OVER TIME) |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS            |
|--|-----------|--------------------------------|
| <b>IMMUNOSTIMULANTS</b>  |           |                                |
| ACTIMMUNE 2000000 UNIT/0.5ML SOLUTION  | TIER 5    | LA, PA - FOR NEW STARTS ONLY   |
| INTRON A (6000000 UNIT/ML SOLUTION, 10000000 UNIT RECON SOLN, 10000000 UNIT/ML SOLUTION, 18000000 UNIT RECON SOLN, 50000000 UNIT RECON SOLN) | TIER 5    | LA                             |
| PEGASYS 180 MCG/0.5ML SOLN PRSYR   | TIER 5    | PA, QL (2 PER 30 OVER TIME)    |
| PEGASYS 180 MCG/ML SOLUTION  | TIER 5    | PA, QL (4 PER 30 OVER TIME)    |
| PEGASYS PROCLICK 180 MCG/0.5ML SOLN A-INJ  | TIER 5    | PA, QL (2 PER 30 OVER TIME)    |
| <b>IMMUNOSUPPRESSANTS</b>  |           |                                |
| ASTAGRAF XL (0.5 MG CAP ER 24H, 1 MG CAP ER 24H, 5 MG CAP ER 24H)  | TIER 4    | PA - PART B VS D DETERMINATION |
| <i>azathioprine 50 mg tab</i>  | TIER 2    | PA - PART B VS D DETERMINATION |
| AZATHIOPRINE SODIUM 100 MG RECON SOLN  | TIER 4    | PA - PART B VS D DETERMINATION |
| <i>cyclosporine (25 mg cap, 50 mg/ml solution, 100 mg cap)</i>   | TIER 4    | PA - PART B VS D DETERMINATION |
| <i>cyclosporine modified (25 mg cap, 50 mg cap, 100 mg cap, 100 mg/ml solution)</i>  | TIER 3    | PA - PART B VS D DETERMINATION |
| ENBREL (25 MG RECON SOLN, 50 MG/ML SOLN PRSYR)   | TIER 5    | PA, QL (8 PER 28 OVER TIME)    |
| ENBREL 25 MG/0.5ML SOLN PRSYR  | TIER 5    | PA, QL (4.08 PER 28 OVER TIME) |
| ENBREL 25 MG/0.5ML SOLUTION  | TIER 5    | PA, QL (4 PER 28 OVER TIME)    |
| ENBREL SURECLICK 50 MG/ML SOLN A-INJ   | TIER 5    | PA, QL (8 PER 28 OVER TIME)    |
| ENVARUSUS XR (0.75 MG TAB ER 24H, 1 MG TAB ER 24H, 4 MG TAB ER 24H)  | TIER 4    | PA - FOR NEW STARTS ONLY       |
| <i>everolimus (0.25 mg tab, 0.5 mg tab, 0.75 mg tab, 1 mg tab)</i>   | TIER 5    | PA - PART B VS D DETERMINATION |
| <i>gengraf (25 mg cap, 100 mg cap, 100 mg/ml solution)</i>   | TIER 3    | PA - PART B VS D DETERMINATION |
| HUMIRA (10 MG/0.1ML PREF SY KT, 20 MG/0.2ML PREF SY KT)  | TIER 5    | PA, QL (2 PER 28 OVER TIME)    |
| HUMIRA (2 PEN) (PEN) 40 MG/0.4ML PEN KIT, (PEN) 40 MG/0.8ML PEN KIT)   | TIER 5    | PA, QL (4 PER 28 OVER TIME)    |
| HUMIRA (2 SYRINGE) 40 MG/0.8ML PREF SY KT  | TIER 5    | PA, QL (4 PER 28 OVER TIME)    |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                      |
|---|------------------|---|
| HUMIRA 40 MG/0.4ML PEF SY KT  | TIER 5           | PA, QL (4 PER 28 OVER TIME)                     |
| HUMIRA PEDIATRIC CROHNS START 80 MG/0.8ML & 40MG/0.4ML PEF SY KT  | TIER 5           | PA, QL (4 PER 365 OVER TIME)                    |
| HUMIRA PEDIATRIC CROHNS START 80 MG/0.8ML PEF SY KT   | TIER 5           | PA, QL (6 PER 365 OVER TIME)                    |
| HUMIRA PEN 80 MG/0.8ML PEN KIT  | TIER 5           | PA, QL (2 PER 28 OVER TIME)                     |
| HUMIRA PEN-CD/UC/HS STARTER 80 MG/0.8ML PEN KIT   | TIER 5           | PA, QL (6 PER 365 OVER TIME)                    |
| HUMIRA PEN-PEDIATRIC UC START 80 MG/0.8ML PEN KIT   | TIER 5           | PA, QL (8 PER 365 OVER TIME)                    |
| HUMIRA PEN-PSOR/UEIT STARTER 80 MG/0.8ML & 40MG/0.4ML PEN KIT   | TIER 5           | PA, QL (6 PER 365 OVER TIME)                    |
| HUMIRA-CD/UC/HS STARTER 40 MG/0.8ML PEN KIT   | TIER 5           | PA, QL (12 PER 365 OVER TIME)                   |
| HUMIRA-PS/UV/ADOL HS STARTER 40 MG/0.8ML PEN KIT  | TIER 5           | PA, QL (8 PER 365 OVER TIME)                    |
| <i>leflunomide (10 mg tab, 20 mg tab)</i>   | TIER 2           |   |
| <i>methotrexate sodium (1 gm recon soln, 50 mg/2ml solution, 250 mg/10ml solution, 1000 mg/40ml solution)</i> | TIER 3           | PA - PART B VS D DETERMINATION                  |
| <i>methotrexate sodium (pf) ((pf) 1 gm/40ml solution, (pf) 50 mg/2ml solution, (pf) 250 mg/10ml solution)</i> | TIER 3           | PA - PART B VS D DETERMINATION                  |
| <i>methotrexate sodium 2.5 mg tab</i>   | TIER 2           |   |
| <i>mycophenolate mofetil (250 mg cap, 500 mg tab)</i>   | TIER 2           | PA - PART B VS D DETERMINATION                  |
| <i>mycophenolate mofetil 200 mg/ml recon susp</i>   | TIER 5           | PA - PART B VS D DETERMINATION                  |
| <i>mycophenolate mofetil 500 mg recon soln</i>  | TIER 4           | PA - PART B VS D DETERMINATION                  |
| <i>mycophenolate mofetil hcl 500 mg recon soln</i>  | TIER 4           | PA - PART B VS D DETERMINATION                  |
| <i>mycophenolate sodium (180 mg tab dr, 360 mg tab dr)</i>  | TIER 4           | PA - PART B VS D DETERMINATION                  |
| PROGRAF (0.2 MG PACKET, 1 MG PACKET)  | TIER 4           | PA - FOR NEW STARTS ONLY                        |
| REZUROCK 200 MG TAB   | TIER 5           | LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| RINVOQ (15 MG TAB ER 24H, 30 MG TAB ER 24H)   | TIER 5           | PA, QL (1 PER 1 DAYS)                           |
| RINVOQ 45 MG TAB ER 24H   | TIER 5           | PA, QL (168 PER 365 OVER TIME)                  |
| SANDIMMUNE 100 MG/ML SOLUTION   | TIER 4           | PA - PART B VS D DETERMINATION                  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>     |
|---|------------------|--------------------------------|
| <i>sirolimus (0.5 mg tab, 1 mg tab, 1 mg/ml solution, 2 mg tab)</i> | TIER 4           | PA - PART B VS D DETERMINATION |
| <i>tacrolimus (0.5 mg cap, 1 mg cap, 5 mg cap)</i>                  | TIER 2           | PA - PART B VS D DETERMINATION |
| TREXALL (5 MG TAB, 7.5 MG TAB, 10 MG TAB, 15 MG TAB)                | TIER 4           |                                |
| XATMEP 2.5 MG/ML SOLUTION   | TIER 4           | PA - FOR NEW STARTS ONLY       |
| XELJANZ XR (11 MG TAB ER 24H, 22 MG TAB ER 24H)                     | TIER 5           | PA, QL (1 PER 1 DAYS)          |

## VACCINES

|   |        |                                     |
|---|--------|-------------------------------------|
| ABRYSVO 120 MCG/0.5ML RECON SOLN  | TIER 3 | VAC                                 |
| ACTHIB RECON SOLN   | TIER 3 |                                     |
| ADACEL 5-2-15.5 LF-MCG/0.5 SUSPENSION   | TIER 3 | VAC                                 |
| AREXVY 120 MCG/0.5ML RECON SUSP   | TIER 3 | VAC                                 |
| BCG VACCINE 50 MG RECON SOLN  | TIER 3 | VAC                                 |
| BEXSERO SUSP PRSYR  | TIER 3 | VAC                                 |
| BOOSTRIX (5-2.5-18.5 LF-MCG/0.5 SUSP PRSYR, 5-2.5-18.5 LF-MCG/0.5 SUSPENSION)   | TIER 3 | VAC                                 |
| DAPTACEL 23-15-5 SUSPENSION   | TIER 3 |                                     |
| DENGVAXIA RECON SUSP  | TIER 3 |                                     |
| DIPHThERIA-TETANUS TOXOIDS DT 25-5 LFU/0.5ML SUSPENSION                         | TIER 3 |                                     |
| ENGERIX-B (10 MCG/0.5ML SUSP PRSYR, 20 MCG/ML SUSP PRSYR, 20 MCG/ML SUSPENSION) | TIER 3 | PA - PART B VS D DETERMINATION, VAC |
| GARDASIL 9 (9 SUSP PRSYR, 9 SUSPENSION)   | TIER 3 | VAC                                 |
| HAVRIX 1440 EL U/ML SUSPENSION  | TIER 3 | VAC                                 |
| HAVRIX 720 EL U/0.5ML SUSPENSION  | TIER 3 |                                     |
| HEPLISAV-B 20 MCG/0.5ML SOLN PRSYR  | TIER 3 | PA - PART B VS D DETERMINATION, VAC |
| HIBERIX 10 MCG RECON SOLN   | TIER 3 |                                     |
| IMOVAX RABIES 2.5 UNIT/ML RECON SUSP  | TIER 3 | VAC                                 |
| INFANRIX 25-58-10 SUSPENSION  | TIER 3 |                                     |
| IPOL INJECTABLE   | TIER 3 | VAC                                 |
| IXCHIQ RECON SOLN   | TIER 4 |                                     |
| IXIARO SUSPENSION   | TIER 4 | VAC                                 |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>          |
|--|------------------|-------------------------------------|
| JYNNEOS 0.5 ML SUSPENSION  | TIER 3           | VAC                                 |
| KINRIX (0.5 ML SUSP PRSYR, SUSPENSION)   | TIER 3           |                                     |
| M-M-R II RECON SOLN  | TIER 3           | VAC                                 |
| MENACTRA SOLUTION  | TIER 3           | VAC                                 |
| MENQUADFI SOLUTION   | TIER 3           | VAC                                 |
| MENVEO (RECON SOLN, SOLUTION)  | TIER 3           | VAC                                 |
| PEDIARIX SUSP PRSYR  | TIER 3           |                                     |
| PEDVAX HIB 7.5 MCG/0.5ML SUSPENSION  | TIER 3           |                                     |
| PENBRAYA RECON SUSP  | TIER 3           |                                     |
| PENTACEL RECON SUSP  | TIER 3           |                                     |
| PREHEVBRIO 10 MCG/ML SUSPENSION  | TIER 3           | PA - PART B VS D DETERMINATION, VAC |
| PRIORIX RECON SUSP   | TIER 3           | VAC                                 |
| PROQUAD RECON SUSP   | TIER 3           |                                     |
| QUADRACEL (0.5 ML SUSP PRSYR, SUSPENSION)  | TIER 3           |                                     |
| RABAVERT RECON SUSP  | TIER 3           | VAC                                 |
| RECOMBIVAX HB (5 MCG/0.5ML SUSP PRSYR, 5 MCG/0.5ML SUSPENSION, 10 MCG/ML SUSP PRSYR, 10 MCG/ML SUSPENSION, 40 MCG/ML SUSPENSION) | TIER 3           | PA - PART B VS D DETERMINATION, VAC |
| ROTARIX (RECON SUSP, SUSPENSION)   | TIER 3           |                                     |
| ROTATEQ SOLUTION   | TIER 3           |                                     |
| SHINGRIX 50 MCG/0.5ML RECON SUSP   | TIER 3           | QL (2 PER 365 OVER TIME), VAC       |
| TDVAX 2-2 LF/0.5ML SUSPENSION  | TIER 3           | VAC                                 |
| TENIVAC 5-2 LFU INJECTABLE   | TIER 3           | VAC                                 |
| TICOVAC 1.2 MCG/0.25ML SUSP PRSYR  | TIER 3           |                                     |
| TICOVAC 2.4 MCG/0.5ML SUSP PRSYR   | TIER 3           | VAC                                 |
| TRUMENBA SUSP PRSYR  | TIER 3           | VAC                                 |
| TWINRIX 720-20 ELU-MCG/ML SUSP PRSYR   | TIER 3           | PA - PART B VS D DETERMINATION, VAC |
| TYPHIM VI (25 MCG/0.5ML SOLN PRSYR, 25 MCG/0.5ML SOLUTION)   | TIER 4           | VAC                                 |
| VAQTA 25 UNIT/0.5ML SUSPENSION   | TIER 3           |                                     |
| VAQTA 50 UNIT/ML SUSPENSION  | TIER 3           | VAC                                 |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME                         | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|-----------|---------------------|
| VARIVAX 1350 PFU/0.5ML INJECTABLE | TIER 3    | VAC                 |
| YF-VAX INJECTABLE                 | TIER 4    | VAC                 |

## INFLAMMATORY BOWEL DISEASE AGENTS

### AMINOSALICYLATES

|  |        |                   |
|--|--------|-------------------|
| <i>balsalazide disodium 750 mg cap</i>           | TIER 2 |                   |
| DIPENTUM 250 MG CAP                              | TIER 5 | PA                |
| <i>mesalamine 1.2 gm tab dr</i>                  | TIER 4 | QL (4 PER 1 DAYS) |
| <i>mesalamine 1000 mg suppos</i>                 | TIER 4 |                   |
| <i>mesalamine 4 gm enema</i>                     | TIER 2 |                   |
| <i>mesalamine er 0.375 gm cap er 24h</i>         | TIER 3 | QL (4 PER 1 DAYS) |
| <i>sulfasalazine (500 mg tab, 500 mg tab dr)</i> | TIER 2 |                   |

### GLUCOCORTICOIDS

|  |        |                       |
|--|--------|-----------------------|
| <i>budesonide 3 mg cp dr part</i>                      | TIER 4 | PA, QL (3 PER 1 DAYS) |
| <i>budesonide er 9 mg tab er 24h</i>                   | TIER 5 | PA, QL (1 PER 1 DAYS) |
| <i>colocort 100 mg/60ml enema</i>                      | TIER 3 |                       |
| CORTIFOAM 10 % FOAM                                    | TIER 4 |                       |
| <i>hydrocortisone (5 mg tab, 10 mg tab, 20 mg tab)</i> | TIER 2 |                       |
| <i>hydrocortisone 100 mg/60ml enema</i>                | TIER 3 |                       |

## METABOLIC BONE DISEASE AGENTS

|  |        |                                |
|--|--------|--------------------------------|
| <i>alendronate sodium (5 mg tab, 10 mg tab, 35 mg tab, 70 mg tab)</i>            | TIER 1 |                                |
| <i>alendronate sodium 70 mg/75ml solution</i>                                    | TIER 3 |                                |
| <i>calcitonin (salmon) 200 unit/act solution</i>                                 | TIER 2 | QL (3.7 PER 30 OVER TIME)      |
| <i>calcitriol (0.25 mcg cap, 0.5 mcg cap)</i>                                    | TIER 2 | PA - PART B VS D DETERMINATION |
| <i>calcitriol 1 mcg/ml solution</i>  | TIER 3 | PA - PART B VS D DETERMINATION |
| CALCITRIOL 1 MCG/ML SOLUTION   | TIER 4 | PA - PART B VS D DETERMINATION |
| <i>cinacalcet hcl (30 mg tab, 60 mg tab)</i>                                     | TIER 4 | PA - PART B VS D DETERMINATION |
| <i>cinacalcet hcl 90 mg tab</i>  | TIER 5 | PA - PART B VS D DETERMINATION |
| <i>doxercalciferol (0.5 mcg cap, 1 mcg cap, 2.5 mcg cap, 4 mcg/2ml solution)</i> | TIER 4 | PA - PART B VS D DETERMINATION |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                          |
|--|------------------|---|
| FORTEO 600 MCG/2.4ML SOLN PEN  | TIER 5           | PA  |
| <i>ibandronate sodium 150 mg tab</i>   | TIER 1           |   |
| <i>ibandronate sodium 3 mg/3ml solution</i>  | TIER 4           | PA - PART B VS D DETERMINATION                      |
| NATPARA (25 MCG CARTRIDGE, 50 MCG CARTRIDGE, 75 MCG CARTRIDGE, 100 MCG CARTRIDGE)        | TIER 5           | PA, LA, QL (2 PER 28 OVER TIME)                     |
| <i>pamidronate disodium (6 mg/ml solution, 30 mg/10ml solution, 90 mg/10ml solution)</i> | TIER 4           | PA - PART B VS D DETERMINATION                      |
| <i>paricalcitol (1 mcg cap, 2 mcg cap, 4 mcg cap)</i>                                    | TIER 2           | PA - PART B VS D DETERMINATION                      |
| <i>paricalcitol (2 mcg/ml solution, 5 mcg/ml solution)</i>                               | TIER 4           | PA - PART B VS D DETERMINATION                      |
| PROLIA 60 MG/ML SOLN PRSYR   | TIER 4           | PA  |
| <i>risedronate sodium (5 mg tab, 30 mg tab, 35 mg tab, 150 mg tab)</i>                   | TIER 3           |   |
| <i>risedronate sodium 35 mg tab dr</i>   | TIER 4           |   |
| TERIPARATIDE (RECOMBINANT) 620 MCG/2.48ML SOLN PEN                                       | TIER 5           | PA  |
| TYMLOS 3120 MCG/1.56ML SOLN PEN  | TIER 5           | PA, QL (1.56 PER 28 OVER TIME)                      |
| XGEVA 120 MG/1.7ML SOLUTION  | TIER 5           | QL (1.7 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY |
| <i>zoledronic acid (4 mg/100ml solution, 4 mg/5ml conc, 5 mg/100ml solution)</i>         | TIER 4           | PA - PART B VS D DETERMINATION                      |

## MISCELLANEOUS THERAPEUTIC AGENTS

|   |        |  |
|---|--------|--|
| ALCOHOL 70% PADS  | TIER 2 |  |
| ALCOHOL PREP PAD  | TIER 2 |  |
| ALCOHOL PREP PADS 70 % PAD  | TIER 2 |  |
| ALCOHOL SWABSTICK PAD   | TIER 2 |  |
| <i>alcohol wipes 70 % misc</i>  | TIER 2 |  |
| AQ INSULIN SYRINGE (29G 1/2" 1 ML MISC, 30G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC) | TIER 3 |  |
| AQINJECT PEN NEEDLE (PEN 31G 5 MISC, PEN 32G 4 MISC)                                | TIER 3 |  |
| <i>argyle sterile water solution</i>  | TIER 2 |  |
| AUM INSULIN SAFETY PEN NEEDLE (PEN 4 MISC, PEN 5 MISC)                              | TIER 3 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| AUM PEN NEEDLE (PEN 32G 4 MISC, PEN 32G 5 MISC, PEN 32G 6 MISC, PEN 33G 4 MISC, PEN 33G 5 MISC, PEN 33G 6 MISC)   | TIER 3    |                     |
| BD INSULIN SYRINGE 27.5G X 5/8" 2 ML MISC   | TIER 3    |                     |
| BD PEN NEEDLE MINI U/F 31G X 5 MM MISC  | TIER 3    |                     |
| BD PEN NEEDLE NANO U/F 32G X 4 MM MISC  | TIER 3    |                     |
| BD PEN NEEDLE ORIGINAL U/F 29G X 12.7MM MISC  | TIER 3    |                     |
| BD PEN NEEDLE SHORT U/F 31G X 8 MM MISC   | TIER 3    |                     |
| BIOGUARD GAUZE SPONGES 2"X2" PAD  | TIER 2    |                     |
| CARETOUCH ALCOHOL PREP 70 % PAD   | TIER 2    |                     |
| COMFORT EZ PRO PEN NEEDLES (PEN 30G 8 MISC, PEN 31G 4 MISC, PEN 31G 5 MISC)   | TIER 3    |                     |
| CVS ALCOHOL PREP PADS 70 % PAD  | TIER 2    |                     |
| <i>cv's isopropyl alcohol wipes 70 % misc</i>   | TIER 2    |                     |
| DROPLET MICRON 34G X 3.5 MM MISC  | TIER 3    |                     |
| DROPSAFE SAFETY SYRINGE/NEEDLE (SYRINGE/NEEDLE 29G 1/2" 1 ML MISC, SYRINGE/NEEDLE 31G 15/64" 0.3 ML MISC, SYRINGE/NEEDLE 31G 15/64" 0.5 ML MISC, SYRINGE/NEEDLE 31G 15/64" 1 ML MISC, SYRINGE/NEEDLE 31G 5/16" 0.3 ML MISC, SYRINGE/NEEDLE 31G 5/16" 0.5 ML MISC, SYRINGE/NEEDLE 31G 5/16" 1 ML MISC) | TIER 3    |                     |
| EASY COMFORT INSULIN SYRINGE (1/2" 0.3 ML MISC, 5/16" 0.3 ML MISC)  | TIER 3    |                     |
| EASY COMFORT PEN NEEDLES (PEN 31G 5 MISC, PEN 31G 6 MISC, PEN 32G 4 MISC)   | TIER 3    |                     |
| EMBRACE PEN NEEDLES (PEN 29G 12MM MISC, PEN 30G 5 MM MISC, PEN 30G 8 MM MISC, PEN 31G 5 MM MISC, PEN 31G 6 MM MISC, PEN 31G 8 MM MISC, PEN 32G 4 MM MISC)   | TIER 3    |                     |
| <i>gauze pads 2</i>   | TIER 2    |                     |
| INSULIN PEN NEEDLES   | TIER 3    |                     |
| INSULIN SYRINGE 0.3 ML  | TIER 3    |                     |
| INSULIN SYRINGE 0.5 ML  | TIER 3    |                     |
| INSULIN SYRINGE 1 ML  | TIER 3    |                     |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS                             |
|--|-----------|---|
| INSULIN SYRINGE-NEEDLE U-100 (27G 1/2" 0.5 ML MISC, 27G 1/2" 1 ML MISC, 28G 1/2" 0.5 ML MISC, 28G 1/2" 1 ML MISC, 29G 1/2" 0.5 ML MISC, 29G 1/2" 1 ML MISC, 30G 1/2" 1 ML MISC, 30G 5/16" 0.5 ML MISC, 31G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC) | TIER 3    |   |
| INSUPEN PEN NEEDLES (PEN 31G 5 MISC, PEN 31G 8 MISC, PEN 32G 4 MISC)   | TIER 3    |   |
| <i>isopropyl alcohol 70 % misc</i>   | TIER 2    |   |
| <i>isopropyl alcohol wipes 70 % misc</i>   | TIER 2    |   |
| IWILFIN 192 MG TAB   | TIER 5    | LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY |
| LAGEVRIO 200 MG CAP  | TIER 4    | QL (40 PER 30 OVER TIME)                        |
| <i>medpura alcohol pads 70 % misc</i>  | TIER 2    |   |
| <i>methergine 0.2 mg tab</i>   | TIER 4    |   |
| <i>methylergonovine maleate 0.2 mg tab</i>   | TIER 4    |   |
| NOVOFINE 32G X 6 MM MISC   | TIER 3    |   |
| NOVOTWIST 32G X 5 MM MISC  | TIER 3    |   |
| OPVEE 2.7 MG/0.1ML SOLUTION  | TIER 4    | QL (2 PER 30 OVER TIME)                         |
| PAXLOVID (150/100) 10 X 150 MG & 10 X 100MG TAB THPK   | TIER 3    | QL (40 PER 30 OVER TIME)                        |
| PAXLOVID (300/100) 20 X 150 MG & 10 X 100MG TAB THPK   | TIER 3    | QL (60 PER 30 OVER TIME)                        |
| PEN NEEDLES (PEN 30G 5 MISC, PEN 31G 5 MISC, PEN 31G 8 MISC, PEN 32G 4 MISC)   | TIER 3    |   |
| PRO COMFORT INSULIN SYRINGE (30G 5/16" 0.5 ML MISC, 30G 5/16" 1 ML MISC, 31G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC)   | TIER 3    |   |
| PURE COMFORT SAFETY PEN NEEDLE (PEN 31G 5 MISC, PEN 31G 6 MISC, PEN 32G 4 MISC)  | TIER 3    |   |
| <i>qc alcohol 70 % misc</i>  | TIER 2    |   |
| <i>ra isopropyl alcohol wipes 70 % misc</i>  | TIER 2    |   |
| SECURESAFE INSULIN SYRINGE (1/2" 0.5 ML MISC, 1/2" 1 ML MISC)  | TIER 3    |   |
| SILIGENTLE FOAM DRESSING 2"X2" PAD   | TIER 2    |   |
| <i>sterile water for irrigation solution</i>   | TIER 2    |   |
| SURE COMFORT PEN NEEDLES (PEN 31G 5 MISC, PEN 31G 8 MISC, PEN 32G 4 MISC)  | TIER 3    |   |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| TRUE COMFORT INSULIN SYRINGE (30G 1/2" 0.5 ML MISC, 30G 1/2" 1 ML MISC, 30G 5/16" 0.5 ML MISC, 30G 5/16" 1 ML MISC, 31G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC, 32G 5/16" 1 ML MISC) | TIER 3    |                     |
| TRUE COMFORT PEN NEEDLES (PEN 31G 5 MISC, PEN 31G 6 MISC, PEN 32G 4 MISC)  | TIER 3    |                     |
| VERIFINE INSULIN PEN NEEDLE (PEN 29G 12MM MISC, PEN 31G 5 MM MISC, PEN 31G 8 MM MISC, PEN 32G 4 MM MISC, PEN 32G 6 MM MISC)  | TIER 3    |                     |
| VERIFINE INSULIN SYRINGE (29G 1/2" 0.5 ML MISC, 29G 1/2" 1 ML MISC, 31G 5/16" 0.3 ML MISC, 31G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC)   | TIER 3    |                     |
| VERIFINE PLUS PEN NEEDLE (PEN 31G 5 MISC, PEN 31G 8 MISC, PEN 32G 4 MISC)  | TIER 3    |                     |

## OPHTHALMIC AGENTS

### OPHTHALMIC AGENTS, OTHER

|   |        |
|---|--------|
| <i>ak-poly-bac 500-10000 unit/gm ointment</i>   | TIER 2 |
| <i>atropine sulfate 1 % solution</i>  | TIER 3 |
| <i>bacitra-neomycin-polymyxin-hc 1 % ointment</i>                                     | TIER 2 |
| <i>bacitracin-polymyxin b 500-10000 unit/gm ointment</i>                              | TIER 2 |
| <i>brimonidine tartrate-timolol 0.2-0.5 % solution</i>                                | TIER 3 |
| <i>dorzolamide hcl-timolol mal 22.3-6.8 mg/ml solution</i>                            | TIER 2 |
| <i>dorzolamide hcl-timolol mal pf 2-0.5 % solution</i>                                | TIER 3 |
| <i>neo-polycin 3.5-400-10000 ointment</i>   | TIER 2 |
| <i>neo-polycin hc 1 % ointment</i>  | TIER 2 |
| <i>neomycin-bacitracin zn-polymyx (3.5-400-10000 ointment, 5-400-10000 ointment)</i>  | TIER 2 |
| <i>neomycin-polymyxin-dexameth (3.5-10000-0.1 ointment, 3.5-10000-0.1 suspension)</i> | TIER 2 |
| NEOMYCIN-POLYMYXIN-GRAMICIDIN 1.75-10000-.025 SOLUTION                                | TIER 2 |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS       |
|--|-----------|---------------------------|
| NEOMYCIN-POLYMYXIN-HC 3.5-10000-1 SUSPENSION         | TIER 3    |                           |
| <i>polycin 500-10000 unit/gm ointment</i>            | TIER 2    |                           |
| RESTASIS 0.05 % EMULSION                             | TIER 3    | QL (60 PER 30 OVER TIME)  |
| RESTASIS MULTIDOSE 0.05 % EMULSION                   | TIER 3    | QL (5.5 PER 30 OVER TIME) |
| ROCKLATAN 0.02-0.005 % SOLUTION                      | TIER 4    | QL (2.5 PER 25 OVER TIME) |
| SULFACETAMIDE-PREDNISOLONE 10-0.23 % SOLUTION        | TIER 2    |                           |
| TOBRADEX 0.3-0.1 % OINTMENT                          | TIER 4    |                           |
| <i>tobramycin-dexamethasone 0.3-0.1 % suspension</i> | TIER 2    |                           |
| XIIDRA 5 % SOLUTION                                  | TIER 3    |                           |
| ZYLET 0.5-0.3 % SUSPENSION                           | TIER 3    |                           |

## OPHTHALMIC ANTI-ALLERGY AGENTS

|  |        |                           |
|--|--------|---------------------------|
| <i>azelastine hcl 0.05 % solution</i>      | TIER 2 |                           |
| <i>bepotastine besilate 1.5 % solution</i> | TIER 4 |                           |
| <i>cromolyn sodium 4 % solution</i>        | TIER 2 |                           |
| LASTACAFT 0.25 % SOLUTION                  | TIER 4 |                           |
| <i>olopatadine hcl 0.2 % solution</i>      | TIER 3 |                           |
| PAZEO 0.7 % SOLUTION                       | TIER 3 | QL (2.5 PER 30 OVER TIME) |

## OPHTHALMIC ANTI-INFECTIVES

|   |        |                           |
|---|--------|---------------------------|
| AZASITE 1 % SOLUTION                          | TIER 4 |                           |
| BACITRACIN 500 UNIT/GM OINTMENT               | TIER 2 |                           |
| <i>erythromycin 5 mg/gm ointment</i>          | TIER 2 |                           |
| <i>gatifloxacin 0.5 % solution</i>            | TIER 4 | QL (2.5 PER 30 OVER TIME) |
| GENTAK 0.3 % OINTMENT                         | TIER 2 |                           |
| <i>gentamicin sulfate 0.3 % solution</i>      | TIER 2 |                           |
| LEVOFLOXACIN (0.5 % SOLUTION, 1.5 % SOLUTION) | TIER 3 |                           |
| MOXIFLOXACIN HCL (2X DAY) 0.5 % SOLUTION      | TIER 2 |                           |
| <i>moxifloxacin hcl 0.5 % solution</i>        | TIER 2 |                           |
| NATACYN 5 % SUSPENSION                        | TIER 3 |                           |
| <i>ofloxacin 0.3 % solution</i>               | TIER 2 |                           |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b> |
|--|------------------|----------------------------|
| <i>polymyxin b-trimethoprim 10000-0.1 unit/ml-% solution</i> | TIER 2           |                            |
| <i>sulfacetamide sodium (10 % ointment, 10 % solution)</i>   | TIER 2           |                            |
| <i>tobramycin 0.3 % solution</i>                             | TIER 2           |                            |

## **OPHTHALMIC ANTI-INFLAMMATORIES**

|   |        |                         |
|---|--------|-------------------------|
| DEXAMETHASONE SODIUM PHOSPHATE 0.1 % SOLUTION                     | TIER 2 |                         |
| <i>diclofenac sodium 0.1 % solution</i>                           | TIER 2 |                         |
| <i>difluprednate 0.05 % emulsion</i>                              | TIER 3 |                         |
| <i>fluorometholone 0.1 % suspension</i>                           | TIER 2 |                         |
| FLURBIPROFEN SODIUM 0.03 % SOLUTION                               | TIER 2 |                         |
| FML 0.1 % OINTMENT  | TIER 4 |                         |
| FML FORTE 0.25 % SUSPENSION                                       | TIER 4 |                         |
| ILEVRO 0.3 % SUSPENSION   | TIER 3 | QL (3 PER 30 OVER TIME) |
| <i>ketorolac tromethamine (0.4 % solution, 0.5 % solution)</i>    | TIER 2 |                         |
| <i>loteprednol etabonate (0.2 % suspension, 0.5 % suspension)</i> | TIER 3 |                         |
| MAXIDEX 0.1 % SUSPENSION  | TIER 4 |                         |
| PREDNISOLONE ACETATE 1 % SUSPENSION                               | TIER 2 |                         |
| PREDNISOLONE SODIUM PHOSPHATE 1 % SOLUTION                        | TIER 2 |                         |
| PROLENSA 0.07 % SOLUTION  | TIER 3 |                         |

## **OPHTHALMIC BETA-ADRENERGIC BLOCKING AGENTS**

|  |        |  |
|--|--------|--|
| <i>betaxolol hcl 0.5 % solution</i>                          | TIER 2 |  |
| BETOPTIC-S 0.25 % SUSPENSION                                 | TIER 3 |  |
| CARTEOLOL HCL 1 % SOLUTION                                   | TIER 2 |  |
| LEVOBUNOLOL HCL 0.5 % SOLUTION                               | TIER 2 |  |
| <i>timolol maleate (0.25 % gel f soln, 0.5 % gel f soln)</i> | TIER 2 |  |
| <i>timolol maleate (0.25 % solution, 0.5 % solution)</i>     | TIER 1 |  |
| <i>timolol maleate ocudose 0.5 % solution</i>                | TIER 3 |  |
| <i>timolol maleate pf 0.5 % solution</i>                     | TIER 3 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS       |
|---|-----------|---------------------------|
| <b>OPHTHALMIC INTRAOCULAR PRESSURE LOWERING AGENTS, OTHER</b>     |           |                           |
| <i>acetazolamide er 500 mg cap er 12h</i>                         | TIER 4    |                           |
| <i>apraclonidine hcl 0.5 % solution</i>                           | TIER 2    |                           |
| <i>brimonidine tartrate (0.15 % solution, 0.2 % solution)</i>     | TIER 2    |                           |
| <i>brimonidine tartrate 0.1 % solution</i>                        | TIER 3    |                           |
| <i>brinzolamide 1 % suspension</i>                                | TIER 3    |                           |
| <i>dorzolamide hcl 2 % solution</i>                               | TIER 2    |                           |
| <i>methazolamide (25 mg tab, 50 mg tab)</i>                       | TIER 3    |                           |
| PHOSPHOLINE IODIDE 0.125 % RECON SOLN                             | TIER 4    |                           |
| <i>pilocarpine hcl (1 % solution, 2 % solution, 4 % solution)</i> | TIER 2    |                           |
| RHOPRESSA 0.02 % SOLUTION   | TIER 3    | QL (2.5 PER 25 OVER TIME) |
| SIMBRINZA 1-0.2 % SUSPENSION                                      | TIER 3    |                           |

## OPHTHALMIC PROSTAGLANDIN AND PROSTAMIDE ANALOGS

|   |        |                        |
|---|--------|------------------------|
| <i>bimatoprost 0.03 % solution</i>            | TIER 3 | ST, QL (5 PER 30 DAYS) |
| <i>latanoprost 0.005 % solution</i>           | TIER 1 |                        |
| LUMIGAN 0.01 % SOLUTION                       | TIER 3 | QL (5 PER 30 DAYS)     |
| <i>travoprost (bak free) 0.004 % solution</i> | TIER 3 | QL (5 PER 30 DAYS)     |
| VYZULTA 0.024 % SOLUTION                      | TIER 4 |                        |

## OTIC AGENTS

|   |        |  |
|---|--------|--|
| CIPRO HC 0.2-1 % SUSPENSION   | TIER 4 |  |
| CIPROFLOXACIN HCL 0.2 % SOLUTION  | TIER 2 |  |
| <i>ciprofloxacin-dexamethasone 0.3-0.1 % suspension</i>                                   | TIER 4 |  |
| CORTISPORIN-TC 3.3-3-10-0.5 MG/ML SUSPENSION  | TIER 3 |  |
| DERMOTIC 0.01 % OIL   | TIER 3 |  |
| <i>hydrocortisone-acetic acid 1-2 % solution</i>  | TIER 2 |  |
| <i>neomycin-polymyxin-hc (1 % solution, 3.5-10000-1 solution, 3.5-10000-1 suspension)</i> | TIER 2 |  |
| <i>ofloxacin 0.3 % solution</i>   | TIER 2 |  |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

## RESPIRATORY TRACT/PULMONARY AGENTS

### ANTI-INFLAMMATORIES, INHALED CORTICOSTEROIDS

|   |        |                                |
|---|--------|--------------------------------|
| ARNUITY ELLIPTA (50 MCG/ACT AER POW BA, 100 MCG/ACT AER POW BA, 200 MCG/ACT AER POW BA) | TIER 3 | QL (30 PER 30 DAYS)            |
| <i>budesonide (0.25 mg/2ml suspension, 0.5 mg/2ml suspension, 1 mg/2ml suspension)</i>  | TIER 3 | PA - PART B VS D DETERMINATION |
| <i>flunisolide 25 mcg/act (0.025%) solution</i>   | TIER 2 | QL (50 PER 30 DAYS)            |
| <i>fluticasone propionate 50 mcg/act suspension</i>                                     | TIER 2 | QL (16 PER 30 DAYS)            |
| <i>mometasone furoate 50 mcg/act suspension</i>   | TIER 4 | QL (34 PER 30 DAYS)            |
| PULMICORT FLEXHALER (90 MCG/ACT AER POW BA, 180 MCG/ACT AER POW BA)                     | TIER 3 | QL (2 PER 30 DAYS)             |

### ANTIHISTAMINES

|  |        |                       |
|--|--------|-----------------------|
| <i>azelastine hcl (0.1 % solution, 137 mcg/spray solution)</i> | TIER 2 | QL (30 PER 25 DAYS)   |
| <i>azelastine hcl 0.15 % solution</i>                          | TIER 3 | QL (30 PER 25 DAYS)   |
| <i>azelastine-fluticasone 137-50 mcg/act suspension</i>        | TIER 4 | QL (23 PER 30 DAYS)   |
| <i>cetirizine hcl (1 mg/ml solution, 5 mg/5ml solution)</i>    | TIER 2 |                       |
| <i>cyproheptadine hcl 4 mg tab</i>                             | TIER 2 | PA                    |
| <i>desloratadine 5 mg tab</i>                                  | TIER 2 |                       |
| <i>hydroxyzine hcl (10 mg tab, 25 mg tab, 50 mg tab)</i>       | TIER 2 | PA                    |
| <i>hydroxyzine pamoate (25 mg cap, 50 mg cap, 100 mg cap)</i>  | TIER 4 | PA                    |
| <i>levocetirizine dihydrochloride 2.5 mg/5ml solution</i>      | TIER 2 |                       |
| <i>levocetirizine dihydrochloride 5 mg tab</i>                 | TIER 1 |                       |
| <i>olopatadine hcl 0.6 % solution</i>                          | TIER 4 | QL (30.5 PER 30 DAYS) |
| <i>promethazine hcl 6.25 mg/5ml solution</i>                   | TIER 2 | PA                    |

### ANTILEUKOTRIENES

|  |        |                   |
|--|--------|-------------------|
| <i>montelukast sodium (4 mg chew tab, 4 mg packet, 5 mg chew tab, 10 mg tab)</i> | TIER 2 | QL (1 PER 1 DAYS) |
|--|--------|-------------------|

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>   | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>       |
|--|------------------|----------------------------------|
| <i>zafirlukast (10 mg tab, 20 mg tab)</i>  | TIER 3           | QL (2 PER 1 DAYS)                |
| <b>BRONCHODILATORS, ANTICHOLINERGIC</b>  |                  |                                  |
| ATROVENT HFA 17 MCG/ACT AERO SOLN  | TIER 4           | QL (25.8 PER 30 DAYS)            |
| <i>ipratropium bromide 0.02 % solution</i>   | TIER 2           | PA - PART B VS D DETERMINATION   |
| <i>ipratropium bromide 0.03 % solution</i>   | TIER 2           | QL (30 PER 30 DAYS)              |
| <i>ipratropium bromide 0.06 % solution</i>   | TIER 2           | QL (45 PER 30 DAYS)              |
| SPIRIVA HANDIHALER 18 MCG CAP  | TIER 3           | QL (30 PER 30 DAYS)              |
| SPIRIVA RESPIMAT (1.25 MCG/ACT AERO SOLN, 2.5 MCG/ACT AERO SOLN)   | TIER 3           | QL (4 PER 30 DAYS)               |
| <b>BRONCHODILATORS, SYMPATHOMIMETIC</b>  |                  |                                  |
| <i>albuterol 90mg hfa inhaler (generic proair)</i>   | TIER 2           | QL (17 PER 30 OVER TIME)         |
| <i>albuterol 90mg hfa inhaler (generic proventil)</i>  | TIER 2           | QL (13.4 PER 30 OVER TIME)       |
| ALBUTEROL 90MG HFA INHALER (GENERIC VENTOLIN)  | TIER 2           | QL (36 PER 30 OVER TIME)         |
| <i>albuterol sulfate (0.63 mg/3ml nebu soln, 1.25 mg/3ml nebu soln, (2.5 mg/3ml) 0.083% nebu soln, 2.5 mg/0.5ml nebu soln, (5 mg/ml) 0.5% nebu soln)</i> | TIER 2           | PA - PART B VS D DETERMINATION   |
| <i>albuterol sulfate (2 mg tab, 2 mg/5ml syrup, 4 mg tab)</i>  | TIER 4           |                                  |
| <i>epinephrine (0.15 mg/0.15ml soln a-inj, 0.15 mg/0.3ml soln a-inj, 0.3 mg/0.3ml soln a-inj)</i>  | TIER 2           | QL (24 PER 365 OVER TIME)        |
| EPINEPHRINE AUTOINJECTOR (GENERIC ADRENALICK)  | TIER 2           | QL (24 PER 365 OVER TIME)        |
| <i>levalbuterol hcl (0.31 mg/3ml nebu soln, 0.63 mg/3ml nebu soln, 1.25 mg/0.5ml nebu soln, 1.25 mg/3ml nebu soln)</i>                                   | TIER 3           | PA                               |
| LEVALBUTEROL TARTRATE 45 MCG/ACT AEROSOL   | TIER 2           | QL (30 PER 30 DAYS)              |
| SEREVENT DISKUS 50 MCG/ACT AER POW BA  | TIER 3           | QL (60 PER 30 DAYS)              |
| <i>terbutaline sulfate (1 mg/ml solution, 2.5 mg tab, 5 mg tab)</i>  | TIER 4           |                                  |
| <b>CYSTIC FIBROSIS AGENTS</b>  |                  |                                  |
| CAYSTON 75 MG RECON SOLN   | TIER 5           | PA, LA, QL (84 PER 28 OVER TIME) |
| KALYDECO (5.8 MG PACKET, 13.4 MG PACKET, 25 MG PACKET, 50 MG PACKET, 75 MG PACKET, 150 MG TAB)   | TIER 5           | PA, LA, QL (2 PER 1 DAYS)        |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>                                |
|---|------------------|---|
| PULMOZYME 2.5 MG/2.5ML SOLUTION                                 | TIER 5           | QL (150 PER 30 OVER TIME), PA - PART B VS D DETERMINATION |
| SYMDEKO (50-75 75 MG TAB THPK, 100-150 150 MG TAB THPK)         | TIER 5           | PA, LA, QL (2 PER 1 DAYS)                                 |
| TOBI PODHALER 28 MG CAP   | TIER 5           | PA, LA, QL (224 PER 28 OVER TIME)                         |
| <i>tobramycin 300 mg/4ml nebu soln</i>                          | TIER 5           | PA, QL (224 PER 28 OVER TIME)                             |
| <i>tobramycin 300 mg/5ml nebu soln</i>                          | TIER 5           | PA, QL (280 PER 56 OVER TIME)                             |
| TRIKAFTA (50-25-37.5 75 MG TAB THPK, 100-50-75 150 MG TAB THPK) | TIER 5           | PA, LA, QL (3 PER 1 DAYS)                                 |

## **MAST CELL STABILIZERS**

|  |        |                                |
|--|--------|--------------------------------|
| <i>cromolyn sodium 20 mg/2ml nebu soln</i> | TIER 3 | PA - PART B VS D DETERMINATION |
|--|--------|--------------------------------|

## **PHOSPHODIESTERASE INHIBITORS, AIRWAYS DISEASE**

|   |        |                               |
|---|--------|-------------------------------|
| <i>roflumilast 250 mcg tab</i>  | TIER 4 | PA, QL (28 PER 180 OVER TIME) |
| <i>roflumilast 500 mcg tab</i>  | TIER 4 | PA, QL (1 PER 1 DAYS)         |
| <i>theophylline er (er 100 mg tab er 12h, er 200 mg tab er 12h, er 300 mg tab er 12h, er 400 mg tab er 24h, er 450 mg tab er 12h, er 600 mg tab er 24h)</i> | TIER 2 |                               |

## **PULMONARY ANTIHYPERTENSIVES**

|  |        |                           |
|--|--------|---------------------------|
| ADEMPAS (0.5 MG TAB, 1 MG TAB, 1.5 MG TAB, 2 MG TAB, 2.5 MG TAB)   | TIER 5 | PA, LA, QL (3 PER 1 DAYS) |
| <i>alyq 20 mg tab</i>  | TIER 5 | PA, QL (2 PER 1 DAYS)     |
| <i>ambrisentan (5 mg tab, 10 mg tab)</i>   | TIER 5 | PA, LA, QL (1 PER 1 DAYS) |
| <i>bosentan 125 mg tab</i>   | TIER 5 | PA, LA, QL (2 PER 1 DAYS) |
| <i>bosentan 62.5 mg tab</i>  | TIER 5 | PA, LA, QL (4 PER 1 DAYS) |
| OPSUMIT 10 MG TAB  | TIER 5 | PA, LA, QL (1 PER 1 DAYS) |
| ORENITRAM (0.25 MG TAB ER, 1 MG TAB ER, 2.5 MG TAB ER, 5 MG TAB ER)  | TIER 5 | PA, LA                    |
| ORENITRAM 0.125 MG TAB ER  | TIER 4 | PA, LA                    |
| <i>sildenafil citrate 10 mg/ml recon susp</i>  | TIER 5 | PA, QL (6 PER 1 DAYS)     |
| <i>sildenafil citrate 20 mg tab</i>  | TIER 3 | PA, QL (3 PER 1 DAYS)     |
| <i>tadalafil (pah) 20 mg tab</i>   | TIER 5 | PA, QL (2 PER 1 DAYS)     |
| TRACLEER 32 MG TAB SOL   | TIER 5 | PA, LA, QL (4 PER 1 DAYS) |
| <i>treprostinil (20 mg/20ml solution, 50 mg/20ml solution, 100 mg/20ml solution, 200 mg/20ml solution)</i> | TIER 5 | PA, LA                    |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS   |
|--|-----------|---|
| UPTRAVI (200 MCG TAB, 400 MCG TAB, 600 MCG TAB, 800 MCG TAB, 1000 MCG TAB, 1200 MCG TAB, 1400 MCG TAB, 1600 MCG TAB) | TIER 5    | PA, LA, QL (2 PER 1 DAYS)                                     |
| UPTRAVI 200 & 800 MCG TAB THPK   | TIER 5    | PA, LA, QL (200 PER 180 OVER TIME)                            |
| VENTAVIS 10 MCG/ML SOLUTION  | TIER 5    | LA, QL (270 PER 30 OVER TIME), PA - PART B VS D DETERMINATION |
| VENTAVIS 20 MCG/ML SOLUTION  | TIER 5    | LA, QL (90 PER 30 OVER TIME), PA - PART B VS D DETERMINATION  |

## PULMONARY FIBROSIS AGENTS

|   |        |                           |
|---|--------|---------------------------|
| OFEV (100 MG CAP, 150 MG CAP)               | TIER 5 | PA, LA, QL (2 PER 1 DAYS) |
| <i>pirfenidone (267 mg cap, 267 mg tab)</i> | TIER 5 | PA, QL (9 PER 1 DAYS)     |
| PIRFENIDONE 534 MG TAB                      | TIER 5 | PA, QL (5 PER 1 DAYS)     |
| <i>pirfenidone 801 mg tab</i>               | TIER 5 | PA, QL (3 PER 1 DAYS)     |

## RESPIRATORY TRACT AGENTS, OTHER

|   |        |                                |
|---|--------|--------------------------------|
| <i>acetylcysteine (10 % solution, 20 % solution)</i>  | TIER 2 | PA - PART B VS D DETERMINATION |
| ADVAIR HFA (45-21 MCG/ACT AEROSOL, 115-21 MCG/ACT AEROSOL, 230-21 MCG/ACT AEROSOL)                              | TIER 3 | QL (12 PER 30 DAYS)            |
| ANORO ELLIPTA 62.5-25 MCG/ACT AER POW BA  | TIER 3 | QL (60 PER 30 DAYS)            |
| BEVESPI AEROSPHERE 9-4.8 MCG/ACT AEROSOL  | TIER 3 | QL (10.7 PER 28 DAYS)          |
| BREO ELLIPTA (50-25 MCG/INH AER POW BA, 100-25 MCG/ACT AER POW BA, 200-25 MCG/ACT AER POW BA)                   | TIER 3 | QL (60 PER 30 DAYS)            |
| <i>breyndra (80-4.5 mcg/act aerosol, 160-4.5 mcg/act aerosol)</i>   | TIER 3 | QL (10.3 PER 30 DAYS)          |
| BREZTRI AEROSPHERE 160-9-4.8 MCG/ACT AEROSOL  | TIER 3 | QL (10.7 PER 30 DAYS)          |
| <i>budesonide-formoterol fumarate (80-4.5 mcg/act aerosol, 160-4.5 mcg/act aerosol)</i>                         | TIER 3 | QL (10.2 PER 30 DAYS)          |
| COMBIVENT RESPIMAT 20-100 MCG/ACT AERO SOLN   | TIER 3 | QL (4 PER 30 DAYS)             |
| <i>fluticasone-salmeterol (100-50 mcg/act aer pow ba, 250-50 mcg/act aer pow ba, 500-50 mcg/act aer pow ba)</i> | TIER 2 | QL (60 PER 30 DAYS)            |
| FLUTICASONE-SALMETEROL (55-14 MCG/ACT AER POW BA, 113-14 MCG/ACT AER POW BA, 232-14 MCG/ACT AER POW BA)         | TIER 2 | QL (1 PER 30 DAYS)             |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

| <b>DRUG NAME</b>  | <b>DRUG TIER</b> | <b>REQUIREMENTS/LIMITS</b>        |
|---|------------------|-----------------------------------|
| <i>ipratropium-albuterol 0.5-2.5 (3) mg/3ml solution</i>  | TIER 2           | PA - PART B VS D DETERMINATION    |
| NUCALA (100 MG RECON SOLN, 100 MG/ML SOLN A-INJ, 100 MG/ML SOLN PRSYR)                                | TIER 5           | PA, LA, QL (3 PER 30 OVER TIME)   |
| NUCALA 40 MG/0.4ML SOLN PRSYR   | TIER 5           | PA, LA, QL (0.4 PER 28 OVER TIME) |
| <i>ribavirin 6 gm recon soln</i>  | TIER 5           | PA - PART B VS D DETERMINATION    |
| TRELEGY ELLIPTA (100-62.5-25 MCG/ACT AER POW BA, 200-62.5-25 MCG/ACT AER POW BA)                      | TIER 3           | QL (60 PER 30 DAYS)               |
| <i>wixela inhub (100-50 mcg/act aer pow ba, 250-50 mcg/act aer pow ba, 500-50 mcg/act aer pow ba)</i> | TIER 2           | QL (60 PER 30 DAYS)               |

## **SKELETAL MUSCLE RELAXANTS**

|  |        |                       |
|--|--------|-----------------------|
| <i>carisoprodol 350 mg tab</i>                   | TIER 2 | PA, QL (4 PER 1 DAYS) |
| <i>cyclobenzaprine hcl (5 mg tab, 10 mg tab)</i> | TIER 2 | PA                    |
| <i>methocarbamol (500 mg tab, 750 mg tab)</i>    | TIER 2 | PA                    |
| <i>vanadom 350 mg tab</i>                        | TIER 2 | PA, QL (4 PER 1 DAYS) |

## **SLEEP DISORDER AGENTS**

### **SLEEP PROMOTING AGENTS**

|   |        |                       |
|---|--------|-----------------------|
| <i>estazolam (1 mg tab, 2 mg tab)</i>             | TIER 4 | QL (1 PER 1 DAYS)     |
| <i>eszopiclone (1 mg tab, 2 mg tab, 3 mg tab)</i> | TIER 2 | QL (1 PER 1 DAYS)     |
| <i>ramelteon 8 mg tab</i>                         | TIER 2 | QL (1 PER 1 DAYS)     |
| <i>tasimelteon 20 mg cap</i>                      | TIER 5 | PA, QL (1 PER 1 DAYS) |
| <i>temazepam 15 mg cap</i>                        | TIER 2 | QL (2 PER 1 DAYS)     |
| <i>temazepam 30 mg cap</i>                        | TIER 2 | QL (1 PER 1 DAYS)     |
| <i>triazolam 0.125 mg tab</i>                     | TIER 3 | QL (4 PER 1 DAYS)     |
| <i>triazolam 0.25 mg tab</i>                      | TIER 3 | QL (2 PER 1 DAYS)     |
| <i>zaleplon 10 mg cap</i>                         | TIER 2 | QL (2 PER 1 DAYS)     |
| <i>zaleplon 5 mg cap</i>                          | TIER 2 | QL (4 PER 1 DAYS)     |
| <i>zolpidem tartrate 10 mg tab</i>                | TIER 2 | QL (1 PER 1 DAYS)     |
| <i>zolpidem tartrate 5 mg tab</i>                 | TIER 2 | QL (2 PER 1 DAYS)     |
| <i>zolpidem tartrate er 12.5 mg tab er</i>        | TIER 2 | QL (1 PER 1 DAYS)     |
| <i>zolpidem tartrate er 6.25 mg tab er</i>        | TIER 2 | QL (2 PER 1 DAYS)     |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.



| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS               |
|--|-----------|-----------------------------------|
| <b>WAKEFULNESS PROMOTING AGENTS</b>                                |           |                                   |
| <i>armodafinil (50 mg tab, 150 mg tab, 200 mg tab, 250 mg tab)</i> | TIER 4    | PA, QL (1 PER 1 DAYS)             |
| <i>modafinil 100 mg tab</i>  | TIER 3    | PA, QL (3 PER 1 DAYS)             |
| <i>modafinil 200 mg tab</i>  | TIER 3    | PA, QL (2 PER 1 DAYS)             |
| XYREM 500 MG/ML SOLUTION   | TIER 5    | PA, LA, QL (540 PER 30 OVER TIME) |

You can find information on what the symbols and abbreviations on this table mean by going to page xii.

# Index of Drugs

## A

|  |          |                                |       |
|--|----------|--------------------------------|-------|
| abacavir sulfate                               | 42       | alclometasone dipropionate     | 65,76 |
| abacavir sulfate-lamivudine                    | 42       | ALCOHOL 70% PADS               | 95    |
| abacavir-lamivudine-zidovudine                 | 42       | ALCOHOL PREP                   | 95    |
| ABELCET  | 21       | ALCOHOL PREP PADS              | 95    |
| ABILIFY ASIMTUFII                              | 37       | ALCOHOL SWABSTICK              | 95    |
| ABILIFY MAINTENA                               | 37       | alcohol wipes                  | 95    |
| abiraterone acetate                            | 24       | ALDURAZYME                     | 73    |
| ABRYSVO  | 92       | ALECENSA                       | 28    |
| acamprosate calcium                            | 4        | alendronate sodium             | 94    |
| acarbose                                       | 46       | alfuzosin hcl er               | 75    |
| accutane                                       | 64       | aliskiren fumarate             | 56    |
| acebutolol hcl                                 | 54       | allopurinol                    | 22    |
| acetaminophen-codeine                          | 2        | alosetron hcl                  | 72    |
| acetazolamide                                  | 56       | alprazolam                     | 45    |
| acetazolamide er                               | 101      | alprazolam er                  | 45    |
| acetic acid                                    | 6        | alprazolam xr                  | 45    |
| acetylcysteine                                 | 105      | altavera                       | 78    |
| acitretin                                      | 64       | ALUNBRIG                       | 28,29 |
| ACTHIB   | 92       | alyacen 1/35                   | 78    |
| ACTIMMUNE                                      | 90       | alyacen 7/7/7                  | 78    |
| acyclovir                                      | 44,45,67 | alyq                           | 104   |
| acyclovir sodium                               | 45       | amabelz                        | 78    |
| ADACEL   | 92       | amantadine hcl                 | 35    |
| adapalene                                      | 65       | ambrisentan                    | 104   |
| adefovir dipivoxil                             | 40       | amethia                        | 78    |
| ADEMPAS  | 104      | amethia lo                     | 78    |
| ADVAIR HFA                                     | 105      | amethyst                       | 78    |
| afirmelle                                      | 78       | amikacin sulfate               | 5     |
| AIMOVIG  | 23       | amiloride hcl                  | 58    |
| ak-poly-bac                                    | 98       | amiloride-hydrochlorothiazide  | 56    |
| AKEEGA   | 26       | AMINOSYN II                    | 68    |
| ala-cort                                       | 65       | amiodarone hcl                 | 53    |
| albendazole                                    | 34       | amitriptyline hcl              | 19    |
| albuterol 90mg hfa inhaler (generic proair)    | 103      | amlodipine besy-benazepril hcl | 56    |
| albuterol 90mg hfa inhaler (generic proventil) | 103      | amlodipine besylate            | 54    |
| ALBUTEROL 90MG HFA INHALER (GENERIC VENTOLIN)  | 103      | amlodipine besylate-valsartan  | 56    |
| albuterol sulfate                              | 103      | amlodipine-atorvastatin        | 56    |
|  |          | amlodipine-olmesartan          | 56    |
|  |          | amlodipine-valsartan-hctz      | 56    |
|  |          | ammonium lactate               | 65    |
|  |          | amnesteem                      | 65    |

|                                |     |                               |        |
|--------------------------------|-----|-------------------------------|--------|
| amoxapine                      | 19  | atazanavir sulfate            | 43     |
| amoxicillin                    | 8   | atenolol                      | 54     |
| amoxicillin-pot clavulanate    | 8   | atenolol-chlorthalidone       | 56     |
| AMOXICILLIN-POT CLAVULANATE ER | 8   | atomoxetine hcl               | 62     |
| amphetamine-dextroamphet er    | 61  | atorvastatin calcium          | 59     |
| amphetamine-dextroamphetamine  | 61  | atovaquone                    | 34     |
| AMPHOTERICIN B                 | 21  | atovaquone-proguanil hcl      | 34     |
| amphotericin b liposome        | 21  | atropine sulfate              | 72,98  |
| ampicillin                     | 9   | ATROVENT HFA                  | 103    |
| ampicillin sodium              | 9   | aubra                         | 78     |
| ampicillin-sulbactam sodium    | 9   | aubra eq                      | 78     |
| ANADROL-50                     | 78  | AUGTYRO                       | 26     |
| anagrelide hcl                 | 50  | AUM INSULIN SAFETY PEN NEEDLE | 95     |
| anastrozole                    | 28  | AUM PEN NEEDLE                | 96     |
| ANORO ELLIPTA                  | 105 | aurovela 1.5/30               | 79     |
| ANUSOL-HC                      | 65  | aurovela 1/20                 | 79     |
| apomorphine hcl                | 35  | aurovela 24 fe                | 79     |
| apraclonidine hcl              | 101 | aurovela fe 1.5/30            | 79     |
| aprepitant                     | 20  | aurovela fe 1/20              | 79     |
| APRETUDE                       | 41  | AURYXIA                       | 70     |
| apri                           | 78  | AUSTEDO                       | 63     |
| APTIOM                         | 15  | AUSTEDO XR                    | 63     |
| APTIVUS                        | 43  | AUSTEDO XR PATIENT TITRATION  | 63     |
| AQ INSULIN SYRINGE             | 95  | AUVELITY                      | 17     |
| AQINJECT PEN NEEDLE            | 95  | aviane                        | 79     |
| ARALAST NP                     | 73  | avidoxy                       | 11     |
| aranelle                       | 78  | avita                         | 65     |
| ARANESP (ALBUMIN FREE)         | 51  | ayuna                         | 79     |
| ARCALYST                       | 89  | AYVAKIT                       | 26     |
| AREXVY                         | 92  | AZASITE                       | 99     |
| argyle sterile water           | 95  | azathioprine                  | 90     |
| aripiprazole                   | 37  | AZATHIOPRINE SODIUM           | 90     |
| ARISTADA                       | 37  | azelastine hcl                | 99,102 |
| ARISTADA INITIO                | 37  | azelastine-fluticasone        | 102    |
| armodafinil                    | 107 | azithromycin                  | 10     |
| ARNUIITY ELLIPTA               | 102 | aztreonam                     | 6      |
| ascomp-codeine                 | 2   | azurette                      | 79     |
| asenapine maleate              | 37  |                               |        |
| ashlyna                        | 78  | <b>B</b>                      |        |
| aspirin-dipyridamole er        | 51  | bac                           | 63     |
| ASTAGRAF XL                    | 90  | bacitra-neomycin-polymyxin-hc | 98     |

|   |        |                                     |        |
|---|--------|-------------------------------------|--------|
| BACITRACIN.....                                   | 99     | BEXSERO.....                        | 92     |
| bacitracin-polymyxin b.....                       | 98     | BEYFORTUS.....                      | 89     |
| baclofen.....                                     | 40     | bicalutamide.....                   | 24     |
| BACLOFEN.....                                     | 40     | BICILLIN C-R.....                   | 9      |
| balsalazide disodium.....                         | 94     | BICILLIN C-R 900/300.....           | 9      |
| BALVERSA.....                                     | 29     | BICILLIN L-A.....                   | 9      |
| balziva.....                                      | 79     | BIKTARVY.....                       | 41     |
| BAQSIMI ONE PACK.....                             | 48     | bimatoprost.....                    | 101    |
| BAQSIMI TWO PACK.....                             | 48     | BIOGUARD GAUZE SPONGES.....         | 96     |
| BARACLUDE.....                                    | 40     | bisoprolol fumarate.....            | 54     |
| BAXDELA.....                                      | 10     | bisoprolol-hydrochlorothiazide..... | 56     |
| BCG VACCINE.....                                  | 92     | BIVIGAM.....                        | 88     |
| BD INSULIN SYRINGE.....                           | 96     | blisovi 24 fe.....                  | 79     |
| BD PEN NEEDLE MINI U/F 31G X 5 MM MISC.....       | 96     | blisovi fe 1.5/30.....              | 79     |
| BD PEN NEEDLE NANO U/F 32G X 4 MM MISC.....       | 96     | blisovi fe 1/20.....                | 79     |
| BD PEN NEEDLE ORIGINAL U/F 29G X 12.7MM MISC..... | 96     | BOOSTRIX.....                       | 92     |
| BD PEN NEEDLE SHORT U/F 31G X 8 MM MISC.....      | 96     | bosentan.....                       | 104    |
| bekyree.....                                      | 79     | BOSULIF.....                        | 29     |
| benazepril hcl.....                               | 53     | BRAFTOVI.....                       | 29     |
| benazepril-hydrochlorothiazide.....               | 56     | BREO ELLIPTA.....                   | 105    |
| BENLYSTA.....                                     | 89     | brey-na.....                        | 105    |
| BENZNIDAZOLE.....                                 | 35     | BREZTRI AEROSPHERE.....             | 105    |
| benzoyl peroxide-erythromycin.....                | 65     | briellyn.....                       | 79     |
| benztropine mesylate.....                         | 35     | BRILINTA.....                       | 51     |
| bepotastine besilate.....                         | 99     | brimonidine tartrate.....           | 101    |
| BERINERT.....                                     | 88     | brimonidine tartrate-timolol.....   | 98     |
| BESIVANCE.....                                    | 10     | brinzolamide.....                   | 101    |
| BESREMI.....                                      | 26     | BRIVIACT.....                       | 12     |
| betaine.....                                      | 73     | bromocriptine mesylate.....         | 35     |
| betamethasone dipropionate.....                   | 65,76  | BRUKINSA.....                       | 26     |
| betamethasone dipropionate aug.....               | 65,76  | budesonide.....                     | 94,102 |
| betamethasone valerate.....                       | 65     | budesonide er.....                  | 94     |
| BETASERON.....                                    | 64     | budesonide-formoterol fumarate..... | 105    |
| betaxolol hcl.....                                | 54,100 | bumetanide.....                     | 58     |
| bethanechol chloride.....                         | 75     | buprenorphine.....                  | 2      |
| BETOPTIC-S.....                                   | 100    | buprenorphine hcl.....              | 4      |
| BEVESPI AEROSPHERE.....                           | 105    | buprenorphine hcl-naloxone hcl..... | 4,5    |
| bexarotene.....                                   | 34     | bupropion hcl.....                  | 17     |
|   |        | bupropion hcl er (smoking det)..... | 5,17   |
|   |        | bupropion hcl er (sr).....          | 17     |
|   |        | bupropion hcl er (xl).....          | 17     |

|   |       |   |     |
|---|-------|---|-----|
| buspirone hcl . . . . .                 | 45    | carbidopa-levodopa-entacapone . . . . . | 35  |
| butalbital-acetaminophen . . . . .      | 63    | CARETOUCH ALCOHOL PREP . . . . .        | 96  |
| butalbital-apap-caff-cod . . . . .      | 2     | carglumic acid . . . . .                | 68  |
| butalbital-apap-caffeine . . . . .      | 63    | CARIMUNE NF . . . . .                   | 88  |
| butalbital-asa-caff-codeine . . . . .   | 2     | carisoprodol . . . . .                  | 106 |
| butalbital-aspirin-caffeine . . . . .   | 1     | CARTEOLOL HCL . . . . .                 | 100 |
| BUTALBITAL-ASPIRIN-CAFFEINE . . . . .   | 1     | cartia xt . . . . .                     | 55  |
| butorphanol tartrate . . . . .          | 2     | carvedilol . . . . .                    | 54  |
| BYETTA 10 MCG PEN . . . . .             | 46    | carvedilol phosphate er . . . . .       | 54  |
| BYETTA 5 MCG PEN . . . . .              | 46    | caspofungin acetate . . . . .           | 21  |
| BYLVAY . . . . .                        | 73    | cataflam . . . . .                      | 1   |
| BYLVAY (PELLETS) . . . . .              | 73    | CAYSTON . . . . .                       | 103 |
| <b>C</b>                                |       | caziant . . . . .                       | 79  |
| CABENUVA . . . . .                      | 43    | CEFACLOR . . . . .                      | 7   |
| cabergoline . . . . .                   | 86    | cefadroxil . . . . .                    | 7   |
| CABLIVI . . . . .                       | 51    | cefazolin sodium . . . . .              | 7   |
| CABOMETYX . . . . .                     | 29    | cefdinir . . . . .                      | 7   |
| calcipotriene . . . . .                 | 67    | CEFEPIME HCL . . . . .                  | 7   |
| calcitonin (salmon) . . . . .           | 94    | cefixime . . . . .                      | 8   |
| calcitrene . . . . .                    | 67    | CEFOTAXIME SODIUM . . . . .             | 8   |
| CALCITRIOL . . . . .                    | 67,94 | cefotetan disodium . . . . .            | 8   |
| calcitriol . . . . .                    | 94    | cefoxitin sodium . . . . .              | 8   |
| calcium acetate . . . . .               | 70    | cefpodoxime proxetil . . . . .          | 8   |
| calcium acetate (phos binder) . . . . . | 70    | cefprozil . . . . .                     | 8   |
| CALQUENCE . . . . .                     | 29    | ceftazidime . . . . .                   | 8   |
| camila . . . . .                        | 85    | ceftriaxone sodium . . . . .            | 8   |
| camrese . . . . .                       | 79    | cefuroxime axetil . . . . .             | 8   |
| camrese lo . . . . .                    | 79    | cefuroxime sodium . . . . .             | 8   |
| candesartan cilexetil . . . . .         | 52    | celecoxib . . . . .                     | 1   |
| candesartan cilexetil-hctz . . . . .    | 57    | CEPHALEXIN . . . . .                    | 8   |
| CAPEX . . . . .                         | 65    | CERDELGA . . . . .                      | 73  |
| CAPLYTA . . . . .                       | 37    | CEREZYME . . . . .                      | 73  |
| CAPRELSA . . . . .                      | 29    | cetirizine hcl . . . . .                | 102 |
| captopril . . . . .                     | 53    | cevimeline hcl . . . . .                | 64  |
| CAPTOPRIL-HYDROCHLOROTHIAZIDE . . . . . | 57    | chateal . . . . .                       | 79  |
| carbamazepine . . . . .                 | 15    | chateal eq . . . . .                    | 79  |
| carbamazepine er . . . . .              | 15    | CHEMET . . . . .                        | 69  |
| carbidopa . . . . .                     | 36    | CHLORAMPHENICOL SOD SUCCINATE . . . . . | 6   |
| carbidopa-levodopa . . . . .            | 36    | chlorhexidine gluconate . . . . .       | 64  |
| carbidopa-levodopa er . . . . .         | 36    | chloroquine phosphate . . . . .         | 35  |
|   |       | chlorpromazine hcl . . . . .            | 36  |

|  |        |  |           |
|--|--------|--|-----------|
| chlorthalidone . . . . .                 | 58     | clonidine . . . . .                    | 52        |
| CHOLBAM . . . . .                        | 73,74  | clonidine hcl . . . . .                | 52        |
| cholestyramine . . . . .                 | 59     | clonidine hcl er . . . . .             | 62        |
| cholestyramine light . . . . .           | 59     | clopidogrel bisulfate . . . . .        | 51        |
| ciclodan . . . . .                       | 67     | clorazepate dipotassium . . . . .      | 45        |
| ciclopirox . . . . .                     | 67,68  | clotrimazole . . . . .                 | 21        |
| ciclopirox olamine . . . . .             | 21     | clotrimazole-betamethasone . . . . .   | 67        |
| cilostazol . . . . .                     | 51     | clovique . . . . .                     | 69        |
| CILOXAN . . . . .                        | 10     | clozapine . . . . .                    | 39        |
| CIMDUO . . . . .                         | 42     | COARTEM . . . . .                      | 35        |
| cimetidine . . . . .                     | 72     | CODEINE SULFATE . . . . .              | 2,3       |
| cimetidine hcl . . . . .                 | 72     | codeine sulfate . . . . .              | 3         |
| cinacalcet hcl . . . . .                 | 94     | colchicine . . . . .                   | 22        |
| CINRYZE . . . . .                        | 88     | colchicine-probenecid . . . . .        | 22        |
| CIPRO HC . . . . .                       | 101    | colesevelam hcl . . . . .              | 59        |
| ciprofloxacin . . . . .                  | 10     | colestipol hcl . . . . .               | 59        |
| ciprofloxacin hcl . . . . .              | 10     | colistimethate sodium (cba) . . . . .  | 6         |
| CIPROFLOXACIN HCL . . . . .              | 10,101 | colocort . . . . .                     | 94        |
| ciprofloxacin in d5w . . . . .           | 11     | COMBIVENT RESPIMAT . . . . .           | 105       |
| ciprofloxacin-dexamethasone . . . . .    | 101    | COMETRIQ (100 MG DAILY DOSE) . . . . . | 29        |
| citalopram hydrobromide . . . . .        | 18     | COMETRIQ (140 MG DAILY DOSE) . . . . . | 29        |
| claravis . . . . .                       | 65     | COMETRIQ (60 MG DAILY DOSE) . . . . .  | 29        |
| CLARITHROMYCIN . . . . .                 | 10     | COMFORT EZ PRO PEN NEEDLES . . . . .   | 96        |
| clarithromycin . . . . .                 | 10     | COMPLERA . . . . .                     | 41        |
| clarithromycin er . . . . .              | 10     | compro . . . . .                       | 20        |
| CLEOCIN PHOSPHATE . . . . .              | 6      | constulose . . . . .                   | 71        |
| clindacin etz . . . . .                  | 6      | COPAXONE . . . . .                     | 64        |
| clindacin-p . . . . .                    | 6      | COPIKTRA . . . . .                     | 29        |
| clindamycin hcl . . . . .                | 6      | CORLANOR . . . . .                     | 57        |
| clindamycin palmitate hcl . . . . .      | 6      | CORTIFOAM . . . . .                    | 94        |
| clindamycin phos-benzoyl perox . . . . . | 65     | CORTISONE ACETATE . . . . .            | 76        |
| clindamycin phosphate . . . . .          | 6,68   | CORTISPORIN-TC . . . . .               | 101       |
| clindamycin phosphate in d5w . . . . .   | 6      | CORTROPHIN . . . . .                   | 76        |
| CLINDAMYCIN PHOSPHATE IN NAACL . . . . . | 6      | COTELIC . . . . .                      | 29        |
| clobazam . . . . .                       | 14     | CREON . . . . .                        | 74        |
| clobetasol prop emollient base . . . . . | 65,76  | CRESEMBA . . . . .                     | 21        |
| clobetasol propionate . . . . .          | 65,66  | CRIVAN . . . . .                       | 43        |
| clobetasol propionate e . . . . .        | 76     | cromolyn sodium . . . . .              | 74,99,104 |
| clodan . . . . .                         | 66     | cryselle-28 . . . . .                  | 79        |
| clomipramine hcl . . . . .               | 19     | CRYSVITA . . . . .                     | 68        |
| clonazepam . . . . .                     | 45     | CVS ALCOHOL PREP PADS . . . . .        | 96        |

|                               |       |                                |          |
|-------------------------------|-------|--------------------------------|----------|
| cvs isopropyl alcohol wipes   | 96    | desloratadine                  | 102      |
| cyclafem 1/35                 | 79    | desmopressin ace spray refrig  | 77       |
| cyclafem 7/7/7                | 79    | desmopressin acetate           | 77       |
| cyclobenzaprine hcl           | 106   | desmopressin acetate pf        | 77       |
| CYCLOPHOSPHAMIDE              | 24    | desmopressin acetate spray     | 77       |
| cyclosporine                  | 90    | desogestrel-ethinyl estradiol  | 79       |
| cyclosporine modified         | 90    | desonide                       | 66       |
| cyproheptadine hcl            | 102   | desoximetasone                 | 66       |
| cyred                         | 79    | desvenlafaxine succinate er    | 18       |
| cyred eq                      | 79    | dexamethasone                  | 76       |
| CYSTAGON                      | 74    | dexamethasone sod phosphate pf | 76       |
| CYSTARAN                      | 74    | dexamethasone sodium phosphate | 76       |
|                               |       | DEXAMETHASONE SODIUM PHOSPHATE | 100      |
| <b>D</b>                      |       | dexmethylphenidate hcl         | 62       |
| dabigatran etexilate mesylate | 49    | dexmethylphenidate hcl er      | 62       |
| dalfampridine er              | 64    | dextroamphetamine sulfate      | 61       |
| danzol                        | 78    | dextroamphetamine sulfate er   | 61       |
| dantrolene sodium             | 40    | dextrose                       | 70       |
| dapsone                       | 23    | dextrose in lactated ringers   | 70       |
| DAPTACEL                      | 92    | dextrose-sodium chloride       | 70       |
| daptomycin                    | 6     | DIACOMIT                       | 12       |
| darunavir                     | 43    | diazepam                       | 14,45    |
| dasetta 1/35                  | 79    | DIAZEPAM                       | 14       |
| dasetta 7/7/7                 | 79    | diazepam intensol              | 45       |
| DAURISMO                      | 29    | diazoxide                      | 48       |
| daysee                        | 79    | diclofenac potassium           | 1        |
| deblitane                     | 85    | diclofenac sodium              | 1,67,100 |
| decadron                      | 76    | diclofenac sodium er           | 1        |
| deferasirox                   | 69,70 | dicloxacillin sodium           | 9        |
| deferiprone                   | 70    | dicyclomine hcl                | 72       |
| DELSTRIGO                     | 41    | DIDANOSINE                     | 42       |
| delyla                        | 79    | DIFICID                        | 10       |
| demeclocycline hcl            | 11    | diflunisal                     | 1        |
| DENGVAXIA                     | 92    | difluprednate                  | 100      |
| DEPO-ESTRADIOL                | 79    | digitek                        | 57       |
| DEPO-PROVERA                  | 85    | digox                          | 57       |
| DEPO-SUBQ PROVERA 104         | 85    | digoxin                        | 57       |
| depo-testosterone             | 78    | dihydroergotamine mesylate     | 22       |
| DERMOTIC                      | 101   | DILANTIN                       | 15       |
| DESCOVY                       | 42    | DILANTIN INFATABS              | 15       |
| desipramine hcl               | 19    | dilt-xr                        | 55       |

|  |     |                                     |    |
|--|-----|-------------------------------------|----|
| diltiazem hcl.....   | 55  | doxycycline hyclate.....            | 11 |
| diltiazem hcl 120 mg extended release 24hr capsule.....      | 55  | doxycycline monohydrate.....        | 11 |
| diltiazem hcl 180 mg extended release 24hr capsule.....      | 55  | DRIZALMA SPRINKLE.....              | 63 |
| diltiazem hcl 240 mg extended release 24hr capsule.....      | 55  | dronabinol.....                     | 20 |
| diltiazem hcl 300 mg extended release 24hr capsule.....      | 55  | DROPLET MICRON.....                 | 96 |
| diltiazem hcl 360 mg extended release 24hr capsule.....      | 55  | DROPSAFE SAFETY SYRINGE/NEEDLE..... | 96 |
| diltiazem hcl er.....  | 55  | drosiprenone-ethinyl estradiol..... | 80 |
| diltiazem hcl er beads.....                                  | 55  | DROXIA.....                         | 25 |
| dimethyl fumarate.....                                       | 64  | droxidopa.....                      | 52 |
| dimethyl fumarate starter pack.....                          | 64  | duloxetine hcl.....                 | 63 |
| DIPENTUM.....  | 94  | DUOBRII.....                        | 67 |
| diphenoxylate-atropine.....                                  | 72  | DUPIXENT.....                       | 89 |
| DIPHENOXYLATE-ATROPINE.....                                  | 72  | dutasteride.....                    | 75 |
| DIPHThERIA-TETANUS TOXOIDS DT.....                           | 92  | dutasteride-tamsulosin hcl.....     | 75 |
| dipyridamole.....  | 51  | <b>E</b>                            |    |
| disopyramide phosphate.....                                  | 53  | E.E.S. 400.....                     | 10 |
| disulfiram.....  | 4   | EASY COMFORT INSULIN SYRINGE.....   | 96 |
| DIURIL.....  | 58  | EASY COMFORT PEN NEEDLES.....       | 96 |
| divalproex sodium.....                                       | 12  | ec-naproxen.....                    | 1  |
| divalproex sodium er.....                                    | 12  | econazole nitrate.....              | 21 |
| dofetilide.....  | 53  | EDARBI.....                         | 52 |
| dolishale.....   | 79  | EDARBYCLOR.....                     | 57 |
| donepezil hcl.....   | 16  | EDURANT.....                        | 41 |
| donepezil hydrochloride orally disintegrating tab 10 mg..... | 16  | EFAVIRENZ.....                      | 41 |
| donepezil hydrochloride orally disintegrating tab 5 mg.....  | 16  | efavirenz.....                      | 41 |
| dorzolamide hcl.....   | 101 | efavirenz-emtricitab-tenofo df..... | 41 |
| dorzolamide hcl-timolol mal.....                             | 98  | efavirenz-lamivudine-tenofovir..... | 41 |
| dorzolamide hcl-timolol mal pf.....                          | 98  | EGRIFTA.....                        | 77 |
| dotti.....   | 80  | EGRIFTA SV.....                     | 77 |
| DOVATO.....  | 41  | ELAPRASE.....                       | 74 |
| doxazosin mesylate.....                                      | 52  | ELIGARD.....                        | 87 |
| doxepin hcl.....   | 19  | elinest.....                        | 80 |
| doxercalciferol.....   | 94  | ELIQUIS.....                        | 50 |
| doxy 100.....  | 11  | ELIQUIS DVT/PE STARTER PACK.....    | 50 |
|  |     | ELMIRON.....                        | 75 |
|  |     | eluryng.....                        | 80 |
|  |     | EMBRACE PEN NEEDLES.....            | 96 |
|  |     | EMCYT.....                          | 25 |
|  |     | emoquette.....                      | 80 |
|  |     | EMSAM.....                          | 17 |



|   |          |  |       |
|---|----------|--|-------|
| emtricitabine . . . . .                                     | 42       | erythromycin ethylsuccinate . . . . .    | 10    |
| emtricitabine-tenofovir df . . . . .                        | 42       | erythromycin lactobionate . . . . .      | 10    |
| EMTRIVA . . . . .   | 42       | escitalopram oxalate . . . . .           | 18    |
| enalapril maleate . . . . .                                 | 53       | esgic . . . . .                          | 63    |
| enalapril-hydrochlorothiazide . . . . .                     | 57       | esomeprazole magnesium . . . . .         | 73    |
| ENBREL . . . . .  | 90       | esomeprazole sodium . . . . .            | 73    |
| ENBREL SURECLICK . . . . .                                  | 90       | estarylla . . . . .                      | 80    |
| ENDARI . . . . .  | 74       | estazolam . . . . .                      | 106   |
| endocet . . . . .   | 3        | estradiol . . . . .                      | 80    |
| ENGERIX-B . . . . .   | 92       | estradiol valerate . . . . .             | 80    |
| enilloring . . . . .  | 80       | estradiol-norethindrone acet . . . . .   | 80    |
| enoxaparin sodium . . . . .                                 | 50       | ESTRING . . . . .                        | 80    |
| enpresse-28 . . . . .                                       | 80       | eszopiclone . . . . .                    | 106   |
| enskyce . . . . .   | 80       | ethambutol hcl . . . . .                 | 23    |
| entacapone . . . . .  | 35       | ethosuximide . . . . .                   | 14    |
| entecavir . . . . .   | 40       | ethynodiol diac-eth estradiol . . . . .  | 80    |
| ENTRESTO . . . . .  | 57       | etodolac . . . . .                       | 1     |
| enulose . . . . .   | 71       | etodolac er . . . . .                    | 1     |
| ENVARUSUS XR . . . . .                                      | 90       | etonogestrel-ethinyl estradiol . . . . . | 80    |
| EPCLUSA . . . . .   | 40       | etravirine . . . . .                     | 41,42 |
| EPIDIOLEX . . . . .   | 12       | euthyrox . . . . .                       | 86    |
| epinephrine . . . . .                                       | 103      | everolimus . . . . .                     | 30,90 |
| EPINEPHRINE AUTOINJECTOR (GENERIC<br>ADRENACLICK) . . . . . | 103      | EVOTAZ . . . . .                         | 44    |
| epitol . . . . .  | 15       | exemestane . . . . .                     | 28    |
| EPIVIR HBV . . . . .  | 40       | EXKIVITY . . . . .                       | 26    |
| eplerenone . . . . .  | 58       | ezetimibe . . . . .                      | 59    |
| EPRONTIA . . . . .  | 12       | ezetimibe-simvastatin . . . . .          | 59    |
| EPROSARTAN MESYLATE . . . . .                               | 52       |  |       |
| ERGOLOID MESYLATES . . . . .                                | 16       | <b>F</b>                                 |       |
| ERIVEDGE . . . . .  | 29       | FABRAZYME . . . . .                      | 74    |
| ERLEADA . . . . .   | 24       | falmina . . . . .                        | 80    |
| erlotinib hcl . . . . .                                     | 29       | famciclovir . . . . .                    | 45    |
| errin . . . . .   | 85       | famotidine . . . . .                     | 73    |
| ertapenem sodium . . . . .                                  | 9        | FANAPT . . . . .                         | 38    |
| ERY . . . . .   | 68       | FANAPT TITRATION PACK . . . . .          | 38    |
| ery-tab . . . . .   | 10       | FARXIGA . . . . .                        | 46    |
| erythrocin lactobionate . . . . .                           | 10       | febuxostat . . . . .                     | 22    |
| ERYTHROCIN STEARATE . . . . .                               | 10       | felbamate . . . . .                      | 12    |
| erythromycin . . . . .                                      | 10,68,99 | felodipine er . . . . .                  | 55    |
| erythromycin base . . . . .                                 | 10       | FEMRING . . . . .                        | 80    |
|   |          | femynor . . . . .                        | 80    |

|                                |        |                             |     |
|--------------------------------|--------|-----------------------------|-----|
| fenofibrate                    | 59     | fluvoxamine maleate         | 18  |
| fenofibrate micronized         | 59     | fluvoxamine maleate er      | 18  |
| fenofibric acid                | 59     | FML                         | 100 |
| fentanyl                       | 2      | FML FORTE                   | 100 |
| fentanyl citrate               | 3      | fondaparinux sodium         | 50  |
| FERRIPROX                      | 70     | FORTEO                      | 95  |
| FETZIMA                        | 18     | fosamprenavir calcium       | 44  |
| FETZIMA TITRATION              | 18     | fosinopril sodium           | 53  |
| finasteride                    | 75     | fosinopril sodium-hctz      | 57  |
| fingolimod hcl                 | 64     | FOTIVDA                     | 26  |
| FINTEPLA                       | 12     | FRUZAQLA                    | 30  |
| FIRMAGON                       | 87     | fulvestrant                 | 25  |
| FIRMAGON (240 MG DOSE)         | 87     | furosemide                  | 58  |
| flavoxate hcl                  | 75     | FUZEON                      | 43  |
| FLEBOGAMMA DIF                 | 88     | fyavolv                     | 80  |
| flecainide acetate             | 53     | FYCOMPA                     | 12  |
| fluconazole                    | 21     |                             |     |
| fluconazole in sodium chloride | 21     | <b>G</b>                    |     |
| flucytosine                    | 21     | gabapentin                  | 14  |
| fludrocortisone acetate        | 76     | galantamine hydrobromide    | 16  |
| flunisolide                    | 102    | GALANTAMINE HYDROBROMIDE    | 16  |
| fluocinolone acetonide         | 66     | galantamine hydrobromide er | 16  |
| fluocinolone acetonide body    | 66     | GAMMAGARD                   | 88  |
| fluocinolone acetonide scalp   | 66     | GAMMAGARD S/D LESS IGA      | 88  |
| fluocinonide                   | 66     | GAMMAKED                    | 88  |
| fluocinonide emulsified base   | 66     | GAMMAPLEX                   | 88  |
| fluorometholone                | 100    | GAMUNEX-C                   | 88  |
| fluorouracil                   | 67     | GARDASIL 9                  | 92  |
| fluoxetine hcl                 | 18     | gatifloxacin                | 99  |
| FLUOXETINE HCL                 | 18     | GATTEX                      | 72  |
| FLUOXETINE HCL (PMDD)          | 18     | gauze pads 2                | 96  |
| fluphenazine decanoate         | 36     | GAVILYTE-C                  | 72  |
| FLUPHENAZINE HCL               | 36,37  | gavilyte-g                  | 72  |
| flurbiprofen                   | 1      | gavilyte-n with flavor pack | 71  |
| FLURBIPROFEN SODIUM            | 100    | GAVRETO                     | 30  |
| flutamide                      | 24     | gefitinib                   | 30  |
| fluticasone propionate         | 66,102 | gemfibrozil                 | 59  |
| fluticasone-salmeterol         | 105    | GEMTESA                     | 75  |
| FLUTICASONE-SALMETEROL         | 105    | generlac                    | 71  |
| fluvastatin sodium             | 59     | gengraf                     | 90  |
| fluvastatin sodium er          | 59     | GENOTROPIN                  | 77  |

|                                  |      |                                     |       |
|----------------------------------|------|-------------------------------------|-------|
| GENOTROPIN MINIQUICK.....        | 77   | heather.....                        | 85    |
| GENTAK.....                      | 99   | HEMADY.....                         | 76    |
| GENTAMICIN IN SALINE.....        | 5    | heparin sodium (porcine).....       | 50    |
| gentamicin sulfate.....          | 5,99 | heparin sodium (porcine) pf.....    | 50    |
| GENVOYA.....                     | 41   | HEPATAMINE.....                     | 68    |
| gianvi.....                      | 81   | HEPLISAV-B.....                     | 92    |
| GILOTRIF.....                    | 30   | HIBERIX.....                        | 92    |
| GLEOSTINE.....                   | 24   | HIZENTRA.....                       | 89    |
| glimepiride.....                 | 46   | HUMALOG.....                        | 48    |
| glipizide.....                   | 46   | HUMALOG JUNIOR KWIKPEN.....         | 48    |
| glipizide er.....                | 46   | HUMALOG KWIKPEN.....                | 48    |
| glipizide xl.....                | 46   | HUMALOG MIX 50/50.....              | 48    |
| glipizide-metformin hcl.....     | 46   | HUMALOG MIX 50/50 KWIKPEN.....      | 48    |
| GLUCAGEN HYPOKIT.....            | 48   | HUMALOG MIX 75/25.....              | 49    |
| GLUCAGON EMERGENCY.....          | 48   | HUMALOG MIX 75/25 KWIKPEN.....      | 49    |
| glyburide.....                   | 46   | HUMIRA.....                         | 90,91 |
| GLYBURIDE MICRONIZED.....        | 46   | HUMIRA (2 PEN).....                 | 90    |
| glyburide-metformin.....         | 46   | HUMIRA (2 SYRINGE).....             | 90    |
| glycopyrrolate.....              | 72   | HUMIRA PEDIATRIC CROHNS START.....  | 91    |
| GLYXAMBI.....                    | 47   | HUMIRA PEN.....                     | 91    |
| GOLYTELY.....                    | 72   | HUMIRA PEN-CD/UC/HS STARTER.....    | 91    |
| granisetron hcl.....             | 20   | HUMIRA PEN-PEDIATRIC UC START.....  | 91    |
| griseofulvin microsize.....      | 21   | HUMIRA PEN-PSOR/UEVIT STARTER.....  | 91    |
| griseofulvin ultramicrosize..... | 21   | HUMIRA-CD/UC/HS STARTER.....        | 91    |
| guanfacine hcl.....              | 52   | HUMIRA-PS/UV/ADOL HS STARTER.....   | 91    |
| guanfacine hcl er.....           | 62   | HUMULIN 70/30.....                  | 49    |
| GUANIDINE HCL.....               | 23   | HUMULIN 70/30 KWIKPEN.....          | 49    |
| <b>H</b>                         |      | HUMULIN N.....                      | 49    |
| HAEGARDA.....                    | 88   | HUMULIN N KWIKPEN.....              | 49    |
| hailey 1.5/30.....               | 81   | HUMULIN R.....                      | 49    |
| hailey 24 fe.....                | 81   | HUMULIN R U-500 (CONCENTRATED)..... | 49    |
| hailey fe 1.5/30.....            | 81   | HUMULIN R U-500 KWIKPEN.....        | 49    |
| hailey fe 1/20.....              | 81   | hydralazine hcl.....                | 60    |
| halobetasol propionate.....      | 66   | hydrochlorothiazide.....            | 58    |
| haloette.....                    | 81   | hydrocodone-acetaminophen.....      | 3     |
| haloperidol.....                 | 37   | hydrocodone-ibuprofen.....          | 3     |
| haloperidol decanoate.....       | 37   | hydrocortisone.....                 | 66,94 |
| haloperidol lactate.....         | 37   | hydrocortisone (perianal).....      | 66    |
| HARVONI.....                     | 40   | hydrocortisone butyrate.....        | 66,76 |
| HAVRIX.....                      | 92   | hydrocortisone valerate.....        | 66,76 |
|                                  |      | hydrocortisone-acetic acid.....     | 101   |

|                                    |     |                                     |     |
|------------------------------------|-----|-------------------------------------|-----|
| hydromorphone hcl.....             | 3   | INSULIN SYRINGE 0.5 ML.....         | 96  |
| hydroxychloroquine sulfate.....    | 35  | INSULIN SYRINGE 1 ML.....           | 96  |
| HYDROXYPROGESTERONE CAPROATE.....  | 85  | INSULIN SYRINGE-NEEDLE U-100.....   | 97  |
| hydroxyurea.....                   | 25  | INSUPEN PEN NEEDLES.....            | 97  |
| hydroxyzine hcl.....               | 102 | INTELENCE.....                      | 42  |
| hydroxyzine pamoate.....           | 102 | INTRALIPID.....                     | 68  |
| <b>I</b>                           |     | INTRON A.....                       | 90  |
| ibandronate sodium.....            | 95  | introvale.....                      | 81  |
| IBRANCE.....                       | 30  | INVEGA HAFYERA.....                 | 38  |
| ibu.....                           | 1   | INVEGA SUSTENNA.....                | 38  |
| ibuprofen.....                     | 1   | INVEGA TRINZA.....                  | 38  |
| icatibant acetate.....             | 88  | IPOL.....                           | 92  |
| iclevia.....                       | 81  | ipratropium bromide.....            | 103 |
| ICLUSIG.....                       | 30  | ipratropium-albuterol.....          | 106 |
| icosapent ethyl.....               | 59  | irbesartan.....                     | 52  |
| IDHIFA.....                        | 26  | irbesartan-hydrochlorothiazide..... | 57  |
| ILARIS.....                        | 89  | ISENTRESS.....                      | 41  |
| ILEVRO.....                        | 100 | ISENTRESS HD.....                   | 41  |
| imatinib mesylate.....             | 30  | isibloom.....                       | 81  |
| IMBRUVICA.....                     | 30  | ISOLYTE-P IN D5W.....               | 68  |
| imipenem-cilastatin.....           | 9   | ISOLYTE-S.....                      | 68  |
| imipramine hcl.....                | 19  | ISOLYTE-S PH 7.4.....               | 68  |
| imiquimod.....                     | 67  | isoniazid.....                      | 24  |
| IMOVAX RABIES.....                 | 92  | ISONIAZID.....                      | 24  |
| incassia.....                      | 85  | isopropyl alcohol.....              | 97  |
| INCRELEX.....                      | 77  | isopropyl alcohol wipes.....        | 97  |
| indapamide.....                    | 58  | isosorb dinitrate-hydralazine.....  | 57  |
| indomethacin.....                  | 1   | isosorbide dinitrate.....           | 60  |
| indomethacin er.....               | 1   | isosorbide mononitrate.....         | 60  |
| INFANRIX.....                      | 92  | isosorbide mononitrate er.....      | 60  |
| INGREZZA.....                      | 63  | isotretinoin.....                   | 65  |
| INLYTA.....                        | 30  | isradipine.....                     | 55  |
| INQOVI.....                        | 25  | itraconazole.....                   | 21  |
| INREBIC.....                       | 26  | ivermectin.....                     | 34  |
| INSULIN LISPRO.....                | 49  | IWILFIN.....                        | 97  |
| INSULIN LISPRO (1 UNIT DIAL).....  | 49  | IXCHIQ.....                         | 92  |
| INSULIN LISPRO JUNIOR KWIKPEN..... | 49  | IXIARO.....                         | 92  |
| INSULIN LISPRO PROT & LISPRO.....  | 49  | <b>J</b>                            |     |
| INSULIN PEN NEEDLES.....           | 96  | jaimiess.....                       | 81  |
| INSULIN SYRINGE 0.3 ML.....        | 96  | JAKAFI.....                         | 30  |

|                 |       |
|-----------------|-------|
| jantoven        | 50    |
| JANUMET         | 47    |
| JANUMET XR      | 47    |
| JANUVIA         | 47    |
| JARDIANCE       | 47    |
| jasmiel         | 81    |
| javygtor        | 74    |
| JAYPIRCA        | 30    |
| jencycla        | 85    |
| JENTADUETO      | 47    |
| JENTADUETO XR   | 47    |
| jinteli         | 81    |
| jolessa         | 81    |
| juleber         | 81    |
| JULUCA          | 41    |
| junel 1.5/30    | 81    |
| junel 1/20      | 81    |
| junel fe 1.5/30 | 81    |
| junel fe 1/20   | 81    |
| junel fe 24     | 81    |
| JUXTAPID        | 59,60 |
| JYNNEOS         | 93    |

## K

|                          |     |
|--------------------------|-----|
| kalliga                  | 81  |
| KALYDECO                 | 103 |
| kariva                   | 81  |
| KCL (0.149%) IN NACL     | 68  |
| kcl in dextrose-nacl     | 68  |
| KCL-LACTATED RINGERS-D5W | 70  |
| kelnor 1/35              | 81  |
| kelnor 1/50              | 81  |
| KEPIVANCE                | 64  |
| KERENDIA                 | 47  |
| ketoconazole             | 21  |
| ketorolac tromethamine   | 100 |
| KINRIX                   | 93  |
| kionex                   | 70  |
| KISQALI (200 MG DOSE)    | 30  |
| KISQALI (400 MG DOSE)    | 31  |
| KISQALI (600 MG DOSE)    | 31  |

|                              |    |
|------------------------------|----|
| KISQALI FEMARA (400 MG DOSE) | 26 |
| KISQALI FEMARA (600 MG DOSE) | 26 |
| KISQALI FEMARA(200 MG DOSE)  | 26 |
| klor-con                     | 68 |
| klor-con 10                  | 68 |
| klor-con m10                 | 68 |
| klor-con m15                 | 68 |
| klor-con m20                 | 69 |
| klor-con sprinkle            | 69 |
| KOSELUGO                     | 26 |
| kourzeq                      | 64 |
| KRAZATI                      | 26 |
| kurvelo                      | 81 |

## L

|                          |       |
|--------------------------|-------|
| labetalol hcl            | 54    |
| lacosamide               | 15    |
| LACTATED RINGERS         | 70    |
| lactated ringers         | 70    |
| lactulose                | 71    |
| lactulose encephalopathy | 71    |
| LAGEVRIO                 | 97    |
| lamivudine               | 40,42 |
| lamivudine-zidovudine    | 42    |
| lamotrigine              | 12    |
| lamotrigine er           | 12    |
| LANREOTIDE ACETATE       | 87    |
| lansoprazole             | 73    |
| lanthanum carbonate      | 70    |
| LANTUS                   | 49    |
| LANTUS SOLOSTAR          | 49    |
| lapatinib ditosylate     | 31    |
| larin 1.5/30             | 81    |
| larin 1/20               | 81    |
| larin 24 fe              | 81    |
| larin fe 1.5/30          | 81    |
| larin fe 1/20            | 81    |
| larissia                 | 81    |
| LASTACRAFT               | 99    |
| latanoprost              | 101   |
| LEDIPASVIR-SOFOSBUVIR    | 40    |

|                                |       |                                |       |
|--------------------------------|-------|--------------------------------|-------|
| leena                          | 81    | lillow                         | 82    |
| leflunomide                    | 91    | lincomycin hcl                 | 6     |
| lenalidomide                   | 25    | LINDANE                        | 67    |
| LENVIMA (10 MG DAILY DOSE)     | 31    | linezolid                      | 6     |
| LENVIMA (12 MG DAILY DOSE)     | 31    | LINEZOLID IN SODIUM CHLORIDE   | 6     |
| LENVIMA (14 MG DAILY DOSE)     | 31    | LINZESS                        | 71    |
| LENVIMA (18 MG DAILY DOSE)     | 31    | liothyronine sodium            | 86    |
| LENVIMA (20 MG DAILY DOSE)     | 31    | lisdexamfetamine dimesylate    | 61    |
| LENVIMA (24 MG DAILY DOSE)     | 31    | lisinopril                     | 53    |
| LENVIMA (4 MG DAILY DOSE)      | 31    | lisinopril-hydrochlorothiazide | 57    |
| LENVIMA (8 MG DAILY DOSE)      | 31    | lithium                        | 46    |
| lessina                        | 81    | lithium carbonate              | 46    |
| letrozole                      | 28    | lithium carbonate er           | 46    |
| leucovorin calcium             | 26    | lo-zumandimine                 | 82    |
| LEUKERAN                       | 24    | loestrin 1.5/30 (21)           | 82    |
| LEUKINE                        | 51    | loestrin 1/20 (21)             | 82    |
| leuprolide acetate             | 87    | loestrin fe 1.5/30             | 82    |
| levabuterol hcl                | 103   | loestrin fe 1/20               | 82    |
| LEVALBUTEROL TARTRATE          | 103   | lojaimiess                     | 82    |
| levetiracetam                  | 13    | LONSURF                        | 26    |
| levetiracetam er               | 13    | loperamide hcl                 | 72    |
| levo-t                         | 86    | lopinavir-ritonavir            | 44    |
| LEVOBUNOLOL HCL                | 100   | lopreeza                       | 82    |
| levocarnitine                  | 70    | lorazepam                      | 46    |
| levocetirizine dihydrochloride | 102   | lorazepam intensol             | 46    |
| levofloxacin                   | 11    | LORBRENA                       | 31    |
| LEVOFLOXACIN                   | 11,99 | lorcet                         | 3     |
| levofloxacin in d5w            | 11    | lorcet hd                      | 3     |
| levonest                       | 82    | lorcet plus                    | 3     |
| levonorg-eth estrad triphasic  | 82    | loryna                         | 82    |
| levonorgest-eth estrad 91-day  | 82    | losartan potassium             | 52    |
| levonorgestrel-ethinyl estrad  | 82    | losartan potassium-hctz        | 57    |
| levora 0.15/30 (28)            | 82    | loteprednol etabonate          | 100   |
| levothyroxine sodium           | 86    | lovastatin                     | 59    |
| levoxyl                        | 86    | low-ogestrel                   | 82    |
| LEXIVA                         | 44    | loxapine succinate             | 37    |
| lidocaine                      | 4     | lubiprostone                   | 71    |
| lidocaine hcl                  | 4     | LUMAKRAS                       | 26,27 |
| lidocaine viscous hcl          | 4     | LUMIGAN                        | 101   |
| lidocaine-prilocaine           | 4     | LUPRON DEPOT (1-MONTH)         | 87    |
| lidocan                        | 4     | LUPRON DEPOT (3-MONTH)         | 87    |

|                             |     |                                |       |
|-----------------------------|-----|--------------------------------|-------|
| LUPRON DEPOT (4-MONTH)      | 87  | meprobamate                    | 45    |
| LUPRON DEPOT (6-MONTH)      | 87  | mercaptapurine                 | 25    |
| lurasidone hcl              | 38  | meropenem                      | 9     |
| luteira                     | 82  | MEROPENEM-SODIUM CHLORIDE      | 10    |
| LYBALVI                     | 17  | mesalamine                     | 94    |
| lyleq                       | 85  | mesalamine er                  | 94    |
| lyllana                     | 82  | mesna                          | 34    |
| LYNPARZA                    | 31  | MESNEX                         | 34    |
| LYSODREN                    | 27  | metformin hcl                  | 47    |
| LYTGOBI (12 MG DAILY DOSE)  | 31  | metformin hcl er               | 47    |
| LYTGOBI (16 MG DAILY DOSE)  | 31  | methadone hcl                  | 2     |
| LYTGOBI (20 MG DAILY DOSE)  | 31  | methazolamide                  | 101   |
| lyza                        | 85  | methenamine hippurate          | 7     |
| <b>M</b>                    |     | methergine                     | 97    |
| M-M-R II                    | 93  | methimazole                    | 87    |
| magnesium sulfate           | 69  | methocarbamol                  | 106   |
| malathion                   | 67  | methotrexate sodium            | 91    |
| MAPROTILINE HCL             | 17  | methotrexate sodium (pf)       | 91    |
| maraviroc                   | 43  | methoxsalen rapid              | 67    |
| marlissa                    | 82  | methscopolamine bromide        | 72    |
| MARPLAN                     | 17  | methsuximide                   | 14    |
| MATULANE                    | 24  | methyl dopa                    | 52    |
| matzim la                   | 55  | METHYLDOPA-HYDROCHLOROTHIAZIDE | 57    |
| MAVYRET                     | 40  | methylergonovine maleate       | 97    |
| MAXIDEX                     | 100 | methylphenidate hcl            | 62    |
| meclizine hcl               | 20  | METHYLPHENIDATE HCL ER         | 62    |
| medpura alcohol pads        | 97  | methylphenidate hcl er         | 63    |
| MEDROL                      | 76  | methylphenidate hcl er (cd)    | 62    |
| medroxyprogesterone acetate | 85  | methylphenidate hcl er (la)    | 62    |
| mefloquine hcl              | 35  | methylphenidate hcl er (osm)   | 62,63 |
| megestrol acetate           | 85  | methylprednisolone             | 76    |
| MEKINIST                    | 31  | methylprednisolone acetate     | 76    |
| MEKTOVI                     | 31  | methylprednisolone sodium succ | 76    |
| meloxicam                   | 1   | metoclopramide hcl             | 20    |
| memantine hcl               | 16  | metolazone                     | 59    |
| memantine hcl er            | 16  | metoprolol succinate er        | 54    |
| MENACTRA                    | 93  | metoprolol tartrate            | 54    |
| MENEST                      | 82  | metoprolol-hydrochlorothiazide | 57    |
| MENQUADFI                   | 93  | metronidazole                  | 7     |
| MENVEO                      | 93  | metyrosine                     | 57    |
|                             |     | mexiletine hcl                 | 53    |

|                                |           |                                |     |
|--------------------------------|-----------|--------------------------------|-----|
| micafungin sodium              | 21        | MYALEPT                        | 72  |
| MICONAZOLE 3                   | 21        | mycophenolate mofetil          | 91  |
| microgestin 1.5/30             | 82        | mycophenolate mofetil hcl      | 91  |
| microgestin 1/20               | 82        | mycophenolate sodium           | 91  |
| microgestin 24 fe              | 82        | myorisan                       | 65  |
| microgestin fe 1.5/30          | 82        | MYRBETRIQ                      | 75  |
| microgestin fe 1/20            | 82        |                                |     |
| midodrine hcl                  | 52        | <b>N</b>                       |     |
| mifepristone                   | 77        | na sulfate-k sulfate-mg sulf   | 71  |
| MIGERGOT                       | 22        | nabumetone                     | 1   |
| miglitol                       | 47        | nadolol                        | 54  |
| miglustat                      | 74        | nafcillin sodium               | 9   |
| mili                           | 82        | nafrinse                       | 71  |
| millipred                      | 77        | naftifine hcl                  | 22  |
| mimvey                         | 82        | NAGLAZYME                      | 74  |
| minitran                       | 60        | naloxone hcl                   | 5   |
| minocycline hcl                | 11        | naltrexone hcl                 | 5   |
| minoxidil                      | 60        | NAMZARIC                       | 16  |
| mirtazapine                    | 17        | naproxen                       | 1   |
| misoprostol                    | 73        | naproxen dr                    | 1   |
| modafinil                      | 107       | naratriptan hcl                | 23  |
| moexipril hcl                  | 53        | NATACYN                        | 99  |
| MOLINDONE HCL                  | 37        | nateglinide                    | 47  |
| mometasone furoate             | 66,77,102 | NATPARA                        | 95  |
| mondoxyne nl                   | 11        | NAYZILAM                       | 4   |
| mono-lynyah                    | 82        | nebivolol hcl                  | 54  |
| montelukast sodium             | 102       | necon 0.5/35 (28)              | 83  |
| morgidox                       | 12        | NEFAZODONE HCL                 | 18  |
| morphine sulfate               | 3         | neo-polycin                    | 98  |
| morphine sulfate (concentrate) | 3         | neo-polycin hc                 | 98  |
| morphine sulfate er            | 2         | neomycin sulfate               | 5   |
| MOUNJARO                       | 47        | neomycin-bacitracin zn-polymyx | 98  |
| MOVANTIK                       | 71        | neomycin-polymyxin-dexameth    | 98  |
| moxifloxacin hcl               | 11,99     | NEOMYCIN-POLYMYXIN-GRAMICIDIN  | 98  |
| MOXIFLOXACIN HCL               | 11        | NEOMYCIN-POLYMYXIN-HC          | 99  |
| MOXIFLOXACIN HCL (2X DAY)      | 99        | neomycin-polymyxin-hc          | 101 |
| MOXIFLOXACIN HCL IN NAACL      | 11        | NERLYNX                        | 32  |
| MULTAQ                         | 53        | NEUPRO                         | 36  |
| multiple electro type 1 ph 5.5 | 69        | nevirapine                     | 42  |
| multiple electro type 1 ph 7.4 | 69        | NEVIRAPINE                     | 42  |
| mupirocin                      | 68        | NEVIRAPINE ER                  | 42  |



|  |    |                                      |           |
|--|----|--------------------------------------|-----------|
| nevirapine er . . . . .                  | 42 | nortrel 7/7/7 . . . . .              | 83        |
| NIACIN (ANTIHYPERLIPIDEMIC) . . . . .    | 60 | nortriptyline hcl . . . . .          | 19        |
| niacin er (antihyperlipidemic) . . . . . | 60 | NORVIR . . . . .                     | 44        |
| NIACOR . . . . .                         | 60 | NOVOFINE 32G X 6 MM MISC . . . . .   | 97        |
| nicardipine hcl . . . . .                | 55 | NOVOTWIST 32G X 5 MM MISC . . . . .  | 97        |
| NICOTROL . . . . .                       | 5  | NUBEQA . . . . .                     | 25        |
| NICOTROL NS . . . . .                    | 5  | NUCALA . . . . .                     | 106       |
| nifedipine . . . . .                     | 55 | NULYTELY LEMON-LIME . . . . .        | 71        |
| nifedipine er . . . . .                  | 55 | NULYTELY WITH FLAVOR PACKS . . . . . | 71        |
| nifedipine er osmotic release . . . . .  | 55 | NUPLAZID . . . . .                   | 38        |
| nikki . . . . .                          | 83 | NURTEC . . . . .                     | 22        |
| nilutamide . . . . .                     | 24 | NUTRILIPID . . . . .                 | 69        |
| nimodipine . . . . .                     | 55 | nyamyc . . . . .                     | 22        |
| NINLARO . . . . .                        | 27 | nylia 1/35 . . . . .                 | 83        |
| nisoldipine er . . . . .                 | 55 | nylia 7/7/7 . . . . .                | 83        |
| nitazoxanide . . . . .                   | 35 | NYMALIZE . . . . .                   | 55        |
| nitisinone . . . . .                     | 74 | nymyo . . . . .                      | 83        |
| NITRO-BID . . . . .                      | 60 | nystatin . . . . .                   | 22        |
| nitrofurantoin macrocrystal . . . . .    | 7  | nystatin-triamcinolone . . . . .     | 67        |
| nitrofurantoin monohyd macro . . . . .   | 7  | nystop . . . . .                     | 22        |
| nitroglycerin . . . . .                  | 60 |                                      |           |
| NITROSTAT . . . . .                      | 61 | <b>O</b>                             |           |
| nizatidine . . . . .                     | 73 | ocella . . . . .                     | 83        |
| nora-be . . . . .                        | 85 | octreotide acetate . . . . .         | 87        |
| norelgestromin-eth estradiol . . . . .   | 83 | OCTREOTIDE ACETATE . . . . .         | 87        |
| norethin ace-eth estrad-fe . . . . .     | 83 | ODEFSEY . . . . .                    | 42        |
| norethin-eth estradiol-fe . . . . .      | 83 | ODOMZO . . . . .                     | 32        |
| norethindrone . . . . .                  | 85 | OFEV . . . . .                       | 105       |
| norethindrone acet-ethinyl est . . . . . | 83 | ofloxacin . . . . .                  | 11,99,101 |
| norethindrone acetate . . . . .          | 85 | OGSIVEO . . . . .                    | 27        |
| norethindrone-eth estradiol . . . . .    | 83 | OJJAARA . . . . .                    | 28        |
| norgestim-eth estrad triphasic . . . . . | 83 | olanzapine . . . . .                 | 38        |
| norgestimate-eth estradiol . . . . .     | 83 | olmesartan medoxomil . . . . .       | 52        |
| norlyda . . . . .                        | 85 | olmesartan medoxomil-hctz . . . . .  | 57        |
| norlyroc . . . . .                       | 85 | olmesartan-amlodipine-hctz . . . . . | 57        |
| NORMOSOL-M IN D5W . . . . .              | 69 | olopatadine hcl . . . . .            | 99,102    |
| NORMOSOL-R . . . . .                     | 69 | omega-3-acid ethyl esters . . . . .  | 60        |
| NORMOSOL-R PH 7.4 . . . . .              | 69 | omeprazole . . . . .                 | 73        |
| nortrel 0.5/35 (28) . . . . .            | 83 | OMNITROPE . . . . .                  | 77        |
| nortrel 1/35 (21) . . . . .              | 83 | ondansetron . . . . .                | 20        |
| nortrel 1/35 (28) . . . . .              | 83 | ONDANSETRON HCL . . . . .            | 20        |

|                                    |       |                                     |        |
|------------------------------------|-------|-------------------------------------|--------|
| ondansetron hcl.....               | 21    | pazopanib hcl.....                  | 32     |
| ONUREG.....                        | 27    | PEDIARIX.....                       | 93     |
| OPSUMIT.....                       | 104   | PEDVAX HIB.....                     | 93     |
| OPVEE.....                         | 97    | peg 3350-kcl-na bicarb-nacl.....    | 71     |
| oralone.....                       | 64    | peg-3350/electrolytes.....          | 72     |
| ORENITRAM.....                     | 104   | PEGANONE.....                       | 15     |
| ORGOVYX.....                       | 87    | PEGASYS.....                        | 90     |
| ORSERDU.....                       | 25    | PEGASYS PROCLICK.....               | 90     |
| orsythia.....                      | 83    | PEMAZYRE.....                       | 32     |
| oseltamivir phosphate.....         | 44    | PEN NEEDLES.....                    | 97     |
| OSPHENA.....                       | 86    | PENBRAYA.....                       | 93     |
| OTEZLA.....                        | 67,89 | penicillamine.....                  | 75     |
| oxandrolone.....                   | 78    | penicillin g potassium.....         | 9      |
| oxaprozin.....                     | 1     | PENICILLIN G SODIUM.....            | 9      |
| oxazepam.....                      | 46    | penicillin v potassium.....         | 9      |
| oxcarbazepine.....                 | 15    | PENTACEL.....                       | 93     |
| oxybutynin chloride.....           | 75    | pentamidine isethionate.....        | 35     |
| oxybutynin chloride er.....        | 75    | pentoxifylline er.....              | 57     |
| oxycodone hcl.....                 | 3,4   | perindopril erbumine.....           | 53     |
| oxycodone-acetaminophen.....       | 4     | periogard.....                      | 64     |
| OXYCODONE-ACETAMINOPHEN.....       | 4     | permethrin.....                     | 67     |
| OXYCODONE-ASPIRIN.....             | 4     | perphenazine.....                   | 20     |
| OZEMPIC (0.25 OR 0.5 MG/DOSE)..... | 47    | PERPHENAZINE-AMITRIPTYLINE.....     | 17     |
| OZEMPIC (1 MG/DOSE).....           | 47    | PERSERIS.....                       | 39     |
| OZEMPIC (2 MG/DOSE).....           | 47    | PFIZERPEN.....                      | 9      |
| <b>P</b>                           |       | phenelzine sulfate.....             | 17     |
| pacerone.....                      | 53    | phenobarbital.....                  | 14     |
| paliperidone er.....               | 38    | phenytek.....                       | 15     |
| pamidronate disodium.....          | 95    | phenytoin.....                      | 15     |
| PANRETIN.....                      | 34    | phenytoin infatabs.....             | 15     |
| pantoprazole sodium.....           | 73    | phenytoin sodium extended.....      | 15     |
| paricalcitol.....                  | 95    | philith.....                        | 83     |
| paroex.....                        | 64    | PHOSPHOLINE IODIDE.....             | 101    |
| paromomycin sulfate.....           | 5     | PIFELTRO.....                       | 42     |
| paroxetine hcl.....                | 18    | pilocarpine hcl.....                | 64,101 |
| paroxetine hcl er.....             | 18    | PIMOZIDE.....                       | 37     |
| PASER.....                         | 24    | pimtrea.....                        | 83     |
| PAXLOVID (150/100).....            | 97    | pindolol.....                       | 54     |
| PAXLOVID (300/100).....            | 97    | pioglitazone hcl.....               | 47     |
| PAZEO.....                         | 99    | pioglitazone hcl-glimepiride.....   | 47     |
|                                    |       | pioglitazone hcl-metformin hcl..... | 47     |

|                                |     |                                |        |
|--------------------------------|-----|--------------------------------|--------|
| piperacillin sod-tazobactam so | 9   | PREMPRO                        | 84     |
| PIQRAY (200 MG DAILY DOSE)     | 32  | prenatal vitamins              | 71     |
| PIQRAY (250 MG DAILY DOSE)     | 32  | prevalite                      | 60     |
| PIQRAY (300 MG DAILY DOSE)     | 32  | previfem                       | 84     |
| pirfenidone                    | 105 | PREVYMIS                       | 40     |
| PIRFENIDONE                    | 105 | PREZCOBIX                      | 44     |
| pirmella 1/35                  | 83  | PREZISTA                       | 44     |
| pirmella 7/7/7                 | 83  | PRIFTIN                        | 24     |
| piroxicam                      | 2   | primaquine phosphate           | 35     |
| PLENVU                         | 71  | primidone                      | 14     |
| podofilox                      | 67  | PRIORIX                        | 93     |
| polycin                        | 99  | PRIVIGEN                       | 89     |
| polymyxin b sulfate            | 7   | PRO COMFORT INSULIN SYRINGE    | 97     |
| polymyxin b-trimethoprim       | 100 | probenecid                     | 22     |
| POMALYST                       | 25  | prochlorperazine               | 20     |
| portia-28                      | 83  | prochlorperazine maleate       | 20     |
| posaconazole                   | 22  | procto-med hc                  | 66     |
| potassium chloride             | 69  | procto-pak                     | 66     |
| potassium chloride crys er     | 69  | proctosol hc                   | 66     |
| potassium chloride er          | 69  | proctozone-hc                  | 66     |
| POTASSIUM CHLORIDE IN DEXTROSE | 71  | PROCYSBI                       | 74     |
| potassium chloride in nacl     | 69  | progesterone                   | 85     |
| potassium citrate er           | 69  | PROGRAF                        | 91     |
| pramipexole dihydrochloride    | 36  | PROLASTIN-C                    | 74     |
| pramipexole dihydrochloride er | 36  | PROLENSA                       | 100    |
| prasugrel hcl                  | 51  | PROLIA                         | 95     |
| pravastatin sodium             | 59  | PROMACTA                       | 51     |
| praziquantel                   | 34  | promethazine hcl               | 20,102 |
| prazosin hcl                   | 52  | promethegan                    | 20     |
| prednisolone                   | 77  | propafenone hcl                | 53     |
| PREDNISOLONE ACETATE           | 100 | propafenone hcl er             | 53     |
| prednisolone sodium phosphate  | 77  | propranolol hcl                | 54     |
| PREDNISOLONE SODIUM PHOSPHATE  | 100 | propranolol hcl er             | 54     |
| prednisone                     | 77  | PROPRANOLOL-HCTZ               | 57     |
| PREDNISONE INTENSOL            | 77  | propylthiouracil               | 88     |
| pregabalin                     | 64  | PROQUAD                        | 93     |
| PREHEVBRIO                     | 93  | protiptyline hcl               | 19     |
| PREMARIN                       | 83  | PULMICORT FLEXHALER            | 102    |
| PREMASOL                       | 69  | PULMOZYME                      | 104    |
| premium lidocaine              | 4   | PURE COMFORT SAFETY PEN NEEDLE | 97     |
| PREMPHASE                      | 83  | PURIXAN                        | 25     |

|                           |    |
|---------------------------|----|
| pyrazinamide              | 24 |
| pyridostigmine bromide    | 23 |
| pyridostigmine bromide er | 23 |
| pyrimethamine             | 35 |

## Q

|                               |    |
|-------------------------------|----|
| qc alcohol                    | 97 |
| QINLOCK                       | 27 |
| QUADRACEL                     | 93 |
| quetiapine fumarate           | 39 |
| quetiapine fumarate er        | 39 |
| quinapril hcl                 | 53 |
| quinapril-hydrochlorothiazide | 57 |
| quinidine gluconate er        | 53 |
| quinidine sulfate             | 54 |
| quinine sulfate               | 35 |

## R

|                            |     |
|----------------------------|-----|
| ra isopropyl alcohol wipes | 97  |
| RABAVERT                   | 93  |
| rabeprazole sodium         | 73  |
| raloxifene hcl             | 86  |
| ramelteon                  | 106 |
| ramipril                   | 53  |
| ranolazine er              | 58  |
| rasagiline mesylate        | 36  |
| RAVICTI                    | 74  |
| reclipsen                  | 84  |
| RECOMBIVAX HB              | 93  |
| REGRANEX                   | 67  |
| relafen                    | 2   |
| RELENZA DISKHALER          | 44  |
| RELISTOR                   | 72  |
| repaglinide                | 48  |
| REPATHA                    | 60  |
| REPATHA PUSHTRONEX SYSTEM  | 60  |
| REPATHA SURECLICK          | 60  |
| RESTASIS                   | 99  |
| RESTASIS MULTIDOSE         | 99  |
| RETACRIT                   | 51  |
| RETEVMO                    | 27  |

|                             |        |
|-----------------------------|--------|
| REVLIMID                    | 25     |
| REXULTI                     | 39     |
| REYATAZ                     | 44     |
| REZLIDHIA                   | 32     |
| REZUROCK                    | 91     |
| RHOPRESSA                   | 101    |
| ribavirin                   | 41,106 |
| RIDAURA                     | 89     |
| rifabutin                   | 23     |
| rifampin                    | 24     |
| RIFATER                     | 24     |
| riluzole                    | 63     |
| RIMANTADINE HCL             | 44     |
| ringers                     | 71     |
| ringers irrigation          | 71     |
| RINVOQ                      | 91     |
| risedronate sodium          | 95     |
| risperidone                 | 39     |
| risperidone microspheres er | 39     |
| ritonavir                   | 44     |
| rivastigmine                | 16     |
| rivastigmine tartrate       | 16     |
| rizatriptan benzoate        | 23     |
| ROCKLATAN                   | 99     |
| roflumilast                 | 104    |
| ropinirole hcl              | 36     |
| ropinirole hcl er           | 36     |
| rosadan                     | 7      |
| rosuvastatin calcium        | 59     |
| ROTARIX                     | 93     |
| ROTATEQ                     | 93     |
| roweepra                    | 13     |
| roweepra xr                 | 13     |
| ROZLYTREK                   | 27     |
| RUBRACA                     | 32     |
| rufinamide                  | 15     |
| RUKOBIA                     | 43     |
| RYBELSUS                    | 48     |
| RYDAPT                      | 32     |

# S

|                              |          |                               |       |
|------------------------------|----------|-------------------------------|-------|
| sajazir                      | 88       | solifenacin succinate         | 75    |
| SANDIMMUNE                   | 91       | SOLTAMOX                      | 25    |
| SANDOSTATIN LAR DEPOT        | 87       | SOLU-CORTEF                   | 77    |
| SANTYL                       | 67       | SOLU-MEDROL                   | 77    |
| sapropterin dihydrochloride  | 74       | SOMATULINE DEPOT              | 87    |
| SCSEMBLIX                    | 32       | SOMAVERT                      | 87    |
| scopolamine                  | 20       | sorafenib tosylate            | 32    |
| SECUADO                      | 39       | sorine                        | 54    |
| SECURESAFE INSULIN SYRINGE   | 97       | sotalol hcl                   | 54    |
| selegiline hcl               | 36       | sotalol hcl (af)              | 54    |
| selenium sulfide             | 66       | SPIRIVA HANDIHALER            | 103   |
| SELZENTRY                    | 43       | SPIRIVA RESPIMAT              | 103   |
| SEREVENT DISKUS              | 103      | spironolactone                | 58    |
| sertraline hcl               | 19       | spironolactone-hctz           | 58    |
| setlakin                     | 84       | sprintec 28                   | 84    |
| sevelamer carbonate          | 70       | SPRITAM                       | 13    |
| sharobel                     | 85       | SPRYCEL                       | 32    |
| SHINGRIX                     | 93       | SPS                           | 70    |
| SIGNIFOR                     | 87       | sronyx                        | 84    |
| sildenafil citrate           | 104      | ssd                           | 67    |
| SILIGENTLE FOAM DRESSING     | 97       | stavudine                     | 42    |
| silodosin                    | 75       | STELARA                       | 67,89 |
| silver sulfadiazine          | 67       | sterile water for irrigation  | 97    |
| SIMBRINZA                    | 101      | STIVARGA                      | 32    |
| simliya                      | 84       | STRENSIQ                      | 74    |
| simpesse                     | 84       | STREPTOMYCIN SULFATE          | 6     |
| simvastatin                  | 59       | STRIBILD                      | 41    |
| sirolimus                    | 92       | subvenite                     | 13    |
| SIRTURO                      | 24       | SUCRAID                       | 74    |
| SKYRIZI                      | 67,72,89 | sucalfate                     | 73    |
| SKYRIZI (150 MG DOSE)        | 89       | sulfacetamide sodium          | 100   |
| SKYRIZI PEN                  | 89       | sulfacetamide sodium (acne)   | 11    |
| SMOFLIPID                    | 71       | SULFACETAMIDE-PREDNISOLONE    | 99    |
| sodium chloride              | 69       | sulfadiazine                  | 11    |
| sodium chloride (pf)         | 69       | sulfamethoxazole-trimethoprim | 11    |
| sodium fluoride              | 71       | SULFAMYLON                    | 68    |
| sodium phenylbutyrate        | 74       | sulfasalazine                 | 94    |
| sodium polystyrene sulfonate | 70       | sulindac                      | 2     |
| SOFOSBUVIR-VELPATASVIR       | 41       | sumatriptan                   | 23    |
|                              |          | sumatriptan succinate         | 23    |
|                              |          | sumatriptan succinate refill  | 23    |

|                               |       |                                    |        |
|-------------------------------|-------|------------------------------------|--------|
| sunitinib malate.....         | 32    | telmisartan-amlodipine.....        | 58     |
| SUNLENCA.....                 | 43    | telmisartan-hctz.....              | 58     |
| SUPRAX.....                   | 8     | temazepam.....                     | 106    |
| SURE COMFORT PEN NEEDLES..... | 97    | TEMIXYS.....                       | 42     |
| syeda.....                    | 84    | TENCON.....                        | 63     |
| SYMDEKO.....                  | 104   | TENIVAC.....                       | 93     |
| SYMLINPEN 120.....            | 48    | tenofovir disoproxil fumarate..... | 42     |
| SYMLINPEN 60.....             | 48    | TEPMETKO.....                      | 33     |
| SYMPAZAN.....                 | 14    | terazosin hcl.....                 | 52     |
| SYMTUZA.....                  | 44    | terbinafine hcl.....               | 22     |
| SYNAREL.....                  | 87    | terbutaline sulfate.....           | 103    |
| SYNERCID.....                 | 7     | terconazole.....                   | 22     |
| SYNJARDY.....                 | 48    | teriflunomide.....                 | 64     |
| SYNJARDY XR.....              | 48    | TERIPARATIDE (RECOMBINANT).....    | 95     |
| SYNRIBO.....                  | 27    | testosterone.....                  | 78     |
| SYNTHROID.....                | 86    | testosterone cypionate.....        | 78     |
| <b>T</b>                      |       | TESTOSTERONE ENANTHATE.....        | 78     |
| TABLOID.....                  | 25    | tetrabenazine.....                 | 63     |
| TABRECTA.....                 | 27    | tetracycline hcl.....              | 12     |
| tacrolimus.....               | 66,92 | THALOMID.....                      | 25     |
| tadalafil (pah).....          | 104   | theophylline er.....               | 104    |
| TAFINLAR.....                 | 33    | THIOLA EC.....                     | 75     |
| TAGRISSO.....                 | 33    | thioridazine hcl.....              | 37     |
| TALTZ.....                    | 89    | thiotepa.....                      | 24     |
| TALZENNA.....                 | 33    | thiothixene.....                   | 37     |
| tamoxifen citrate.....        | 25    | tiadylt er.....                    | 56     |
| tamsulosin hcl.....           | 75    | tiagabine hcl.....                 | 14     |
| tarina 24 fe.....             | 84    | TIBSOVO.....                       | 33     |
| tarina fe 1/20.....           | 84    | TICOVAC.....                       | 93     |
| tarina fe 1/20 eq.....        | 84    | tigecycline.....                   | 7      |
| TASIGNA.....                  | 33    | timolol maleate.....               | 23,100 |
| tasimelteon.....              | 106   | timolol maleate ocudose.....       | 100    |
| tazarotene.....               | 65    | timolol maleate pf.....            | 100    |
| TAZICEF.....                  | 8     | tinidazole.....                    | 7      |
| TAZORAC.....                  | 65    | tiopronin.....                     | 75     |
| taztia xt.....                | 56    | TIROSINT.....                      | 86     |
| TAZVERIK.....                 | 27    | tis-u-sol.....                     | 71     |
| TDVAX.....                    | 93    | TIVICAY.....                       | 41     |
| TEFLARO.....                  | 8     | TIVICAY PD.....                    | 41     |
| telmisartan.....              | 52    | tizanidine hcl.....                | 40     |
|                               |       | TOBI PODHALER.....                 | 104    |

|                                    |         |                                   |       |
|------------------------------------|---------|-----------------------------------|-------|
| TOBRADEX.....                      | 99      | tri-previfem.....                 | 84    |
| tobramycin.....                    | 100,104 | tri-sprintec.....                 | 84    |
| tobramycin sulfate.....            | 6       | tri-vylibra.....                  | 84    |
| tobramycin-dexamethasone.....      | 99      | triamcinolone acetonide.....      | 64,66 |
| TOLAK.....                         | 67      | triamterene-hctz.....             | 58    |
| TOLBUTAMIDE.....                   | 48      | triazolam.....                    | 106   |
| tolterodine tartrate.....          | 75      | triderm.....                      | 66    |
| tolterodine tartrate er.....       | 75      | trientine hcl.....                | 70    |
| topiramate.....                    | 13      | TRIENTINE HCL.....                | 70    |
| topiramate er.....                 | 13      | trifluoperazine hcl.....          | 37    |
| toremifene citrate.....            | 25      | TRIFLURIDINE.....                 | 45    |
| toremide.....                      | 58      | trihexyphenidyl hcl.....          | 35    |
| TOUJEO MAX SOLOSTAR.....           | 49      | TRIKAFTA.....                     | 104   |
| TOUJEO SOLOSTAR.....               | 49      | trilyte.....                      | 72    |
| TPN ELECTROLYTES.....              | 71      | trimethoprim.....                 | 7     |
| TRACLEER.....                      | 104     | trimipramine maleate.....         | 20    |
| TRADJENTA.....                     | 48      | TRINTELLIX.....                   | 19    |
| tramadol hcl.....                  | 4       | TRIUMEQ.....                      | 42    |
| tramadol hcl er.....               | 2       | TRIUMEQ PD.....                   | 42    |
| tramadol-acetaminophen.....        | 4       | trivora (28).....                 | 84    |
| trandolapril.....                  | 53      | TRIZIVIR.....                     | 43    |
| trandolapril-verapamil hcl er..... | 58      | tropium chloride.....             | 75    |
| tranexamic acid.....               | 51      | tropium chloride er.....          | 75    |
| tranlycypromine sulfate.....       | 17      | TRUE COMFORT INSULIN SYRINGE..... | 98    |
| travoprost (bak free).....         | 101     | TRUE COMFORT PEN NEEDLES.....     | 98    |
| trazodone hcl.....                 | 19      | TRULICITY.....                    | 48    |
| TRECTOR.....                       | 24      | TRUMENBA.....                     | 93    |
| TRELEGY ELLIPTA.....               | 106     | TRUQAP.....                       | 28    |
| TRELSTAR MIXJECT.....              | 87      | TUKYSA.....                       | 33    |
| treprostinil.....                  | 104     | tulana.....                       | 86    |
| TRESIBA.....                       | 49      | TURALIO.....                      | 33    |
| TRESIBA FLEXTOUCH.....             | 49      | turqoz.....                       | 84    |
| tretinoin.....                     | 34,65   | TWINRIX.....                      | 93    |
| tretinoin microsphere.....         | 65      | TYBOST.....                       | 43    |
| tretinoin microsphere pump.....    | 65      | TYMLOS.....                       | 95    |
| TREXALL.....                       | 92      | TYPHIM VI.....                    | 93    |
| tri femynor.....                   | 84      | TYSABRI.....                      | 64    |
| tri-estarylla.....                 | 84      |                                   |       |
| tri-linyah.....                    | 84      | <b>U</b>                          |       |
| tri-mili.....                      | 84      | UBRELVY.....                      | 22    |
| tri-nymyo.....                     | 84      | UKONIQ.....                       | 33    |

|                |     |
|----------------|-----|
| unithroid..... | 86  |
| UPTRAVI.....   | 105 |
| ursodiol.....  | 72  |

## V

|                                     |     |
|-------------------------------------|-----|
| valacyclovir hcl.....               | 45  |
| VALCHLOR.....                       | 24  |
| valganciclovir hcl.....             | 40  |
| valproate sodium.....               | 13  |
| valproic acid.....                  | 13  |
| valsartan.....                      | 52  |
| valsartan-hydrochlorothiazide.....  | 58  |
| VALTOCO 10 MG DOSE.....             | 14  |
| VALTOCO 15 MG DOSE.....             | 14  |
| VALTOCO 20 MG DOSE.....             | 14  |
| VALTOCO 5 MG DOSE.....              | 14  |
| vanadom.....                        | 106 |
| vancomycin hcl.....                 | 7   |
| VANDAZOLE.....                      | 7   |
| VANFLYTA.....                       | 27  |
| VAQTA.....                          | 93  |
| varenicline tartrate.....           | 5   |
| varenicline tartrate (starter)..... | 5   |
| varenicline tartrate(continue)..... | 5   |
| VARIVAX.....                        | 94  |
| VELIVET.....                        | 84  |
| VELTASSA.....                       | 70  |
| VENCLEXTA.....                      | 33  |
| VENCLEXTA STARTING PACK.....        | 33  |
| venlafaxine hcl.....                | 19  |
| venlafaxine hcl er.....             | 19  |
| VENTAVIS.....                       | 105 |
| verapamil hcl.....                  | 56  |
| VERAPAMIL HCL ER.....               | 56  |
| verapamil hcl er.....               | 56  |
| VERIFINE INSULIN PEN NEEDLE.....    | 98  |
| VERIFINE INSULIN SYRINGE.....       | 98  |
| VERIFINE PLUS PEN NEEDLE.....       | 98  |
| VERQUVO.....                        | 58  |
| VERSACLOZ.....                      | 39  |
| VERZENIO.....                       | 33  |

|                           |     |
|---------------------------|-----|
| vestura.....              | 84  |
| VICTOZA.....              | 48  |
| vienva.....               | 84  |
| vigabatrin.....           | 14  |
| vigadrone.....            | 15  |
| vigpoder.....             | 15  |
| VIIBRYD STARTER PACK..... | 19  |
| vilazodone hcl.....       | 19  |
| viorele.....              | 84  |
| VIRACEPT.....             | 44  |
| VIREAD.....               | 43  |
| VITRAKVI.....             | 33  |
| VIZIMPRO.....             | 33  |
| volnea.....               | 84  |
| VONJO.....                | 34  |
| voriconazole.....         | 22  |
| VOSEVI.....               | 41  |
| VRAYLAR.....              | 39  |
| vyfemla.....              | 84  |
| vylibra.....              | 84  |
| VYNDAMAX.....             | 58  |
| VYNDAQEL.....             | 74  |
| VYZULTA.....              | 101 |

## W

|                      |     |
|----------------------|-----|
| warfarin sodium..... | 50  |
| WELIREG.....         | 27  |
| wera.....            | 84  |
| wixela inhub.....    | 106 |
| wymzya fe.....       | 84  |

## X

|                                 |       |
|---------------------------------|-------|
| XALKORI.....                    | 33,34 |
| XARELTO.....                    | 50    |
| XARELTO STARTER PACK.....       | 50    |
| XATMEP.....                     | 92    |
| XCOPRI.....                     | 13    |
| XCOPRI (250 MG DAILY DOSE)..... | 13    |
| XCOPRI (350 MG DAILY DOSE)..... | 13    |
| XELJANZ.....                    | 89    |
| XELJANZ XR.....                 | 92    |



|                                  |     |                           |     |
|----------------------------------|-----|---------------------------|-----|
| XERMELO.....                     | 72  | zoledronic acid.....      | 95  |
| XGEVA.....                       | 95  | ZOLINZA.....              | 28  |
| XIFAXAN.....                     | 7   | zolmitriptan.....         | 23  |
| XIGDUO XR.....                   | 48  | zolpidem tartrate.....    | 106 |
| XIIDRA.....                      | 99  | zolpidem tartrate er..... | 106 |
| XOFLUZA (40 MG DOSE).....        | 44  | ZONISADE.....             | 16  |
| XOFLUZA (80 MG DOSE).....        | 44  | zonisamide.....           | 16  |
| XOLAIR.....                      | 89  | ZONTIVITY.....            | 50  |
| XOSPATA.....                     | 34  | zovia 1/35 (28).....      | 85  |
| XPOVIO (100 MG ONCE WEEKLY)..... | 27  | zovia 1/35e (28).....     | 85  |
| XPOVIO (40 MG ONCE WEEKLY).....  | 28  | ZTALMY.....               | 13  |
| XPOVIO (40 MG TWICE WEEKLY)..... | 28  | ZUBSOLV.....              | 5   |
| XPOVIO (60 MG ONCE WEEKLY).....  | 28  | zumandimine.....          | 85  |
| XPOVIO (60 MG TWICE WEEKLY)..... | 28  | ZURZUVAE.....             | 17  |
| XPOVIO (80 MG ONCE WEEKLY).....  | 28  | ZYDELIG.....              | 34  |
| XPOVIO (80 MG TWICE WEEKLY)..... | 28  | ZYKADIA.....              | 34  |
| XTANDI.....                      | 25  | ZYLET.....                | 99  |
| xulane.....                      | 84  | ZYPREXA RELPREVV.....     | 39  |
| XYREM.....                       | 107 |                           |     |

## Y

|               |    |
|---------------|----|
| yargesa.....  | 74 |
| YF-VAX.....   | 94 |
| yuvaferm..... | 85 |

## Z

|                           |     |
|---------------------------|-----|
| zafemy.....               | 85  |
| zafirlukast.....          | 103 |
| zaleplon.....             | 106 |
| zarah.....                | 85  |
| ZARXIO.....               | 51  |
| zebutal.....              | 63  |
| ZEJULA.....               | 34  |
| ZELBORAF.....             | 34  |
| zenatane.....             | 65  |
| ZENPEP.....               | 74  |
| zenzedi.....              | 61  |
| zidovudine.....           | 43  |
| ziprasidone hcl.....      | 39  |
| ziprasidone mesylate..... | 39  |
| ZIRGAN.....               | 40  |



## NONDISCRIMINATION NOTICE

Discrimination is against the law. Blue Shield of California complies with applicable state laws and federal civil rights laws and does not discriminate on the basis of race, color, national origin, ancestry, religion, sex, marital status, gender, gender identity, sexual orientation, age or disability. Blue Shield of California does not exclude people or treat them differently because of race, color, national origin, ancestry, religion, sex, marital status, gender, gender identity, sexual orientation, age or disability.

Blue Shield of California provides:

- Aids and services at no cost to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact the Blue Shield of California Civil Rights Coordinator.

If you believe that Blue Shield of California has failed to provide these services or discriminated in another way on the basis of race, color, national origin, ancestry, religion, sex, marital status, gender, gender identity, sexual orientation, age or disability, you can file a grievance with:

Blue Shield of California  
Civil Rights Coordinator  
P.O. Box 629007  
El Dorado Hills, CA 95762-9007  
Phone: (844) 831-4133 (TTY: 711)  
Fax: (844) 696-6070  
Email: [BlueShieldCivilRightsCoordinator@blueshieldca.com](mailto:BlueShieldCivilRightsCoordinator@blueshieldca.com)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

**Multi-Language Insert**  
**Multi-Language Interpreter Services**

**English** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-800-776-4466. Someone who speaks English can help you. This is a free service.

**Spanish** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-800-776-4466. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-800-776-4466。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-800-776-4466。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggagamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-800-776-4466. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-800-776-4466. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-800-776-4466 sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-800-776-4466. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-800-776-4466 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-800-776-4466. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول ليس عليك سوى الاتصال بنا على 1-800-776-4466. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية على مترجم فوري،

**Hindi** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-800-776-4466 पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है.

**Italian** E disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-800-776-4466. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-800-776-4466. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-800-776-4466. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-800-776-4466. Ta usługa jest bezpłatna.

**Japanese** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、1-800-776-4466 にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。

**Hmong** Peb muaj cov kev pab cuam txhais lus pab dawb los teb tej lus nug uas koj muaj hais txog ntawm peb li kev noj qab haus huv los sis lub phiaj xwm tshuaj kho mob. Kom tau txais tus kws pab cuam txhais lus, tsuas yog hu rau peb ntawm 1-800-776-4466. Muaj cov paub lus Hmoob tuaj yeem pab tau koj. Qhov no yog pab dawb.

**Ukrainian** Ми надаємо безкоштовні послуги перекладача, щоб відповісти на будь-які запитання щодо нашого плану лікування чи надання лікарських засобів. Щоб скористатися послугами перекладача, просто зателефонуйте нам за номером 1-800-776-4466. Вам може допомогти хтось, хто розмовляє Українською. Це безкоштовна послуга.

**Navajo** D77 ats'77s baa lhly3 47 doodago azee' bee aa lhly3 b7na'7d7[kidgo 47 n1 ata' hodoolnih77 h0l=. Ata' halne'4 biniiy4go, koj8' 1-800-776-4466 b44sh bee hod77lnih. Diné k'ehj7 y1[ti'i n7k1 adoolwo]. D77 t'1l j77k'eh bee an1'1wo.

**Punjabi** ਪੰਜਾਬੀ ਸਾਡੀ ਸਿਹਤ ਨਾਂ ਡਰੱਗ ਪਲਾਨ ਬਾਰੇ ਤੁਹਾਡੇ ਕਿਸੇ ਵੀ ਸਵਾਲ ਦਾ ਜਵਾਬ ਦੇਣ ਲਈ ਸਾਡੇ ਕੋਲ ਮੁਫਤ ਦੁਆਰਾ ਸੇਵਾਵਾਂ ਉਪਲਬਧ ਹਨ। ਇੱਕ ਦੁਆਰਾ ਲੈਣ ਲਈ, ਸਾਨੂੰ 1-800-776-4466 'ਤੇ ਕਾਲ ਕਰੋ। ਪੰਜਾਬੀ ਬੋਲਣ ਵਾਲਾ ਕੋਈ ਵੀ ਵਿਅਕਤੀ ਤੁਹਾਡੀ ਮਦਦ ਕਰ ਸਕਦਾ ਹੈ। ਇਹ ਇੱਕ ਮੁਫਤ ਸੇਵਾ ਹੈ।

**Khmer** យើងមានសេវាអ្នកបកប្រែផ្តល់មាត់ដោយឥតគិតថ្លៃដើម្បីឆ្លើយសំណួរនានា ដែលអ្នកអាចមានអំពីសុខភាព ឬគម្រោងឱសថរបស់យើង។ ដើម្បីទទួលបានអ្នកបកប្រែផ្តល់មាត់ម្នាក់ សូមទូរស័ព្ទមកយើងខ្ញុំតាមលេខ 1-800-776-4466។ អ្នកណាម្នាក់ដែលនិយាយភាសាខ្មែរអាចជួយអ្នកបាន។ សេវានេះមិនគិតថ្លៃនោះទេ។

**Mien** Yie mbuo mbenc duqv maaih tengx wang-henh nzie faan waac mienh liouh dau waac bun muangx dongh nzunc baav meih maaih waac naaic taux yie mbuo gorngv taux yie nyei heng-wangc jauv-louc a'fai ndie-daan. Liouh lorx zipv longc faan waac nor, douc waac lorx taux yie mbuo yiem njiec naaiv 1-800-776-4466. Maaih mienh gorngv benx Mienh waac haih tengx nzie duqv meih. Naaiv se benx wang-henh nzie weih jauv-louc oc.

**Lao** ພວກເຮົາມີນາຍພາສາໂດຍບໍ່ເສຍຄ່າເພື່ອຕອບຄໍາຖາມຕ່າງໆທີ່ທ່ານອາດຈະມີກ່ຽວກັບສຸຂະພາບ ຫຼື ແຜນການຢາຂອງພວກເຮົາ. ເພື່ອໃຫ້ໄດ້ຮັບນາຍພາສາ, ພຽງແຕ່ໂທຫາພວກເຮົາທີ່ເບີ 1-800-776-4466. ມີຜູ້ຮູ້ພາສາລາວ ສາມາດຊ່ວຍທ່ານ. ນີ້ແມ່ນບໍລິການໂດຍບໍ່ເສຍຄ່າ.

**Armenian** Մեզ քոտ հասանելի է անվճար թարգմանչական ծառայություններ՝ մեր առողջապահական կազմակերպիչի հետ կապված Ձեր ցանկացած հարցի և պատասխանելու համար: Թարգմանիչ ունենալու համար պարզապես զանգահարեք մեզ 1-800-776-4466 հեռախոսահամարով: Ձեզ կօգնի հարցերն իմացող թարգմանիչը: Ծառայությունն անվճար է:

**Farsi** ما خدمات مترجم شفاهی رایگان ارائه می‌دهیم تا به هر گونه سوالی که در مورد طرح سلامت یا داروی ما دارید پاسخ دهیم. برای داشتن مترجم شفاهی، کافیت با ما به شماره 1-800-776-4466 تماس بگیرید. کسی که فارسی صحبت می‌کند می‌تواند به شما کمک کند. این یک خدمت رایگان است.

**Thai** ภาษาไทย เรามีบริการล่ามฟรีเพื่อตอบคำถามของคุณเกี่ยวกับสุขภาพหรือแผนด้านยาของคุณ หากต้องการบริการล่าม โปรดโทรหาเราที่ 1-800-776-4466 มีคนที่สามารถพูดภาษาไทยได้เพื่อช่วยเหลือคุณ บริการนี้เป็นบริการฟรี

This formulary was updated on **06/20/2024** . For more recent information or other questions, please contact Blue Shield of California Customer Service, at **(800) 776-4466** or, for TTY users, **711**, 8 a.m. to 8 p.m., seven days a week, or visit **[blueshieldca.com/medformulary2024](https://blueshieldca.com/medformulary2024)**.

Blue Shield of California's pharmacy network includes limited lower-cost, preferred pharmacies in certain counties within California. The lower costs advertised in our plan materials for these pharmacies may not be available at the pharmacy you use. For up-to-date information about our network pharmacies, including whether there are any lower-cost preferred pharmacies in your area, please call **(800) 776-4466 [TTY: 711]**, 8 a.m. to 8 p.m., seven days a week or consult the online pharmacy directory at **[blueshieldca.com/medpharmacy2024](https://blueshieldca.com/medpharmacy2024)**.

The company complies with applicable state laws and federal civil rights laws and does not discriminate, exclude people, or treat them differently on the basis of race, color, national origin, ethnic group identification, medical condition, genetic information, ancestry, religion, sex, marital status, gender, gender identity, sexual orientation, age, mental disability, or physical disability. La compañía cumple con las leyes de derechos civiles federales y estatales aplicables, y no discrimina, ni excluye ni trata de manera diferente a las personas por su raza, color, país de origen, identificación con determinado grupo étnico, condición médica, información genética, ascendencia, religión, sexo, estado civil, género, identidad de género, orientación sexual, edad, ni discapacidad física ni mental. 本公司遵守適用的州法律和聯邦民權法律，並且不會以種族、膚色、原國籍、族群認同、醫療狀況、遺傳資訊、血統、宗教、性別、婚姻狀況、性別認同、性取向、年齡、精神殘疾或身體殘疾而進行歧視、排斥或區別對待他人。