



Blue Shield Medicare (PPO)

# 2024 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE  
DRUGS WE COVER IN THIS PLAN**

Formulary ID 24334, Version **25**

This formulary was updated on **10/22/2024**. For more recent information or other questions, please contact Blue Shield of California Customer Service, at **(800) 776-4466** or, for TTY users, **711**, 8 a.m. to 8 p.m., seven days a week, or visit [blueshieldca.com/medformulary2024](https://blueshieldca.com/medformulary2024).

Blue Shield of California is an independent member of the Blue Shield Association.

A53848-1023 ( 10/24 )

Y0118\_23\_376B\_C 07212023

**10/22/2024**

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Blue Shield of California. When it refers to “plan” or “our plan,” it means Blue Shield Medicare.

This document includes a list of the drugs (formulary) for our plan which is current as of **10/22/2024** . For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025 and from time to time during the year.

## **What is the Blue Shield Medicare Formulary?**

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but our plan may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Blue Shield Medicare’s Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
  
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary; or add new restrictions to the brand-name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Blue Shield Medicare’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of **10/22/2024** . To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If we make any other negative formulary changes during the year, the changes will be posted on our website at [blueshieldca.com/medformulary2024](https://blueshieldca.com/medformulary2024).

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page number 1. Then look under the category name for your drug.

## **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 120 . The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Our plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides 18 tablets per 30-day prescription for *sumatriptan* (generic for IMITREX). This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover *Drug B unless* you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Plan's formulary?" on page iv for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Blue Shield Medicare's Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Our transition policy applies to members who are stabilized on:

- Part D drugs not on the plan formulary, or
- Part D drugs previously covered by exception upon expiration of the exception, or
- Part D drugs on the plan formulary with a prior authorization, step therapy or a quantity limit requirement, or
- Part D drugs as listed above, where a distinction cannot be made at point of service whether it is a new or ongoing prescription drug

And are members in any of the following scenarios:

- new members following the annual coordinated election period,
- newly eligible members transitioning from other coverage at the beginning of a contract year,
- transitioning individuals who switch from one Blue Shield plan to another after the beginning of a contract year,
- members residing in long-term care (LTC) facilities, or
- in some cases, current members affected by formulary changes from one plan year to the next.

Members continuing coverage into a new plan year and experiencing negative formulary changes will have coverage continued for selected drugs in the new plan year, as determined by our plan and in accordance with the Centers for Medicare and Medicaid Services (CMS) guidance for Part D drugs. Plan members on drugs that were not selected for automatic continued coverage will be provided a transition process consistent with the transition process required for new members beginning in the new plan year. The transition policy will be extended across plan years if a member enrolls in a plan with an effective enrollment date of either November 1 or December 1 and needs access to a transition supply.

During the transitional stage, members may talk to their prescribers to decide whether they should switch to a different drug that we cover or request a formulary exception in order to get coverage for the drug, if it is not on our formulary or has restrictions such as step therapy or prior authorization. Members may contact our plan Customer Service for assistance in initiating a prior authorization or exception request. Prior authorization or exception request forms are available on our website and are also provided upon request to members and prescribers, via mail, email or fax.

Per our transition policy, in conjunction with network pharmacies, a temporary supply of non-formulary Part D drugs or formulary drugs with coverage restrictions will be provided in order to prevent interruptions in continuing therapy. This temporary supply also provides sufficient time for members to work with their prescribers to switch to a therapeutically equivalent formulary medication, or to complete a formulary exception request based on medical necessity. Requests for prior authorization of formulary drugs are reviewed against the CMS approved coverage criteria and formulary exception requests are reviewed for medical necessity by Blue Shield pharmacy technicians, pharmacists and/or physicians. If a formulary exception request is denied, we will provide the prescriber a list of appropriate therapeutic alternatives. A letter will also be sent to you providing instructions on how to appeal the decision.

The transitional supply is a one-time, 30-day temporary supply (unless the prescription is written for fewer days in which case we will cover multiple fills to provide up to a total of 30 days of medication) of the non-formulary drug at a retail pharmacy during the first 90 days of new membership beginning on your effective date of coverage in our plan. Refills may be provided for transition prescriptions dispensed for less than the written amount, due to a plan quantity limit edit for safety or drug utilization edits that are based on approved product labeling, and for up to a total of a 30-day supply. If you are affected by a negative formulary change from one year to the next, we will provide up to a 30-day temporary supply of the non-formulary drug, if you need a refill for the drug during the first 90 days of the new plan year.

Retail and LTC pharmacies have the ability to provide a point-of-sale override for coverage of a transition supply of a drug that is non-formulary, requires prior authorization or step therapy unless the drug is subject to review for Part B vs. Part D determination, limits to prevent coverage of non-Part D drugs or limits that promote safe utilization of a Part D drug. We will cover a 30-day supply (unless the prescription is written for fewer days in which case we will cover multiple fills to provide up to a total of 30 days of medication). The cost-sharing

for low-income subsidy (LIS) eligible members for a temporary supply of drugs provided under the transition process will not exceed the statutory maximum co-payment amounts for LIS eligible members. For all other members (non-LIS members), we will apply the same cost-sharing for non-formulary Part D drugs provided during the transition that would apply for non-formulary drugs approved through a formulary exception and the same cost-sharing for formulary drugs subject to utilization management edits provided during the transition that would apply once the utilization management criteria are met. Members will not be required to pay additional cost-sharing associated with multiple fills of lesser quantities of Part D drugs based upon quantity limits for safety once the originally prescribed doses of Part D drugs have been determined to be medically necessary after an exception process has been completed.

After we cover the temporary 30-day supply, we generally will not pay for these drugs as part of our transition policy again. We will send written notice within 3 business days of the transitional fill after we cover the temporary supply. This notice will contain an explanation of the temporary nature of the transition supply received, instructions for working with us and the prescriber to identify appropriate therapeutic alternatives that are on our formulary, an explanation of your right to request a formulary exception, and a description of the procedures for requesting a formulary exception. If a transition supply has been provided once and you are currently in the process of receiving a coverage determination, the transition supply may be extended by one additional 30-day prescription fill beyond the initial 30-day supply, unless you present with a prescription written for less than 30 days. The extension of the transition period is on a case-by-case basis, to the extent that your exception request or appeal has not been processed by the end of the minimum day transition period and until such time as a transition has been made (either through a switch to an appropriate formulary drug or a decision on an exception request).

If you are a resident of a long-term-care facility (like a nursing home), we will cover supplies of Part D drugs in increments of 14 days or less for a temporary 31-day transition supply unless the prescription is written for fewer days during the first 90 days you are enrolled in our Plan, beginning on your effective date of coverage.

Please note that our transition policy applies only to those drugs that are "Part D drugs" and bought at a network pharmacy. The transition policy can't be used to buy a non-Part D drug or a drug out of network, unless you qualify for out-of-network access.

## **For more information**

For more detailed information about your plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.



If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800- MEDICARE (1-800-633-4227)** 24 hours a day/7 days a week. TTY users should call **1-877-486-2048**. Or, visit <http://www.medicare.gov>.

## **Plan Formulary**

The formulary below provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 120 .

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., ELIQUIS) and generic drugs are listed in lower-case italics (e.g., *amoxicillin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

LEGEND

TIER	NAME
gen	Generic Drugs
brd	Preferred Brand Drugs
npd	Non-Preferred Drugs
spec	Specialty Tier Drugs

SYMBOL	NAME	DESCRIPTION
ED	Excluded Part D Drug	This prescription drug is not normally covered in a Medicare Prescription Drug Plan; however, Blue Shield covers this drug as a supplemental benefit. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help from Medicare or Social Security to pay for your prescriptions, you will not get any extra help to pay for this drug.
LA	Limited Access	This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call our Customer Service.
PA	Prior Authorization	Coverage for this prescription requires prior authorization from Blue Shield. Call Blue Shield to provide the necessary information to determine coverage. Some drugs may require Part B or Part D coverage determination, based on Medicare coverage rules. These drugs are noted with "PA – Part B vs. D Determination"
QL	Quantity Limit	This medication has a dosing or prescription quantity limit. Maximum daily dose limits are defined by the FDA and listed in the drug package insert. Other quantity limits encourage consolidated dosing when possible.
ST	Step Therapy	Coverage for this prescription is provided when other first-line or preferred drug therapies have been tried (step therapy).
NDS	Non-Extended Day Supply	Medication is NOT available for long-term supply.
VAC	\$0 Vaccine	Our plan covers most Part D vaccines at no cost to you. Call Customer Service for more information.
INS	Covered Insulin	You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>ANALGESICS</b>		
<b>NONSTEROIDAL ANTI-INFLAMMATORY DRUGS</b>		
BUTALBITAL-ASPIRIN-CAFFEINE (50-325-40 MG CAP, 50-325-40 MG TAB)	gen	PA, QL (48 PER 30 OVER TIME), NDS
<i>cataflam 50 mg tab</i>	gen	
<i>celecoxib (50 mg cap, 100 mg cap, 200 mg cap)</i>	gen	QL (2 PER 1 DAYS)
<i>celecoxib 400 mg cap</i>	gen	QL (1 PER 1 DAYS)
<i>diclofenac potassium 50 mg tab</i>	gen	
<i>diclofenac sodium (1 % gel, 1.5 % solution, 25 mg tab dr, 50 mg tab dr, 75 mg tab dr)</i>	gen	
<i>diclofenac sodium er 100 mg tab er 24h</i>	gen	
<i>diclofenac-misoprostol (50-0.2 mg tab dr, 75-0.2 mg tab dr)</i>	gen	
<i>diflunisal 500 mg tab</i>	gen	
<i>ec-naproxen (375 mg tab dr, 500 mg tab dr)</i>	gen	
<i>etodolac (200 mg cap, 300 mg cap, 400 mg tab, 500 mg tab)</i>	gen	
<i>etodolac er (er 400 mg tab er 24h, er 500 mg tab er 24h, er 600 mg tab er 24h)</i>	gen	
FLURBIPROFEN (50 MG TAB, 100 MG TAB)	gen	
<i>ibu (400 mg tab, 600 mg tab, 800 mg tab)</i>	gen	
<i>ibuprofen (400 mg tab, 600 mg tab, 800 mg tab)</i>	gen	
<i>indomethacin (25 mg cap, 50 mg cap)</i>	gen	
<i>indomethacin er 75 mg cap er</i>	gen	
<i>meloxicam (7.5 mg tab, 15 mg tab)</i>	gen	
<i>nabumetone (500 mg tab, 750 mg tab)</i>	gen	
<i>naproxen (250 mg tab, 375 mg tab, 375 mg tab dr, 500 mg tab, 500 mg tab dr)</i>	gen	
<i>naproxen dr 500 mg tab dr</i>	gen	
<i>naproxen sodium (275 mg tab, 550 mg tab)</i>	gen	
<i>oxaprozin 600 mg tab</i>	gen	
<i>piroxicam (10 mg cap, 20 mg cap)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>relafen (500 mg tab, 750 mg tab)</i>	gen	
<i>salsalate (500 mg tab, 750 mg tab)</i>	gen	
<i>sulindac (150 mg tab, 200 mg tab)</i>	gen	

## **OPIOID ANALGESICS, LONG-ACTING**

<i>buprenorphine (5 mcg/hr patch wk, 7.5 mcg/hr patch wk, 10 mcg/hr patch wk, 15 mcg/hr patch wk, 20 mcg/hr patch wk)</i>	gen	PA, QL (4 PER 28 OVER TIME), NDS
<i>fentanyl (12 mcg/hr patch 72hr, 25 mcg/hr patch 72hr, 50 mcg/hr patch 72hr, 75 mcg/hr patch 72hr, 100 mcg/hr patch 72hr)</i>	gen	PA, QL (10 PER 30 OVER TIME), NDS
<i>hydromorphone hcl er (er 8 mg tab er 24h, er 16 mg tab er 24h, er 32 mg tab er 24h)</i>	gen	PA, QL (30 PER 30 OVER TIME), NDS
<i>hydromorphone hcl er 12 mg tab er 24h</i>	gen	PA, QL (60 PER 30 OVER TIME), NDS
<i>methadone hcl (10 mg tab, 10 mg/ml conc)</i>	gen	PA, QL (90 PER 30 OVER TIME), NDS
<i>methadone hcl 10 mg/5ml solution</i>	gen	PA, QL (450 PER 30 OVER TIME), NDS
<i>methadone hcl 10 mg/ml solution</i>	npd	PA, NDS
<i>methadone hcl 40 mg tab sol</i>	gen	QL (1 PER 1 DAYS), NDS
<i>methadone hcl 5 mg tab</i>	gen	PA, QL (180 PER 30 OVER TIME), NDS
<i>methadone hcl 5 mg/5ml solution</i>	gen	PA, QL (900 PER 30 OVER TIME), NDS
<i>methadone hcl intensol 10 mg/ml conc</i>	gen	PA, QL (90 PER 30 OVER TIME), NDS
<i>methadose 40 mg tab sol</i>	gen	QL (1 PER 1 DAYS), NDS
<i>morphine sulfate er (er 60 mg tab er, er 100 mg tab er, er 200 mg tab er)</i>	gen	QL (60 PER 30 OVER TIME), NDS
<i>morphine sulfate er 15 mg tab er</i>	gen	QL (180 PER 30 OVER TIME), NDS
<i>morphine sulfate er 30 mg tab er</i>	gen	QL (90 PER 30 OVER TIME), NDS
<b>OXYCODONE HCL ER (ER 10 MG TB12 DETER, ER 15 MG TB12 DETER, ER 20 MG TB12 DETER, ER 30 MG TB12 DETER, ER 40 MG TB12 DETER, ER 60 MG TB12 DETER, ER 80 MG TB12 DETER)</b>	gen	PA, QL (2 PER 1 DAYS), NDS
<b>OXYMORPHONE HCL ER (ER 5 MG TAB ER 12H, ER 7.5 MG TAB ER 12H, ER 10 MG TAB ER 12H, ER 15 MG TAB ER 12H, ER 20 MG TAB ER 12H, ER 30 MG TAB ER 12H, ER 40 MG TAB ER 12H)</b>	gen	PA, QL (2 PER 1 DAYS), NDS

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>tramadol hcl (er biphasic) (biphasic) 100 mg tab er 24h, biphasic) 200 mg tab er 24h, biphasic) 300 mg tab er 24h)</i>	gen	PA, QL (1 PER 1 DAYS), NDS
<i>tramadol hcl er (er 100 mg tab er 24h, er 200 mg tab er 24h, er 300 mg tab er 24h)</i>	gen	PA, QL (1 PER 1 DAYS), NDS

## **OPIOID ANALGESICS, SHORT-ACTING**

ACETAMINOPHEN-CODEINE (120-12 MG/5ML SOLUTION, 300-30 MG/12.5ML SOLUTION)	gen	QL (1800 PER 30 OVER TIME), NDS
<i>acetaminophen-codeine (300-15 mg tab, 300-30 mg tab)</i>	gen	QL (12 PER 1 DAYS), NDS
<i>acetaminophen-codeine 300-60 mg tab</i>	gen	QL (6 PER 1 DAYS), NDS
APAP-CAFF-DIHYDROCODEINE 325-30-16 MG TAB	gen	PA, QL (10 PER 1 DAYS), NDS
<i>ascomp-codeine 50-325-40-30 mg cap</i>	gen	PA, QL (48 PER 30 OVER TIME), NDS
<i>butalbital-apap-caff-cod 50-325-40-30 mg cap</i>	gen	PA, QL (48 PER 30 OVER TIME), NDS
<i>butalbital-asa-caff-codeine 50-325-40-30 mg cap</i>	gen	PA, QL (48 PER 30 OVER TIME), NDS
<i>butorphanol tartrate 10 mg/ml solution</i>	gen	QL (15 PER 28 OVER TIME), NDS
CODEINE SULFATE 15 MG TAB	gen	QL (336 PER 30 OVER TIME), NDS
<i>codeine sulfate 30 mg tab</i>	gen	QL (168 PER 30 OVER TIME), NDS
CODEINE SULFATE 60 MG TAB	gen	QL (84 PER 30 OVER TIME), NDS
<i>dvorah 325-30-16 mg tab</i>	gen	PA, QL (10 PER 1 DAYS), NDS
<i>endocet (2.5-325 mg tab, 5-325 mg tab)</i>	gen	QL (168 PER 30 OVER TIME), NDS
<i>endocet 10-325 mg tab</i>	gen	QL (84 PER 30 OVER TIME), NDS
<i>endocet 7.5-325 mg tab</i>	gen	QL (112 PER 30 OVER TIME), NDS
FENTANYL CITRATE (100 MCG TAB, 200 MCG LOZ HANDLE, 200 MCG TAB, 400 MCG LOZ HANDLE, 400 MCG TAB, 600 MCG LOZ HANDLE, 600 MCG TAB, 800 MCG LOZ HANDLE, 800 MCG TAB, 1200 MCG LOZ HANDLE, 1600 MCG LOZ HANDLE)	gen	PA, QL (120 PER 30 OVER TIME), NDS
<i>hydrocodone-acetaminophen (2.5-108 mg/5ml solution, 5-217 mg/10ml solution, 7.5-325 mg/15ml solution)</i>	gen	QL (2520 PER 30 OVER TIME), NDS
<i>hydrocodone-acetaminophen (7.5-300 mg tab, 10-300 mg tab)</i>	gen	PA, QL (6 PER 1 DAYS), NDS
<i>hydrocodone-acetaminophen (7.5-325 mg tab, 10-325 mg tab)</i>	gen	QL (6 PER 1 DAYS), NDS

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>hydrocodone-acetaminophen 5-300 mg tab</i>	gen	PA, QL (8 PER 1 DAYS), NDS
<i>hydrocodone-acetaminophen 5-325 mg tab</i>	gen	QL (8 PER 1 DAYS), NDS
<i>hydrocodone-ibuprofen (5-200 mg tab, 7.5-200 mg tab, 10-200 mg tab)</i>	gen	QL (5 PER 1 DAYS), NDS
<i>hydromorphone hcl 1 mg/ml liquid</i>	gen	QL (675 PER 30 OVER TIME), NDS
<i>hydromorphone hcl 2 mg tab</i>	gen	QL (154 PER 30 OVER TIME), NDS
HYDROMORPHONE HCL 3 MG SUPPOS	gen	QL (240 PER 30 OVER TIME), NDS, ED
<i>hydromorphone hcl 4 mg tab</i>	gen	QL (84 PER 30 OVER TIME), NDS
<i>hydromorphone hcl 8 mg tab</i>	gen	QL (42 PER 30 OVER TIME), NDS
<i>morphine sulfate (15 mg tab, 30 mg tab)</i>	gen	QL (120 PER 30 OVER TIME), NDS
MORPHINE SULFATE (5 MG SUPPOS, 10 MG SUPPOS, 20 MG SUPPOS, 30 MG SUPPOS)	gen	QL (84 PER 30 OVER TIME), NDS, ED
<i>morphine sulfate (concentrate) ((concentrate) 20 mg/ml solution, (concentrate) 100 mg/5ml solution)</i>	gen	QL (70 PER 30 OVER TIME), NDS
<i>morphine sulfate 10 mg/5ml solution</i>	gen	QL (630 PER 30 OVER TIME), NDS
<i>morphine sulfate 20 mg/5ml solution</i>	gen	QL (315 PER 30 OVER TIME), NDS
<i>oxycodone hcl (15 mg tab, 30 mg tab)</i>	gen	QL (56 PER 30 OVER TIME), NDS
<i>oxycodone hcl (20 mg tab, 100 mg/5ml conc)</i>	gen	QL (120 PER 30 OVER TIME), NDS
<i>oxycodone hcl (5 mg cap, 5 mg tab)</i>	gen	QL (168 PER 30 OVER TIME), NDS
<i>oxycodone hcl 10 mg tab</i>	gen	QL (84 PER 30 OVER TIME), NDS
<i>oxycodone hcl 5 mg/5ml solution</i>	gen	QL (840 PER 30 OVER TIME), NDS
<i>oxycodone-acetaminophen (2.5-325 mg tab, 5-325 mg tab)</i>	gen	QL (168 PER 30 OVER TIME), NDS
<i>oxycodone-acetaminophen 10-325 mg tab</i>	gen	QL (84 PER 30 OVER TIME), NDS
OXYCODONE-ACETAMINOPHEN 5-325 MG/5ML SOLUTION	gen	QL (840 PER 30 OVER TIME), NDS
<i>oxycodone-acetaminophen 7.5-325 mg tab</i>	gen	QL (112 PER 30 OVER TIME), NDS
OXYCODONE-ASPIRIN 4.8355-325 MG TAB	gen	QL (168 PER 30 OVER TIME), NDS
<i>oxymorphone hcl 10 mg tab</i>	gen	PA, QL (120 PER 30 OVER TIME), NDS
<i>oxymorphone hcl 5 mg tab</i>	gen	PA, QL (180 PER 30 OVER TIME), NDS
<i>pentazocine-naloxone hcl 50-0.5 mg tab</i>	gen	QL (12 PER 1 DAYS), NDS
<i>tramadol hcl 100 mg tab</i>	gen	QL (4 PER 1 DAYS), NDS

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>tramadol hcl 50 mg tab</i>	gen	QL (8 PER 1 DAYS), NDS
<i>tramadol-acetaminophen 37.5-325 mg tab</i>	gen	QL (112 PER 30 OVER TIME), NDS

## ANESTHETICS

### LOCAL ANESTHETICS

<i>lidocaine 5 % ointment</i>	gen	QL (50 PER 30 OVER TIME)
<i>lidocaine 5 % patch</i>	gen	PA, QL (3 PER 1 DAYS)
<i>lidocaine hcl 4 % solution</i>	gen	
LIDOCAINE HCL 4 % SOLUTION	brd	
<i>lidocaine viscous hcl 2 % solution</i>	gen	
<i>lidocaine-prilocaine 2.5-2.5 % cream</i>	gen	QL (30 PER 30 OVER TIME)
<i>lidocan 5 % patch</i>	gen	PA, QL (3 PER 1 DAYS)
NAYZILAM 5 MG/0.1ML SOLUTION	spec	QL (10 PER 30 OVER TIME)
<i>premium lidocaine 5 % ointment</i>	gen	QL (50 PER 30 OVER TIME)

## ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS

### ALCOHOL DETERRENTS/ANTI-CRAVING

<i>acamprosate calcium 333 mg tab dr</i>	gen	
<i>disulfiram (250 mg tab, 500 mg tab)</i>	gen	

### OPIOID DEPENDENCE

<i>buprenorphine hcl 2 mg sl tab</i>	gen	QL (12 PER 1 DAYS)
<i>buprenorphine hcl 8 mg sl tab</i>	gen	QL (3 PER 1 DAYS)
<i>buprenorphine hcl-naloxone hcl (-naloxone 2-0.5 mg film, -naloxone 4-1 mg film)</i>	gen	QL (5 PER 1 DAYS)
<i>buprenorphine hcl-naloxone hcl (-naloxone 8-2 mg film, -naloxone 8-2 mg sl tab)</i>	gen	QL (3 PER 1 DAYS)
<i>buprenorphine hcl-naloxone hcl 12-3 mg film</i>	gen	QL (2 PER 1 DAYS)
<i>buprenorphine hcl-naloxone hcl 2-0.5 mg sl tab</i>	gen	QL (12 PER 1 DAYS)
ZUBSOLV (0.7-0.18 MG SL TAB, 1.4-0.36 MG SL TAB, 5.7-1.4 MG SL TAB)	npd	QL (3 PER 1 DAYS)
ZUBSOLV (2.9-0.71 MG SL TAB, 11.4-2.9 MG SL TAB)	npd	QL (1 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
ZUBSOLV 8.6-2.1 MG SL TAB	npd	QL (2 PER 1 DAYS)
<b>OPIOID REVERSAL AGENTS</b>		
<i>naloxone hcl (0.4 mg/ml soln cart, 0.4 mg/ml soln prsy, 0.4 mg/ml solution, 2 mg/2ml soln prsy, 4 mg/10ml solution)</i>	gen	
<i>naloxone hcl 4 mg/0.1ml liquid</i>	gen	QL (2 PER 30 OVER TIME)
<i>naltrexone hcl 50 mg tab</i>	gen	
<b>SMOKING CESSATION AGENTS</b>		
<i>bupropion hcl er (smoking det) 150 mg tab er 12h</i>	gen	QL (2 PER 1 DAYS)
NICOTROL 10 MG INHALER	brd	
NICOTROL NS 10 MG/ML SOLUTION	brd	
<i>varenicline tartrate (0.5 mg tab, 1 mg tab)</i>	gen	QL (2 PER 1 DAYS)
<i>varenicline tartrate (starter) 0.5 mg x 11 &amp; 1 mg x 42 tab thpk</i>	gen	QL (53 PER 30 OVER TIME)
<i>varenicline tartrate(continue) 1 mg tab</i>	gen	QL (2 PER 1 DAYS)
<b>ANTIBACTERIALS</b>		
<b>AMINOGLYCOSIDES</b>		
<i>amikacin sulfate 500 mg/2ml solution</i>	npd	
<i>gentamicin sulfate (0.1 % cream, 0.1 % ointment)</i>	gen	
<i>gentamicin sulfate 40 mg/ml solution</i>	npd	
<i>neomycin sulfate 500 mg tab</i>	gen	
<i>paromomycin sulfate 250 mg cap</i>	gen	
STREPTOMYCIN SULFATE 1 GM RECON SOLN	npd	
<i>tobramycin sulfate (1.2 gm recon soln, 1.2 gm/30ml solution, 2 gm/50ml solution, 10 mg/ml solution, 80 mg/2ml solution)</i>	npd	
<b>ANTIBACTERIALS, OTHER</b>		
<i>acetic acid 2 % solution</i>	gen	
<i>aztreonam (1 gm recon soln, 2 gm recon soln)</i>	npd	
CHLORAMPHENICOL SOD SUCCINATE 1 GM RECON SOLN	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
CLEOCIN 100 MG SUPPOS	brd	
<i>clindacin etz 1 % swab</i>	gen	
<i>clindacin-p 1 % swab</i>	gen	
<i>clindamycin hcl (75 mg cap, 150 mg cap, 300 mg cap)</i>	gen	
<i>clindamycin palmitate hcl 75 mg/5ml recon soln</i>	gen	
<i>clindamycin phosphate (1 % swab, 2 % cream)</i>	gen	
<i>clindamycin phosphate (9 gm/60ml solution, 300 mg/2ml solution, 600 mg/4ml solution, 900 mg/6ml solution, 9000 mg/60ml solution)</i>	npd	
<i>clindamycin phosphate in d5w ( 300 mg/50ml solution, 600 mg/50ml solution, 900 mg/50ml solution)</i>	npd	
CLINDAMYCIN PHOSPHATE IN NAACL ( 300-0.9 MG/50ML-% SOLUTION, 600-0.9 MG/50ML-% SOLUTION, 900-0.9 MG/50ML-% SOLUTION)	npd	
CLINDESSE 2 % CREAM	brd	
<i>colistimethate sodium (cba) 150 mg recon soln</i>	npd	
<i>daptomycin (350 mg recon soln, 500 mg recon soln)</i>	spec	
<i>fosfomycin tromethamine 3 gm packet</i>	gen	QL (1 PER 30 OVER TIME)
<i>lincomycin hcl 300 mg/ml solution</i>	npd	
<i>linezolid (100 mg/5ml recon susp, 600 mg tab)</i>	gen	PA
<i>linezolid 600 mg/300ml solution</i>	npd	
LINEZOLID IN SODIUM CHLORIDE 600-0.9 MG/300ML-% SOLUTION	spec	
<i>methenamine hippurate 1 gm tab</i>	gen	
<i>metronidazole (0.75 % cream, 0.75 % gel, 0.75 % lotion, 1 % gel, 250 mg tab, 375 mg cap, 500 mg tab)</i>	gen	
<i>metronidazole 500 mg/100ml solution</i>	npd	
<i>nitrofurantoin (25 mg/5ml suspension, 50 mg/10ml suspension)</i>	gen	
<i>nitrofurantoin macrocrystal (25 mg cap, 50 mg cap, 100 mg cap)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>nitrofurantoin monohyd macro 100 mg cap</i>	gen	
<i>polymyxin b sulfate 500000 unit recon soln</i>	npd	
<i>rosadan (0.75 % cream, 0.75 % gel)</i>	gen	
SYNERCID 150-350 MG RECON SOLN	spec	
<i>tigecycline 50 mg recon soln</i>	spec	
<i>tinidazole (250 mg tab, 500 mg tab)</i>	gen	
<i>trimethoprim 100 mg tab</i>	gen	
<i>vancomycin hcl (1 gm recon soln, 1.25 gm recon soln, 1.5 gm recon soln, 1.75 gm recon soln, 2 gm recon soln, 10 gm recon soln, 100 gm recon soln, 250 mg recon soln, 500 mg recon soln, 750 mg recon soln)</i>	npd	
<i>vancomycin hcl (125 mg cap, 250 mg cap)</i>	gen	
<i>vancomycin hcl (50 mg/ml recon soln, 250 mg/5ml recon soln)</i>	gen	PA, QL (450 PER 30 OVER TIME)
VANDAZOLE 0.75 % GEL	brd	
XIFAXAN 200 MG TAB	npd	PA, QL (9 PER 30 OVER TIME)
XIFAXAN 550 MG TAB	npd	PA, QL (3 PER 1 DAYS)

## **BETA-LACTAM, CEPHALOSPORINS**

CEFACLOR (125 MG/5ML RECON SUSP, 250 MG CAP, 250 MG/5ML RECON SUSP, 375 MG/5ML RECON SUSP, 500 MG CAP)	gen	
CEFACLOR ER 500 MG TAB ER 12H	gen	
<i>cefadroxil (1 gm tab, 250 mg/5ml recon susp, 500 mg cap, 500 mg/5ml recon susp)</i>	gen	
<i>cefazolin sodium (1 gm recon soln, 2 gm recon soln, 3 gm recon soln, 10 gm recon soln, 100 gm recon soln, 300 gm recon soln, 500 mg recon soln)</i>	npd	
<i>cefdinir (125 mg/5ml recon susp, 250 mg/5ml recon susp, 300 mg cap)</i>	gen	
CEFEPIME HCL (1 GM RECON SOLN, 1 GM/50ML SOLUTION, 2 GM RECON SOLN, 2 GM/100ML SOLUTION)	npd	
<i>cefixime (100 mg/5ml recon susp, 200 mg/5ml recon susp, 400 mg cap)</i>	gen	
CEFOTAXIME SODIUM (1 GM RECON SOLN, 2 GM RECON SOLN)	npd	
<i>cefotetan disodium (1 gm recon soln, 2 gm recon soln)</i>	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>cefoxitin sodium (1 gm recon soln, 2 gm recon soln, 10 gm recon soln)</i>	npd	
<i>cefpodoxime proxetil (50 mg/5ml recon susp, 100 mg tab, 100 mg/5ml recon susp, 200 mg tab)</i>	gen	
<i>cefprozil (125 mg/5ml recon susp, 250 mg tab, 250 mg/5ml recon susp, 500 mg tab)</i>	gen	
<i>ceftazidime (1 gm recon soln, 2 gm recon soln, 6 gm recon soln)</i>	npd	
<i>ceftriaxone sodium (1 gm recon soln, 2 gm recon soln, 10 gm recon soln, 250 mg recon soln, 500 mg recon soln)</i>	npd	
<i>cefuroxime axetil (250 mg tab, 500 mg tab)</i>	gen	
<i>cefuroxime sodium (1.5 gm recon soln, 750 mg recon soln)</i>	npd	
<i>cephalexin (125 mg/5ml recon susp, 250 mg cap, 250 mg tab, 250 mg/5ml recon susp, 500 mg cap, 500 mg tab, 750 mg cap)</i>	gen	
SUPRAX (100 MG CHEW TAB, 200 MG CHEW TAB, 500 MG/5ML RECON SUSP)	npd	
TAZICEF (1 GM RECON SOLN, 2 GM RECON SOLN, 6 GM RECON SOLN)	npd	
TEFLARO (400 MG RECON SOLN, 600 MG RECON SOLN)	spec	

## **BETA-LACTAM, PENICILLINS**

<i>amoxicillin (125 mg chew tab, 125 mg/5ml recon susp, 200 mg/5ml recon susp, 250 mg cap, 250 mg chew tab, 250 mg/5ml recon susp, 400 mg/5ml recon susp, 500 mg cap, 500 mg tab, 875 mg tab)</i>	gen	
<i>amoxicillin-pot clavulanate (200-28.5 mg chew tab, 200-28.5 mg/5ml recon susp, 250-125 mg tab, 250-62.5 mg/5ml recon susp, 400-57 mg chew tab, 400-57 mg/5ml recon susp, 500-125 mg tab, 600-42.9 mg/5ml recon susp, 875-125 mg tab)</i>	gen	
AMOXICILLIN-POT CLAVULANATE ER 1000-62.5 MG TAB ER 12H	gen	
<i>ampicillin 500 mg cap</i>	gen	
<i>ampicillin sodium (1 gm recon soln, 2 gm recon soln, 10 gm recon soln, 125 mg recon soln, 250 mg recon soln, 500 mg recon soln)</i>	npd	
<i>ampicillin-sulbactam sodium (1.5 (1-0.5) gm recon soln, 3 (2-1) gm recon soln, 15 (10-5) gm recon soln)</i>	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
AUGMENTIN 125-31.25 MG/5ML RECON SUSP	brd	
BICILLIN C-R 1200000 UNIT/2ML SUSPENSION	npd	
BICILLIN C-R 900/300 900000-300000 UNIT/2ML SUSPENSION	npd	
BICILLIN L-A (600000 UNIT/ML SUSP PRSYR, 1200000 UNIT/2ML SUSP PRSYR, 2400000 UNIT/4ML SUSP PRSYR)	npd	
<i>dicloxacillin sodium (250 mg cap, 500 mg cap)</i>	gen	
<i>nafcillin sodium (1 gm recon soln, 2 gm recon soln)</i>	npd	
<i>nafcillin sodium 10 gm recon soln</i>	spec	
<i>penicillin g potassium (5000000 recon soln, 20000000 recon soln)</i>	npd	
PENICILLIN G SODIUM 5000000 UNIT RECON SOLN	npd	
<i>penicillin v potassium (125 mg/5ml recon soln, 250 mg tab, 250 mg/5ml recon soln, 500 mg tab)</i>	gen	
PFIZERPEN (5000000 RECON SOLN, 20000000 RECON SOLN)	npd	
<i>piperacillin sod-tazobactam so (d-tazobactam 2.25 (2-0.25) gm recon ln, d-tazobactam 3-0.375 gm recon ln, d-tazobactam 3.375 (3-0.375) gm recon ln, d-tazobactam 4-0.5 gm recon ln, d-tazobactam 4.5 (4-0.5) gm recon ln, d-tazobactam 13.5 (12-1.5) gm recon ln, d-tazobactam 40.5 (36-4.5) gm recon ln)</i>	npd	

## **CARBAPENEMS**

<i>ertapenem sodium 1 gm recon soln</i>	npd	
<i>imipenem-cilastatin (250 mg recon soln, 500 mg recon soln)</i>	npd	
<i>meropenem (1 gm recon soln, 500 mg recon soln)</i>	npd	
MEROPENEM-SODIUM CHLORIDE (1 GM/50ML RECON SOLN, 500 MG/50ML RECON SOLN)	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>MACROLIDES</b>		
<i>azithromycin (1 gm packet, 100 mg/5ml recon susp, 200 mg/5ml recon susp, 250 mg tab, 500 mg tab, 600 mg tab)</i>	gen	
<i>azithromycin 500 mg recon soln</i>	npd	
<i>clarithromycin (125 mg/5ml recon susp, 250 mg tab, 250 mg/5ml recon susp, 500 mg tab)</i>	gen	
<i>clarithromycin er 500 mg tab er 24h</i>	gen	
DIFICID 200 MG TAB	spec	PA, QL (20 PER 10 OVER TIME)
DIFICID 40 MG/ML RECON SUSP	spec	PA, QL (136 PER 10 OVER TIME)
E.E.S. 400 400 MG TAB	gen	
<i>ery-tab (250 mg tab dr, 333 mg tab dr, 500 mg tab dr)</i>	gen	
<i>erythrocin lactobionate 500 mg recon soln</i>	npd	
ERYTHROCIN STEARATE 250 MG TAB	brd	
<i>erythromycin (250 mg tab dr, 333 mg tab dr, 500 mg tab dr)</i>	gen	
<i>erythromycin base (250 mg cp dr part, 250 mg tab, 250 mg tab dr, 333 mg tab dr, 500 mg tab, 500 mg tab dr)</i>	gen	
<i>erythromycin ethylsuccinate (200 mg/5ml recon susp, 400 mg tab, 400 mg/5ml recon susp)</i>	gen	
<i>erythromycin lactobionate 500 mg recon soln</i>	npd	
<b>QUINOLONES</b>		
BESIVANCE 0.6 % SUSPENSION	brd	
CILOXAN 0.3 % OINTMENT	brd	
<i>ciprofloxacin (250 mg/5ml (5%) recon susp, 500 mg/5ml (10%) recon susp)</i>	gen	
<i>ciprofloxacin hcl (0.3 % solution, 100 mg tab, 250 mg tab, 500 mg tab, 750 mg tab)</i>	gen	
<i>ciprofloxacin in d5w 200 mg/100ml solution</i>	npd	
<i>levofloxacin (25 mg/ml solution, 250 mg tab, 500 mg tab, 750 mg tab)</i>	gen	
LEVOFLOXACIN 25 MG/ML SOLUTION	npd	
<i>levofloxacin in d5w ( 500 mg/100ml solution, 750 mg/150ml solution)</i>	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>moxifloxacin hcl 400 mg tab</i>	gen	
MOXIFLOXACIN HCL 400 MG/250ML SOLUTION	npd	PA - PART B VS D DETERMINATION
MOXIFLOXACIN HCL IN NAACL 400 MG/250ML SOLUTION	npd	PA - PART B VS D DETERMINATION
<i>ofloxacin (300 mg tab, 400 mg tab)</i>	gen	

## **SULFONAMIDES**

<i>sulfacetamide sodium (acne) 10 % lotion</i>	gen	
<i>sulfadiazine 500 mg tab</i>	gen	
<i>sulfamethoxazole-trimethoprim (200-40 mg/5ml suspension, 400-80 mg tab, 800-160 mg tab, 800-160 mg/20ml suspension)</i>	gen	
<i>sulfamethoxazole-trimethoprim 400-80 mg/5ml solution</i>	npd	
<i>sulfatrim pediatric 200-40 mg/5ml suspension</i>	gen	

## **TETRACYCLINES**

<i>avidoxy 100 mg tab</i>	gen	
<i>demeclocycline hcl (150 mg tab, 300 mg tab)</i>	gen	
<i>doxy 100 100 mg recon soln</i>	npd	
<i>doxycycline 40 mg cap dr</i>	gen	PA, QL (1 PER 1 DAYS)
<i>doxycycline hyclate (20 mg tab, 50 mg cap, 100 mg cap, 100 mg tab)</i>	gen	
<i>doxycycline hyclate (50 mg tab dr, 75 mg tab, 75 mg tab dr, 100 mg tab dr, 150 mg tab, 150 mg tab dr, 200 mg tab dr)</i>	gen	PA
<i>doxycycline hyclate 100 mg recon soln</i>	npd	
<i>doxycycline monohydrate (25 mg/5ml recon susp, 50 mg cap, 50 mg tab, 75 mg tab, 100 mg cap, 100 mg tab, 150 mg tab)</i>	gen	
<i>minocycline hcl (50 mg cap, 50 mg tab, 75 mg cap, 75 mg tab, 100 mg cap, 100 mg tab)</i>	gen	
<i>mondoxylene nl 100 mg cap</i>	gen	
<i>morgidox 100 mg cap</i>	gen	
<i>tetracycline hcl (250 mg cap, 500 mg cap)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>ANTICONVULSANTS</b>		
<b>ANTICONVULSANTS, OTHER</b>		
BRIVIACT (10 MG TAB, 25 MG TAB, 50 MG TAB, 75 MG TAB, 100 MG TAB)	spec	ST, QL (2 PER 1 DAYS)
BRIVIACT 10 MG/ML SOLUTION	npd	ST, QL (20 PER 1 DAYS)
DIACOMIT (250 MG CAP, 250 MG PACKET)	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
DIACOMIT (500 MG CAP, 500 MG PACKET)	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>divalproex sodium (125 mg cap dr, 125 mg tab dr, 250 mg tab dr, 500 mg tab dr)</i>	gen	
<i>divalproex sodium er (er 250 mg tab er 24h, er 500 mg tab er 24h)</i>	gen	
EPIDIOLEX 100 MG/ML SOLUTION	spec	LA, PA - FOR NEW STARTS ONLY
EPRONTIA 25 MG/ML SOLUTION	npd	QL (16 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>felbamate (400 mg tab, 600 mg tab, 600 mg/5ml suspension)</i>	gen	
FINTEPLA 2.2 MG/ML SOLUTION	spec	LA, QL (12 PER 1 DAYS), PA - FOR NEW STARTS ONLY
FYCOMPA (4 MG TAB, 6 MG TAB, 8 MG TAB, 10 MG TAB, 12 MG TAB)	npd	QL (1 PER 1 DAYS)
FYCOMPA 0.5 MG/ML SUSPENSION	npd	QL (24 PER 1 DAYS)
FYCOMPA 2 MG TAB	npd	QL (3 PER 1 DAYS)
<i>lamotrigine (5 mg chew tab, 21 x 25 mg &amp; 7 x 50 mg kit, 25 &amp; 50 &amp; 100 mg kit, 25 mg chew tab, 25 mg tab, 25 mg tab disp, 42 x 50 mg &amp; 14x100 mg kit, 50 mg tab disp, 100 mg tab, 100 mg tab disp, 150 mg tab, 200 mg tab, 200 mg tab disp)</i>	gen	
<i>lamotrigine er (er 100 mg tab er 24h, er 200 mg tab er 24h)</i>	gen	ST, QL (3 PER 1 DAYS)
<i>lamotrigine er (er 25 mg tab er 24h, er 50 mg tab er 24h)</i>	gen	ST, QL (1 PER 1 DAYS)
<i>lamotrigine er (er 250 mg tab er 24h, er 300 mg tab er 24h)</i>	gen	ST
<i>lamotrigine starter kit-blue 35 x 25 mg kit</i>	gen	
<i>lamotrigine starter kit-green 84 x 25 mg &amp; 14x100 mg kit</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>lamotrigine starter kit-orange 42 x 25 mg &amp; 7 x 100 mg kit</i>	gen	
<i>levetiracetam (100 mg/ml solution, 250 mg tab, 500 mg tab, 500 mg/5ml solution, 750 mg tab, 1000 mg tab)</i>	gen	
<i>levetiracetam er 500 mg tab er 24h</i>	gen	QL (6 PER 1 DAYS)
<i>levetiracetam er 750 mg tab er 24h</i>	gen	QL (4 PER 1 DAYS)
<i>roweepra (500 mg tab, 750 mg tab, 1000 mg tab)</i>	gen	
<i>roweepra xr 500 mg tab er 24h</i>	gen	QL (6 PER 1 DAYS)
<i>roweepra xr 750 mg tab er 24h</i>	gen	QL (4 PER 1 DAYS)
SPRITAM (250 MG TAB, 500 MG TAB)	npd	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SPRITAM 1000 MG TAB	npd	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SPRITAM 750 MG TAB	npd	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>subvenite (25 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i>	gen	
<i>subvenite starter kit-blue 35 x 25 mg kit</i>	gen	
<i>subvenite starter kit-green 84 x 25 mg &amp; 14x100 mg kit</i>	gen	
<i>subvenite starter kit-orange 42 x 25 mg &amp; 7 x 100 mg kit</i>	gen	
<i>topiramate (15 mg cap sprink, 25 mg cap sprink, 25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab)</i>	gen	
<i>topiramate er (er 25 mg cp24 sprnk, er 50 mg cp24 sprnk, er 100 mg cp24 sprnk, er 150 mg cp24 sprnk, er 200 mg cp24 sprnk)</i>	gen	PA - FOR NEW STARTS ONLY
<i>valproate sodium (100 mg/ml solution, 500 mg/5ml solution)</i>	npd	
<i>valproic acid (250 mg cap, 250 mg/5ml solution, 500 mg/10ml solution)</i>	gen	
XCOPRI (150 MG TAB, 200 MG TAB)	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XCOPRI (25 MG TAB, 50 MG TAB, 100 MG TAB)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XCOPRI (250 MG DAILY DOSE) (MG DOSE) 50 200 MG TAB THPK, (MG DOSE) 100 150 MG TAB THPK)	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
XCOPRI (350 MG DAILY DOSE) 150 & 200 MG TAB THPK	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XCOPRI (COPRI 14 150 MG 14 200 MG TAB THPK, COPRI 14 50 MG 14 100 MG TAB THPK)	spec	QL (28 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XCOPRI 14 X 12.5 MG & 14 X 25 MG TAB THPK	npd	QL (28 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
ZTALMY 50 MG/ML SUSPENSION	spec	LA, QL (36 PER 1 DAYS), PA - FOR NEW STARTS ONLY

## **CALCIUM CHANNEL MODIFYING AGENTS**

<i>ethosuximide (250 mg cap, 250 mg/5ml solution)</i>	gen
<i>methsuximide 300 mg cap</i>	gen

## **GAMMA-AMINO BUTYRIC ACID (GABA) AUGMENTING AGENTS**

<i>clobazam 10 mg tab</i>	gen	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>clobazam 2.5 mg/ml suspension</i>	gen	QL (16 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>clobazam 20 mg tab</i>	gen	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>diazepam 10 mg gel</i>	gen	QL (20 PER 30 OVER TIME)
DIAZEPAM 2.5 MG GEL	gen	QL (5 PER 30 OVER TIME)
<i>diazepam 20 mg gel</i>	gen	QL (40 PER 30 OVER TIME)
<i>gabapentin (250 mg/5ml solution, 300 mg/6ml solution)</i>	gen	QL (72 PER 1 DAYS)
<i>gabapentin (600 mg tab, 800 mg tab)</i>	gen	QL (4 PER 1 DAYS)
<i>gabapentin 100 mg cap</i>	gen	QL (12 PER 1 DAYS)
<i>gabapentin 300 mg cap</i>	gen	QL (8 PER 1 DAYS)
<i>gabapentin 400 mg cap</i>	gen	QL (6 PER 1 DAYS)
LIBERVANT (5 MG FILM, 7.5 MG FILM, 10 MG FILM, 12.5 MG FILM, 15 MG FILM)	spec	QL (10 PER 30 DAYS)
<i>phenobarbital (15 mg tab, 16.2 mg tab, 20 mg/5ml elixir, 20 mg/5ml solution, 30 mg tab, 32.4 mg tab, 60 mg tab, 64.8 mg tab, 97.2 mg tab, 100 mg tab)</i>	gen	PA - FOR NEW STARTS ONLY
<i>primidone (50 mg tab, 125 mg tab, 250 mg tab)</i>	gen	
SYMPAZAN (5 MG FILM, 10 MG FILM, 20 MG FILM)	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>tiagabine hcl (2 mg tab, 4 mg tab, 12 mg tab, 16 mg tab)</i>	gen	
VALTOCO 10 MG DOSE 10 MG/0.1ML LIQUID	spec	QL (10 PER 30 OVER TIME)
VALTOCO 15 MG DOSE 7.5 MG/0.1ML LIQD THPK	spec	QL (10 PER 30 OVER TIME)
VALTOCO 20 MG DOSE 10 MG/0.1ML LIQD THPK	spec	QL (10 PER 30 OVER TIME)
VALTOCO 5 MG DOSE 5 MG/0.1ML LIQUID	spec	QL (10 PER 30 OVER TIME)
<i>vigabatrin (500 mg packet, 500 mg tab)</i>	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>vigadrone 500 mg packet</i>	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>vigadrone 500 mg tab</i>	spec	QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VIGAFYDE 100 MG/ML SOLUTION	spec	LA, QL (750 PER 30 DAYS), PA - FOR NEW STARTS ONLY
<i>vigpoder 500 mg packet</i>	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY

## SODIUM CHANNEL AGENTS

APTIOM (200 MG TAB, 400 MG TAB)	npd	QL (1 PER 1 DAYS)
APTIOM (600 MG TAB, 800 MG TAB)	npd	QL (2 PER 1 DAYS)
<i>carbamazepine (100 mg chew tab, 100 mg/5ml suspension, 200 mg tab, 200 mg/10ml suspension)</i>	gen	
<i>carbamazepine er (er 100 mg cap er 12h, er 100 mg tab er 12h, er 200 mg cap er 12h, er 200 mg tab er 12h, er 300 mg cap er 12h, er 400 mg tab er 12h)</i>	gen	
DILANTIN (30 MG CAP, 100 MG CAP, 125 MG/5ML SUSPENSION)	brd	
DILANTIN INFATABS 50 MG CHEW TAB	brd	
<i>epitol 200 mg tab</i>	gen	
<i>lacosamide (10 mg/ml solution, 50 mg/5ml solution, 100 mg/10ml solution)</i>	gen	QL (40 PER 1 DAYS)
<i>lacosamide (50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i>	gen	QL (2 PER 1 DAYS)
<i>lacosamide 200 mg/20ml solution</i>	npd	PA - PART B VS D DETERMINATION
<i>oxcarbazepine (150 mg tab, 300 mg tab, 300 mg/5ml suspension, 600 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
PEGANONE 250 MG TAB	npd	
<i>phenytek (200 mg cap, 300 mg cap)</i>	gen	
<i>phenytoin (50 mg chew tab, 100 mg/4ml suspension, 125 mg/5ml suspension)</i>	gen	
<i>phenytoin infatabs 50 mg chew tab</i>	gen	
<i>phenytoin sodium extended (100 mg cap, 200 mg cap, 300 mg cap)</i>	gen	
<i>rufinamide 200 mg tab</i>	gen	ST, QL (16 PER 1 DAYS)
<i>rufinamide 40 mg/ml suspension</i>	gen	ST, QL (80 PER 1 DAYS)
<i>rufinamide 400 mg tab</i>	gen	ST, QL (8 PER 1 DAYS)
ZONISADE 100 MG/5ML SUSPENSION	npd	
<i>zonisamide (25 mg cap, 50 mg cap, 100 mg cap)</i>	gen	

## ANTIDEMENTIA AGENTS

### ANTIDEMENTIA AGENTS, OTHER

ERGOLOID MESYLATES 1 MG TAB	gen	
NAMZARIC (7-10 MG CAP ER 24H, 14-10 MG CAP ER 24H, 21-10 MG CAP ER 24H, 28-10 MG CAP ER 24H)	brd	QL (1 PER 1 DAYS)
NAMZARIC 7 & 14 & 21 & 28 -10 MG CP24 THPK	brd	QL (28 PER 28 OVER TIME)

### CHOLINESTERASE INHIBITORS

<i>donepezil hcl (5 mg tab, 10 mg tab)</i>	gen	
<i>donepezil hcl 23 mg tab</i>	gen	ST
<i>donepezil hydrochloride orally disintegrating tab 10 mg</i>	gen	
<i>donepezil hydrochloride orally disintegrating tab 5 mg</i>	gen	
<i>galantamine hydrobromide (4 mg tab, 4 mg/ml solution, 8 mg tab, 12 mg tab)</i>	gen	
<i>galantamine hydrobromide er (er 8 mg cap er 24h, er 16 mg cap er 24h, er 24 mg cap er 24h)</i>	gen	QL (1 PER 1 DAYS)
<i>rivastigmine (4.6 mg/24hr patch 24hr, 9.5 mg/24hr patch 24hr, 13.3 mg/24hr patch 24hr)</i>	gen	QL (30 PER 30 OVER TIME)
<i>rivastigmine tartrate (1.5 mg cap, 3 mg cap, 4.5 mg cap, 6 mg cap)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>N-METHYL-D-ASPARTATE (NMDA) RECEPTOR ANTAGONIST</b>		
<i>memantine hcl (2 mg/ml solution, 5 mg tab, 10 mg tab, 10 mg/5ml solution, 28 x 5 mg &amp; 21 x 10 mg tab)</i>	gen	
<i>memantine hcl er (er 7 mg cap er 24h, er 14 mg cap er 24h, er 21 mg cap er 24h, er 28 mg cap er 24h)</i>	gen	

## ANTIDEPRESSANTS

### ANTIDEPRESSANTS, OTHER

AUVELITY 45-105 MG TAB ER	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>bupropion hcl 100 mg tab</i>	gen	QL (4 PER 1 DAYS)
<i>bupropion hcl 75 mg tab</i>	gen	QL (6 PER 1 DAYS)
<i>bupropion hcl er (smoking det) 150 mg tab er 12h</i>	gen	QL (2 PER 1 DAYS)
<i>bupropion hcl er (sr) 100 mg tab er 12h</i>	gen	QL (4 PER 1 DAYS)
<i>bupropion hcl er (sr) 150 mg tab er 12h</i>	gen	QL (3 PER 1 DAYS)
<i>bupropion hcl er (sr) 200 mg tab er 12h</i>	gen	QL (2 PER 1 DAYS)
<i>bupropion hcl er (xl) 150 mg tab er 24h</i>	gen	QL (3 PER 1 DAYS)
<i>bupropion hcl er (xl) 300 mg tab er 24h</i>	gen	QL (1 PER 1 DAYS)
LYBALVI (5-10 MG TAB, 10-10 MG TAB, 15-10 MG TAB, 20-10 MG TAB)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
MAPROTILINE HCL (25 MG TAB, 50 MG TAB, 75 MG TAB)	gen	
<i>mirtazapine (7.5 mg tab, 15 mg tab, 15 mg tab disp, 30 mg tab, 30 mg tab disp, 45 mg tab, 45 mg tab disp)</i>	gen	
<i>olanzapine-fluoxetine hcl (3-25 mg cap, 6-25 mg cap, 6-50 mg cap, 12-25 mg cap, 12-50 mg cap)</i>	gen	
PERPHENAZINE-AMITRIPTYLINE (2-10 MG TAB, 2-25 MG TAB, 4-10 MG TAB, 4-25 MG TAB, 4-50 MG TAB)	gen	PA - FOR NEW STARTS ONLY
ZURZUVAE (20 MG CAP, 25 MG CAP)	spec	QL (28 PER 365 OVER TIME), PA - FOR NEW STARTS ONLY
ZURZUVAE 30 MG CAP	spec	QL (14 PER 365 OVER TIME), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>MONOAMINE OXIDASE INHIBITORS</b>		
EMSAM (6 MG/24HR PATCH 24HR, 9 MG/24HR PATCH 24HR, 12 MG/24HR PATCH 24HR)	npd	PA - FOR NEW STARTS ONLY
MARPLAN 10 MG TAB	npd	
<i>phenelzine sulfate 15 mg tab</i>	gen	
<i>tranylcypromine sulfate 10 mg tab</i>	gen	
<b>SSRIS/SNRIS (SELECTIVE SEROTONIN REUPTAKE INHIBITOR/SEROTONIN AND NOREPINEPHRINE REUPTAKE INHIBITOR)</b>		
<i>citalopram hydrobromide (10 mg tab, 10 mg/5ml solution, 20 mg tab, 40 mg tab)</i>	gen	
<i>desvenlafaxine succinate er (er 25 mg tab er 24h, er 50 mg tab er 24h)</i>	gen	QL (1 PER 1 DAYS)
<i>desvenlafaxine succinate er 100 mg tab er 24h</i>	gen	QL (4 PER 1 DAYS)
<i>escitalopram oxalate (5 mg tab, 5 mg/5ml solution, 10 mg tab, 20 mg tab)</i>	gen	
FETZIMA (20 MG CAP ER 24H, 40 MG CAP ER 24H, 80 MG CAP ER 24H, 120 MG CAP ER 24H)	npd	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
FETZIMA TITRATION 20 & 40 MG CP24 THPK	npd	QL (28 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY
<i>fluoxetine hcl (10 mg cap, 10 mg tab, 20 mg cap, 20 mg tab, 20 mg/5ml solution, 40 mg cap)</i>	gen	
FLUOXETINE HCL (PMDD) ((PMDD) 10 MG TAB, (PMDD) 20 MG TAB)	gen	
FLUOXETINE HCL 90 MG CAP DR	gen	QL (4 PER 28 OVER TIME)
<i>fluvoxamine maleate 100 mg tab</i>	gen	QL (3 PER 1 DAYS)
<i>fluvoxamine maleate 25 mg tab</i>	gen	QL (12 PER 1 DAYS)
<i>fluvoxamine maleate 50 mg tab</i>	gen	QL (6 PER 1 DAYS)
<i>fluvoxamine maleate er (er 100 mg cap er 24h, er 150 mg cap er 24h)</i>	gen	ST, QL (2 PER 1 DAYS)
NEFAZODONE HCL (50 MG TAB, 100 MG TAB, 150 MG TAB, 200 MG TAB, 250 MG TAB)	gen	
<i>paroxetine hcl (10 mg tab, 20 mg tab, 30 mg tab, 40 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>paroxetine hcl 10 mg/5ml suspension</i>	gen	QL (30 PER 1 DAYS)
<i>paroxetine hcl er (er 12.5 mg tab er 24h, er 25 mg tab er 24h, er 37.5 mg tab er 24h)</i>	gen	
<i>paroxetine mesylate 7.5 mg cap</i>	gen	QL (1 PER 1 DAYS)
<i>sertraline hcl (20 mg/ml conc, 25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	
<i>trazodone hcl (50 mg tab, 100 mg tab, 150 mg tab, 300 mg tab)</i>	gen	
TRINTELLIX (5 MG TAB, 10 MG TAB, 20 MG TAB)	npd	ST, QL (1 PER 1 DAYS)
<i>venlafaxine hcl (25 mg tab, 37.5 mg tab, 50 mg tab, 75 mg tab, 100 mg tab)</i>	gen	
<i>venlafaxine hcl er (er 37.5 mg cap er 24h, er 150 mg cap er 24h)</i>	gen	QL (2 PER 1 DAYS)
<i>venlafaxine hcl er (er 75 mg cap er 24h, er 75 mg tab er 24h)</i>	gen	QL (3 PER 1 DAYS)
<i>venlafaxine hcl er 150 mg tab er 24h</i>	gen	QL (1 PER 1 DAYS)
<i>venlafaxine hcl er 37.5 mg tab er 24h</i>	gen	QL (6 PER 1 DAYS)
VIIIBRYD STARTER PACK 10 & 20 MG KIT	npd	ST, QL (30 PER 30 OVER TIME)
<i>vilazodone hcl (10 mg tab, 20 mg tab, 40 mg tab)</i>	gen	ST, QL (1 PER 1 DAYS)

## TRICYCLICS

<i>amitriptyline hcl (10 mg tab, 25 mg tab, 50 mg tab, 75 mg tab, 100 mg tab, 150 mg tab)</i>	gen	PA - FOR NEW STARTS ONLY
<i>amoxapine (25 mg tab, 50 mg tab, 100 mg tab, 150 mg tab)</i>	gen	
<i>clomipramine hcl (25 mg cap, 50 mg cap, 75 mg cap)</i>	gen	PA - FOR NEW STARTS ONLY
<i>desipramine hcl (10 mg tab, 25 mg tab, 50 mg tab, 75 mg tab, 100 mg tab, 150 mg tab)</i>	gen	
<i>doxepin hcl (10 mg cap, 10 mg/ml conc, 25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap)</i>	gen	PA - FOR NEW STARTS ONLY
<i>imipramine hcl (10 mg tab, 25 mg tab, 50 mg tab)</i>	gen	PA - FOR NEW STARTS ONLY
<i>nortriptyline hcl (10 mg cap, 10 mg/5ml solution, 25 mg cap, 50 mg cap, 75 mg cap)</i>	gen	
<i>protriptyline hcl (5 mg tab, 10 mg tab)</i>	gen	
<i>trimipramine maleate (25 mg cap, 50 mg cap, 100 mg cap)</i>	gen	PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
-----------	-----------	---------------------

## ANTIEMETICS

### ANTIEMETICS, OTHER

<i>compro 25 mg suppos</i>	gen	
<i>doxylamine-pyridoxine 10-10 mg tab dr</i>	gen	QL (4 PER 1 DAYS)
<i>meclizine hcl (12.5 mg tab, 25 mg tab)</i>	gen	
<i>metoclopramide hcl (5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/10ml solution)</i>	gen	
METOCLOPRAMIDE HCL 10 MG TAB DISP	gen	PA, QL (4 PER 1 DAYS)
METOCLOPRAMIDE HCL 5 MG TAB DISP	gen	PA, QL (12 PER 1 DAYS)
<i>metoclopramide hcl 5 mg/ml solution</i>	npd	
<i>perphenazine (2 mg tab, 4 mg tab, 8 mg tab, 16 mg tab)</i>	gen	
<i>prochlorperazine 25 mg suppos</i>	gen	
<i>prochlorperazine maleate (5 mg tab, 10 mg tab)</i>	gen	
<i>promethazine hcl (12.5 mg suppos, 12.5 mg tab, 25 mg suppos, 25 mg tab, 50 mg tab)</i>	gen	PA
<i>promethegan 12.5 mg suppos</i>	gen	PA, ED
<i>promethegan 25 mg suppos</i>	gen	PA
<i>scopolamine 1 mg/3days patch 72hr</i>	gen	
<i>trimethobenzamide hcl 300 mg cap</i>	gen	

### EMETOGENIC THERAPY ADJUNCTS

<i>aprepitant (80 &amp; 125 mg cap, 80 &amp; 125 mg misc, 80 mg cap, 125 mg cap)</i>	gen	PA - PART B VS D DETERMINATION
<i>aprepitant 40 mg cap</i>	gen	PA, QL (1 PER 30 OVER TIME)
<i>dronabinol (2.5 mg cap, 5 mg cap, 10 mg cap)</i>	gen	PA, QL (6 PER 1 DAYS)
<i>granisetron hcl (1 mg/ml solution, 4 mg/4ml solution)</i>	npd	PA - PART B VS D DETERMINATION
<i>granisetron hcl 1 mg tab</i>	gen	QL (2 PER 1 DAYS), PA - PART B VS D DETERMINATION
<i>ondansetron 4 mg tab disp</i>	gen	QL (6 PER 1 DAYS), PA - PART B VS D DETERMINATION
<i>ondansetron 8 mg tab disp</i>	gen	QL (3 PER 1 DAYS), PA - PART B VS D DETERMINATION

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
ONDANSETRON HCL 24 MG TAB	gen	QL (15 PER 30 OVER TIME), PA - PART B VS D DETERMINATION
<i>ondansetron hcl 4 mg tab</i>	gen	QL (6 PER 1 DAYS), PA - PART B VS D DETERMINATION
<i>ondansetron hcl 4 mg/5ml solution</i>	gen	QL (30 PER 1 DAYS), PA - PART B VS D DETERMINATION
<i>ondansetron hcl 8 mg tab</i>	gen	QL (3 PER 1 DAYS), PA - PART B VS D DETERMINATION

## ANTIFUNGALS

ABELCET 5 MG/ML SUSPENSION	npd	PA - PART B VS D DETERMINATION
AMPHOTERICIN B 50 MG RECON SOLN	npd	PA - PART B VS D DETERMINATION
<i>amphotericin b liposome 50 mg recon susp</i>	spec	PA - PART B VS D DETERMINATION
<i>caspofungin acetate 50 mg recon soln</i>	spec	PA
<i>caspofungin acetate 70 mg recon soln</i>	npd	PA
<i>ciclopirox olamine (0.77 % cream, 0.77 % suspension)</i>	gen	
<i>clotrimazole (1 % cream, 1 % solution, 10 mg troche)</i>	gen	
CRESEMBA (74.5 MG CAP, 186 MG CAP, 372 MG RECON SOLN)	spec	PA
<i>econazole nitrate 1 % cream</i>	gen	
<i>fluconazole (10 mg/ml recon susp, 40 mg/ml recon susp, 50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i>	gen	
<i>fluconazole in sodium chloride (200-0.9 mg/100ml-% solution, 400-0.9 mg/200ml-% solution)</i>	npd	
<i>flucytosine (250 mg cap, 500 mg cap)</i>	gen	
<i>griseofulvin microsize (125 mg/5ml suspension, 500 mg tab)</i>	gen	
<i>griseofulvin ultramicrosize (125 mg tab, 250 mg tab)</i>	gen	
GYNAZOLE-1 2 % CREAM	gen	
<i>itraconazole 10 mg/ml solution</i>	gen	PA
<i>itraconazole 100 mg cap</i>	gen	
<i>ketoconazole (2 % cream, 2 % shampoo, 200 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>ketoconazole 2 % foam</i>	gen	ST
<i>ketodan 2 % foam</i>	gen	ST
<i>klayesta 100000 unit/gm powder</i>	gen	
LULICONAZOLE 1% CREAM	gen	ST
<i>micafungin sodium (50 mg recon soln, 100 mg recon soln)</i>	spec	
MICONAZOLE 3 200 MG SUPPOS	gen	
MICONAZOLE-ZINC OXIDE-PETROLAT 0.25-15-81.35 % OINTMENT	gen	ST
<i>naftifine hcl (1 % cream, 1 % gel, 2 % cream)</i>	gen	ST
<i>nyamyc 100000 unit/gm powder</i>	gen	
<i>nystatin (100000 unit/gm cream, 100000 unit/gm ointment, 100000 unit/gm powder, 100000 unit/ml suspension, 500000 unit tab)</i>	gen	
<i>nystop 100000 unit/gm powder</i>	gen	
<i>oxiconazole nitrate 1 % cream</i>	gen	ST
<i>posaconazole 100 mg tab dr</i>	gen	PA, QL (3 PER 1 DAYS)
<i>posaconazole 40 mg/ml suspension</i>	gen	PA
<i>terbinafine hcl 250 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>terconazole (0.4 % cream, 0.8 % cream, 80 mg suppos)</i>	gen	
<i>voriconazole (40 mg/ml recon susp, 50 mg tab, 200 mg tab)</i>	gen	PA
<i>voriconazole 200 mg recon soln</i>	npd	PA - PART B VS D DETERMINATION

## **ANTIGOUT AGENTS**

<i>allopurinol (100 mg tab, 300 mg tab)</i>	gen	
<i>colchicine (0.6 mg cap, 0.6 mg tab)</i>	gen	QL (4 PER 1 DAYS)
<i>colchicine-probenecid 0.5-500 mg tab</i>	gen	
<i>febuxostat (40 mg tab, 80 mg tab)</i>	gen	ST, QL (1 PER 1 DAYS)
<i>probenecid 500 mg tab</i>	gen	

## **ANTIMIGRAINE AGENTS**

### **ANTIMIGRAINE AGENTS, OTHER**

NURTEC 75 MG TAB DISP	spec	PA, QL (16 PER 30 OVER TIME)
-----------------------	------	------------------------------

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
UBRELVY (50 MG TAB, 100 MG TAB)	spec	PA, QL (16 PER 30 OVER TIME)

## ERGOT ALKALOIDS

<i>dihydroergotamine mesylate 1 mg/ml solution</i>	gen	PA
<i>dihydroergotamine mesylate 4 mg/ml solution</i>	gen	PA, QL (8 PER 30 OVER TIME)
ERGOTAMINE-CAFFEINE 1-100 MG TAB	gen	QL (40 PER 28 OVER TIME)
MIGERGOT 2-100 MG SUPPOS	npd	QL (20 PER 30 OVER TIME)

## PROPHYLACTIC

AIMOVI (70 MG/ML SOLN A-INJ, 140 MG/ML SOLN A-INJ)	brd	PA, QL (1 PER 28 OVER TIME)
<i>timolol maleate (5 mg tab, 10 mg tab, 20 mg tab)</i>	gen	

## SEROTONIN (5-HT) RECEPTOR AGONIST

<i>naratriptan hcl (1 mg tab, 2.5 mg tab)</i>	gen	QL (18 PER 30 OVER TIME)
<i>rizatriptan benzoate (5 mg tab, 5 mg tab disp, 10 mg tab, 10 mg tab disp)</i>	gen	QL (24 PER 30 OVER TIME)
<i>sumatriptan (5 mg/act solution, 20 mg/act solution)</i>	gen	QL (18 PER 30 OVER TIME)
<i>sumatriptan succinate (25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	QL (18 PER 30 OVER TIME)
<i>sumatriptan succinate (4 mg/0.5ml soln a-inj, 6 mg/0.5ml soln a-inj, 6 mg/0.5ml soln prsyr, 6 mg/0.5ml solution)</i>	gen	QL (8 PER 30 OVER TIME)
<i>sumatriptan succinate refill (4 mg/0.5ml soln cart, 6 mg/0.5ml soln cart)</i>	gen	QL (8 PER 30 OVER TIME)
<i>zolmitriptan (2.5 mg tab, 2.5 mg tab disp, 5 mg tab, 5 mg tab disp)</i>	gen	QL (18 PER 30 OVER TIME)

## ANTIMYASTHENIC AGENTS

### PARASYMPATHOMIMETICS

GUANIDINE HCL 125 MG TAB	gen	
<i>pyridostigmine bromide (30 mg tab, 60 mg tab, 60 mg/5ml solution)</i>	gen	
<i>pyridostigmine bromide er 180 mg tab er</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>ANTIMYCOBACTERIALS</b>		
<b>ANTIMYCOBACTERIALS, OTHER</b>		
<i>dapsone (25 mg tab, 100 mg tab)</i>	gen	
<i>rifabutin 150 mg cap</i>	gen	
<b>ANTITUBERCULARS</b>		
CAPASTAT SULFATE 1 GM RECON SOLN	npd	
<i>ethambutol hcl (100 mg tab, 400 mg tab)</i>	gen	
<i>isoniazid (50 mg/5ml syrup, 100 mg tab, 300 mg tab)</i>	gen	
ISONIAZID 100 MG/ML SOLUTION	npd	
PASER 4 GM PACKET	npd	
PRIFTIN 150 MG TAB	brd	
<i>pyrazinamide 500 mg tab</i>	gen	
<i>rifampin (150 mg cap, 300 mg cap)</i>	gen	
<i>rifampin 600 mg recon soln</i>	npd	
RIFATER 50-120-300 MG TAB	npd	
SIRTURO (20 MG TAB, 100 MG TAB)	spec	PA
TRECTOR 250 MG TAB	npd	
<b>ANTINEOPLASTICS</b>		
<b>ALKYLATING AGENTS</b>		
CYCLOPHOSPHAMIDE (25 MG CAP, 25 MG TAB, 50 MG CAP, 50 MG TAB)	brd	PA - PART B VS D DETERMINATION
GLEOSTINE (10 MG CAP, 40 MG CAP, 100 MG CAP)	brd	
LEUKERAN 2 MG TAB	brd	
MATULANE 50 MG CAP	brd	LA
MELPHALAN 2 MG TAB	gen	PA - PART B VS D DETERMINATION
<i>thiotepa (15 mg recon soln, 100 mg recon soln)</i>	spec	PA - PART B VS D DETERMINATION
VALCHLOR 0.016 % GEL	spec	LA, QL (60 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>ANTIANDROGENS</b>		
<i>abiraterone acetate 250 mg tab</i>	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>abiraterone acetate 500 mg tab</i>	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>bicalutamide 50 mg tab</i>	gen	
ERLEADA 240 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ERLEADA 60 MG TAB	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>flutamide 125 mg cap</i>	gen	
<i>nilutamide 150 mg tab</i>	spec	QL (1 PER 1 DAYS)
NUBEQA 300 MG TAB	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ORSERDU 345 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ORSERDU 86 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XTANDI (40 MG CAP, 40 MG TAB)	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XTANDI 80 MG TAB	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<b>ANTIANGIOGENIC AGENTS</b>		
<i>lenalidomide (2.5 mg cap, 5 mg cap, 10 mg cap, 15 mg cap, 20 mg cap, 25 mg cap)</i>	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
POMALYST (1 MG CAP, 2 MG CAP, 3 MG CAP, 4 MG CAP)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
REVLIMID (2.5 MG CAP, 5 MG CAP, 10 MG CAP, 15 MG CAP, 20 MG CAP, 25 MG CAP)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
THALOMID (150 MG CAP, 200 MG CAP)	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
THALOMID (50 MG CAP, 100 MG CAP)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<b>ANTIESTROGENS/MODIFIERS</b>		
EMCYT 140 MG CAP	brd	
<i>fulvestrant 250 mg/5ml soln prsyr</i>	spec	
SOLTAMOX 10 MG/5ML SOLUTION	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>tamoxifen citrate (10 mg tab, 20 mg tab)</i>	gen	
<i>toremifene citrate 60 mg tab</i>	gen	

## **ANTIMETABOLITES**

DROXIA (200 MG CAP, 300 MG CAP, 400 MG CAP)	brd	
<i>hydroxyurea 500 mg cap</i>	gen	
INQOVI 35-100 MG TAB	spec	LA, QL (5 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
<i>mercaptopurine 50 mg tab</i>	gen	
PURIXAN 2000 MG/100ML SUSPENSION	spec	LA, PA - FOR NEW STARTS ONLY
TABLOID 40 MG TAB	brd	

## **ANTINEOPLASTICS, OTHER**

AKEEGA (50-500 MG TAB, 100-500 MG TAB)	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
AUGTYRO 40 MG CAP	spec	QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
AYVAKIT (25 MG TAB, 50 MG TAB, 100 MG TAB, 200 MG TAB, 300 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
BESREMI 500 MCG/ML SOLN PRSYR	spec	LA, QL (2 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
BRUKINSA 80 MG CAP	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
EXKIVITY 40 MG CAP	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
FOTIVDA (0.89 MG CAP, 1.34 MG CAP)	spec	LA, QL (21 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
IDHIFA (50 MG TAB, 100 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
INREBIC 100 MG CAP	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
KISQALI FEMARA (200 MG DOSE) 200 & 2.5 MG TAB THPK	spec	QL (49 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
KISQALI FEMARA (400 MG DOSE) 200 & 2.5 MG TAB THPK	spec	QL (70 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
KISQALI FEMARA (600 MG DOSE) 200 & 2.5 MG TAB THPK	spec	QL (91 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
KOSELUGO 10 MG CAP	spec	LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
KOSELUGO 25 MG CAP	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
KRAZATI 200 MG TAB	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>leucovorin calcium (100 mg recon soln, 350 mg recon soln)</i>	npd	
<i>leucovorin calcium (5 mg tab, 10 mg tab, 15 mg tab, 25 mg tab)</i>	gen	
LONSURF 15-6.14 MG TAB	spec	LA, QL (100 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
LONSURF 20-8.19 MG TAB	spec	LA, QL (80 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
LUMAKRAS 120 MG TAB	spec	QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LUMAKRAS 320 MG TAB	spec	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LYSODREN 500 MG TAB	brd	
NINLARO (2.3 MG CAP, 3 MG CAP, 4 MG CAP)	spec	QL (3 PER 21 OVER TIME), PA - FOR NEW STARTS ONLY
OGSIVEO 100 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
OGSIVEO 150 MG TAB	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
OGSIVEO 50 MG TAB	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ONUREG (200 MG TAB, 300 MG TAB)	spec	QL (14 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
QINLOCK 50 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
RETEVMO (80 MG TAB, 120 MG TAB, 160 MG TAB)	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
RETEVMO 40 MG CAP	spec	QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
RETEVMO 40 MG TAB	spec	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
RETEVMO 80 MG CAP	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ROZLYTREK 100 MG CAP	spec	QL (5 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ROZLYTREK 200 MG CAP	spec	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
ROZLYTREK 50 MG PACKET	spec	QL (12 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SYNRIBO 3.5 MG RECON SOLN	spec	PA - PART B VS D DETERMINATION
TABRECTA (150 MG TAB, 200 MG TAB)	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TAZVERIK 200 MG TAB	spec	LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VANFLYTA 17.7 MG TAB	spec	QL (28 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
VANFLYTA 26.5 MG TAB	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
WELIREG 40 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XPOVIO (100 MG ONCE WEEKLY) 20 MG TAB THPK	spec	LA, QL (20 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (100 MG ONCE WEEKLY) 50 MG TAB THPK	spec	LA, QL (8 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (40 MG ONCE WEEKLY) 20 MG TAB THPK	spec	LA, QL (8 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (40 MG ONCE WEEKLY) 40 MG TAB THPK	spec	LA, QL (4 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (40 MG TWICE WEEKLY) 20 MG TAB THPK	spec	LA, QL (16 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (40 MG TWICE WEEKLY) 40 MG TAB THPK	spec	LA, QL (8 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (60 MG ONCE WEEKLY) 20 MG TAB THPK	spec	LA, QL (12 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (60 MG ONCE WEEKLY) 60 MG TAB THPK	spec	LA, QL (4 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (60 MG TWICE WEEKLY) 20 MG TAB THPK	spec	LA, QL (24 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (80 MG ONCE WEEKLY) 20 MG TAB THPK	spec	LA, QL (16 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (80 MG ONCE WEEKLY) 40 MG TAB THPK	spec	LA, QL (8 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
XPOVIO (80 MG TWICE WEEKLY) 20 MG TAB THPK	spec	LA, QL (32 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
ZOLINZA 100 MG CAP	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
-----------	-----------	---------------------

## AROMATASE INHIBITORS, 3RD GENERATION

<i>anastrozole 1 mg tab</i>	gen	
<i>exemestane 25 mg tab</i>	gen	
<i>letrozole 2.5 mg tab</i>	gen	

## ENZYME INHIBITORS

OJEMDA 100 MG TAB	spec	LA, QL (24 PER 28 DAYS), PA - FOR NEW STARTS ONLY
OJEMDA 25 MG/ML RECON SUSP	spec	LA, QL (96 PER 28 DAYS), PA - FOR NEW STARTS ONLY
OJJAARA (100 MG TAB, 150 MG TAB, 200 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TRUQAP (160 MG TAB, 160 MG TAB THPK, 200 MG TAB, 200 MG TAB THPK)	spec	LA, QL (64 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY

## MOLECULAR TARGET INHIBITORS

ALECENSA 150 MG CAP	spec	LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ALUNBRIG (90 MG TAB, 180 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ALUNBRIG 30 MG TAB	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ALUNBRIG 90 & 180 MG TAB THPK	spec	LA, QL (30 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY
BALVERSA 3 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
BALVERSA 4 MG TAB	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
BALVERSA 5 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
BOSULIF (400 MG TAB, 500 MG TAB)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
BOSULIF 100 MG CAP	spec	QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
BOSULIF 100 MG TAB	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
BOSULIF 50 MG CAP	spec	QL (12 PER 1 DAYS), PA - FOR NEW STARTS ONLY
BRAFTOVI 75 MG CAP	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
CABOMETYX (20 MG TAB, 40 MG TAB, 60 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
CALQUENCE (100 MG CAP, 100 MG TAB)	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
CAPRELSA 100 MG TAB	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
CAPRELSA 300 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
COMETRIQ (100 MG DAILY DOSE) 80 & 20 MG KIT	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
COMETRIQ (140 MG DAILY DOSE) 3 X 20 MG & 80 MG KIT	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
COMETRIQ (60 MG DAILY DOSE) 20 MG KIT	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
COPIKTRA (15 MG CAP, 25 MG CAP)	spec	LA, QL (56 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
COTELLIC 20 MG TAB	spec	LA, QL (63 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
<i>dasatinib (100 mg tab, 140 mg tab)</i>	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>dasatinib (70 mg tab, 80 mg tab)</i>	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>dasatinib 20 mg tab</i>	spec	QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>dasatinib 50 mg tab</i>	spec	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
DAURISMO 100 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
DAURISMO 25 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ERIVEDGE 150 MG CAP	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>erlotinib hcl (100 mg tab, 150 mg tab)</i>	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>erlotinib hcl 25 mg tab</i>	spec	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>everolimus (2 mg tab sol, 3 mg tab sol, 5 mg tab sol)</i>	spec	PA - FOR NEW STARTS ONLY
<i>everolimus (2.5 mg tab, 5 mg tab)</i>	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>everolimus (7.5 mg tab, 10 mg tab)</i>	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
FRUZAQLA 1 MG CAP	spec	LA, QL (84 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
FRUZAQLA 5 MG CAP	spec	LA, QL (21 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
GAVRETO 100 MG CAP	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>gefitinib 250 mg tab</i>	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
GILOTRIF (20 MG TAB, 30 MG TAB, 40 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
IBRANCE (75 MG CAP, 75 MG TAB, 100 MG CAP, 100 MG TAB, 125 MG CAP, 125 MG TAB)	spec	LA, QL (21 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
ICLUSIG (10 MG TAB, 15 MG TAB, 30 MG TAB, 45 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>imatinib mesylate 100 mg tab</i>	spec	QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>imatinib mesylate 400 mg tab</i>	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
IMBRUVICA (70 MG CAP, 280 MG TAB, 420 MG TAB, 560 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
IMBRUVICA 140 MG CAP	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
IMBRUVICA 70 MG/ML SUSPENSION	spec	LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
INLYTA 1 MG TAB	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
INLYTA 5 MG TAB	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
JAKAFI (5 MG TAB, 10 MG TAB, 15 MG TAB, 20 MG TAB, 25 MG TAB)	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
JAYPIRCA 100 MG TAB	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
JAYPIRCA 50 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
KISQALI (200 MG DOSE) 200 MG TAB THPK	spec	QL (21 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
KISQALI (400 MG DOSE) 200 MG TAB THPK	spec	QL (42 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
KISQALI (600 MG DOSE) 200 MG TAB THPK	spec	QL (63 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
<i>lapatinib ditosylate 250 mg tab</i>	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
LENVIMA (10 MG DAILY DOSE) 10 MG CAP THPK	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LENVIMA (12 MG DAILY DOSE) 3 X 4 MG CAP THPK	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LENVIMA (14 MG DAILY DOSE) 10 & 4 MG CAP THPK	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LENVIMA (18 MG DAILY DOSE) 10 MG & 2 X 4 MG CAP THPK	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LENVIMA (20 MG DAILY DOSE) 2 X 10 MG CAP THPK	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LENVIMA (24 MG DAILY DOSE) 2 X 10 MG & 4 MG CAP THPK	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LENVIMA (4 MG DAILY DOSE) 4 MG CAP THPK	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LENVIMA (8 MG DAILY DOSE) 2 X 4 MG CAP THPK	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LORBRENA 100 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LORBRENA 25 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LYNPARZA (100 MG TAB, 150 MG TAB)	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LYTGOBI (12 MG DAILY DOSE) 4 MG TAB THPK	spec	LA, QL (84 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
LYTGOBI (16 MG DAILY DOSE) 4 MG TAB THPK	spec	LA, QL (112 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
LYTGOBI (20 MG DAILY DOSE) 4 MG TAB THPK	spec	LA, QL (140 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
MEKINIST 0.05 MG/ML RECON SOLN	spec	LA, QL (40 PER 1 DAYS), PA - FOR NEW STARTS ONLY
MEKINIST 0.5 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
MEKINIST 2 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
MEKTOVI 15 MG TAB	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
NERLYNX 40 MG TAB	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ODOMZO 200 MG CAP	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>pazopanib hcl 200 mg tab</i>	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
PEMAZYRE (4.5 MG TAB, 9 MG TAB, 13.5 MG TAB)	spec	LA, QL (30 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY
PIQRAY (200 MG DAILY DOSE) 200 MG TAB THPK	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
PIQRAY (250 MG DAILY DOSE) 200 & 50 MG TAB THPK	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
PIQRAY (300 MG DAILY DOSE) 2 X 150 MG TAB THPK	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
REZLIDHIA 150 MG CAP	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
RUBRACA (200 MG TAB, 250 MG TAB, 300 MG TAB)	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
RYDAPT 25 MG CAP	spec	QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SCEMBLIX 100 MG TAB	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SCEMBLIX 20 MG TAB	spec	QL (20 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SCEMBLIX 40 MG TAB	spec	QL (10 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>sorafenib tosylate 200 mg tab</i>	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SPRYCEL (100 MG TAB, 140 MG TAB)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SPRYCEL (70 MG TAB, 80 MG TAB)	spec	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SPRYCEL 20 MG TAB	spec	QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SPRYCEL 50 MG TAB	spec	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
STIVARGA 40 MG TAB	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>sunitinib malate (37.5 mg cap, 50 mg cap)</i>	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>sunitinib malate 12.5 mg cap</i>	spec	QL (7 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>sunitinib malate 25 mg cap</i>	spec	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TAFINLAR (50 MG CAP, 75 MG CAP)	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TAFINLAR 10 MG TAB SOL	spec	LA, QL (30 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
TAGRISSE (40 MG TAB, 80 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TALZENNA (0.1 MG CAP, 0.35 MG CAP, 0.5 MG CAP, 0.75 MG CAP, 1 MG CAP)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TALZENNA 0.25 MG CAP	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TASIGNA (50 MG CAP, 150 MG CAP, 200 MG CAP)	spec	QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TEPMETKO 225 MG TAB	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TIBSOVO 250 MG TAB	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TUKYSA (50 MG TAB, 150 MG TAB)	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
TURALIO (125 MG CAP, 200 MG CAP)	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
UKONIQ 200 MG TAB	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VENCLEXTA 10 MG TAB	brd	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VENCLEXTA 100 MG TAB	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VENCLEXTA 50 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VENCLEXTA STARTING PACK 10 & 50 & 100 MG TAB THPK	spec	LA, QL (84 PER 365 OVER TIME), PA - FOR NEW STARTS ONLY
VERZENIO (50 MG TAB, 100 MG TAB, 150 MG TAB, 200 MG TAB)	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VITRAKVI 100 MG CAP	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VITRAKVI 20 MG/ML SOLUTION	spec	LA, QL (10 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VITRAKVI 25 MG CAP	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VIZIMPRO (15 MG TAB, 30 MG TAB, 45 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XALKORI (20 MG CAP SPRINK, 50 MG CAP SPRINK, 200 MG CAP, 250 MG CAP)	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XALKORI 150 MG CAP SPRINK	spec	LA, QL (6 PER 1 DAYS), PA - FOR NEW STARTS ONLY
XOSPATA 40 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
ZEJULA (100 MG TAB, 200 MG TAB, 300 MG TAB)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ZEJULA 100 MG CAP	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ZELBORAF 240 MG TAB	spec	LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ZYDELIG (100 MG TAB, 150 MG TAB)	spec	LA, QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
ZYKADIA 150 MG TAB	spec	LA, QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY

## RETINOIDS

<i>bexarotene 1 % gel</i>	spec	QL (60 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY
<i>bexarotene 75 mg cap</i>	spec	QL (10 PER 1 DAYS), PA - FOR NEW STARTS ONLY
PANRETIN 0.1 % GEL	npd	PA - FOR NEW STARTS ONLY
<i>tretinoin 10 mg cap</i>	gen	

## TREATMENT ADJUNCTS

<i>mesna 100 mg/ml solution</i>	npd	
MESNEX 400 MG TAB	brd	
VONJO 100 MG CAP	spec	LA, QL (4 PER 1 DAYS), PA - FOR NEW STARTS ONLY

## ANTIPARASITICS

### ANTHELMINTHICS

<i>albendazole 200 mg tab</i>	npd	
<i>ivermectin 3 mg tab</i>	gen	QL (16 PER 365 OVER TIME)
<i>praziquantel 600 mg tab</i>	gen	

### ANTIPROTOZOALS

ALINIA 100 MG/5ML RECON SUSP	npd	PA, QL (180 PER 3 OVER TIME)
<i>atovaquone 750 mg/5ml suspension</i>	gen	PA
<i>atovaquone-proguanil hcl (62.5-25 mg tab, 250-100 mg tab)</i>	gen	
BENZNIDAZOLE 100 MG TAB	npd	QL (240 PER 365 OVER TIME)
BENZNIDAZOLE 12.5 MG TAB	npd	QL (720 PER 365 OVER TIME)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>chloroquine phosphate 250 mg tab</i>	gen	QL (50 PER 30 OVER TIME)
<i>chloroquine phosphate 500 mg tab</i>	gen	QL (25 PER 30 OVER TIME)
COARTEM 20-120 MG TAB	brd	QL (24 PER 2 OVER TIME)
<i>hydroxychloroquine sulfate 100 mg tab</i>	gen	QL (4 PER 1 DAYS)
<i>hydroxychloroquine sulfate 200 mg tab</i>	gen	QL (3 PER 1 DAYS)
<i>hydroxychloroquine sulfate 300 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>hydroxychloroquine sulfate 400 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>mefloquine hcl 250 mg tab</i>	gen	
<i>nitazoxanide 500 mg tab</i>	gen	PA, QL (6 PER 3 OVER TIME)
<i>pentamidine isethionate 300 mg recon soln</i>	gen	PA - PART B VS D DETERMINATION
<i>primaquine phosphate 26.3 (15 base) mg tab</i>	gen	
<i>pyrimethamine 25 mg tab</i>	spec	PA
<i>quinine sulfate 324 mg cap</i>	gen	QL (6 PER 1 DAYS)

## **ANTIPARKINSON AGENTS**

### **ANTICHOLINERGICS**

<i>benztropine mesylate (0.5 mg tab, 1 mg tab, 2 mg tab)</i>	gen	
<i>benztropine mesylate 1 mg/ml solution</i>	npd	
<i>trihexyphenidyl hcl (0.4 mg/ml solution, 2 mg tab, 5 mg tab)</i>	gen	

### **ANTIPARKINSON AGENTS, OTHER**

<i>amantadine hcl (50 mg/5ml solution, 100 mg cap, 100 mg tab)</i>	gen	
<i>carbidopa-levodopa-entacapone (12.5-50-200 mg tab, 18.75-75-200 mg tab, 25-100-200 mg tab, 31.25-125-200 mg tab, 37.5-150-200 mg tab, 50-200-200 mg tab)</i>	gen	
<i>entacapone 200 mg tab</i>	gen	QL (8 PER 1 DAYS)

### **DOPAMINE AGONISTS**

<i>apomorphine hcl 30 mg/3ml soln cart</i>	spec	PA
<i>bromocriptine mesylate (2.5 mg tab, 5 mg cap)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
NEUPRO (1 MG/24HR PATCH 24HR, 2 MG/24HR PATCH 24HR, 3 MG/24HR PATCH 24HR, 4 MG/24HR PATCH 24HR, 6 MG/24HR PATCH 24HR, 8 MG/24HR PATCH 24HR)	npd	QL (30 PER 30 OVER TIME)
<i>pramipexole dihydrochloride (0.125 mg tab, 0.25 mg tab, 0.5 mg tab, 0.75 mg tab, 1 mg tab, 1.5 mg tab)</i>	gen	
<i>pramipexole dihydrochloride er (er 0.375 mg tab er 24h, er 0.75 mg tab er 24h, er 1.5 mg tab er 24h, er 2.25 mg tab er 24h, er 3 mg tab er 24h, er 3.75 mg tab er 24h, er 4.5 mg tab er 24h)</i>	gen	QL (1 PER 1 DAYS)
<i>ropinirole hcl (0.25 mg tab, 0.5 mg tab, 1 mg tab, 2 mg tab, 3 mg tab, 4 mg tab, 5 mg tab)</i>	gen	
<i>ropinirole hcl er (er 2 mg tab er 24h, er 4 mg tab er 24h, er 6 mg tab er 24h)</i>	gen	QL (1 PER 1 DAYS)
<i>ropinirole hcl er 12 mg tab er 24h</i>	gen	QL (2 PER 1 DAYS)
<i>ropinirole hcl er 8 mg tab er 24h</i>	gen	QL (3 PER 1 DAYS)

## **DOPAMINE PRECURSORS AND/OR L-AMINO ACID DECARBOXYLASE INHIBITORS**

<i>carbidopa 25 mg tab</i>	gen	
<i>carbidopa-levodopa (10-100 mg tab, 10-100 mg tab disp, 25-100 mg tab, 25-100 mg tab disp, 25-250 mg tab, 25-250 mg tab disp)</i>	gen	
<i>carbidopa-levodopa er (er 25-100 mg tab er, er 50-200 mg tab er)</i>	gen	

## **MONOAMINE OXIDASE B (MAO-B) INHIBITORS**

<i>rasagiline mesylate (0.5 mg tab, 1 mg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>selegiline hcl (5 mg cap, 5 mg tab)</i>	gen	

## **ANTIPSYCHOTICS**

### **1ST GENERATION/TYPICAL**

<i>chlorpromazine hcl (10 mg tab, 25 mg tab, 30 mg/ml conc, 50 mg tab, 100 mg tab, 100 mg/ml conc, 200 mg tab)</i>	gen	
<i>chlorpromazine hcl (25 mg/ml solution, 50 mg/2ml solution)</i>	npd	
<i>fluphenazine decanoate 25 mg/ml solution</i>	npd	
FLUPHENAZINE HCL (1 MG TAB, 2.5 MG TAB, 2.5 MG/5ML ELIXIR, 5 MG TAB, 5 MG/ML CONC, 10 MG TAB)	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
FLUPHENAZINE HCL 2.5 MG/ML SOLUTION	npd	
<i>haloperidol (0.5 mg tab, 1 mg tab, 2 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i>	gen	
<i>haloperidol decanoate (50 mg/ml solution, 100 mg/ml solution)</i>	brd	
<i>haloperidol lactate 2 mg/ml conc</i>	gen	
<i>haloperidol lactate 5 mg/ml solution</i>	brd	
<i>loxapine succinate (5 mg cap, 10 mg cap, 25 mg cap, 50 mg cap)</i>	gen	
MOLINDONE HCL 10 MG TAB	gen	QL (8 PER 1 DAYS)
MOLINDONE HCL 25 MG TAB	gen	QL (9 PER 1 DAYS)
MOLINDONE HCL 5 MG TAB	gen	QL (12 PER 1 DAYS)
PIMOZIDE (1 MG TAB, 2 MG TAB)	gen	
<i>thioridazine hcl (10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	PA - FOR NEW STARTS ONLY
<i>thiothixene (1 mg cap, 2 mg cap, 5 mg cap, 10 mg cap)</i>	gen	
<i>trifluoperazine hcl (1 mg tab, 2 mg tab, 5 mg tab, 10 mg tab)</i>	gen	

## 2ND GENERATION/ATYPICAL

ABILIFY ASIMTUFII (720 MG/2.4ML PRSYR, 960 MG/3.2ML PRSYR)	spec	PA - PART B VS D DETERMINATION
ABILIFY MAINTENA (300 MG PRSYR, 300 MG SRER, 400 MG PRSYR, 400 MG SRER)	spec	PA - PART B VS D DETERMINATION
<i>aripiprazole (10 mg tab, 15 mg tab, 20 mg tab, 30 mg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>aripiprazole (5 mg tab, 10 mg tab disp, 15 mg tab disp)</i>	gen	QL (2 PER 1 DAYS)
<i>aripiprazole 1 mg/ml solution</i>	gen	QL (25 PER 1 DAYS)
<i>aripiprazole 2 mg tab</i>	gen	QL (4 PER 1 DAYS)
ARISTADA (441 MG/1.6ML PRSYR, 662 MG/2.4ML PRSYR, 882 MG/3.2ML PRSYR, 1064 MG/3.9ML PRSYR)	spec	PA - PART B VS D DETERMINATION
ARISTADA INITIO 675 MG/2.4ML PRSYR	spec	QL (2.4 PER 42 OVER TIME), PA - PART B VS D DETERMINATION
<i>asenapine maleate (2.5 mg sl tab, 5 mg sl tab, 10 mg sl tab)</i>	gen	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
CAPLYTA (10.5 MG CAP, 21 MG CAP, 42 MG CAP)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
FANAPT (1 MG TAB, 2 MG TAB, 4 MG TAB, 6 MG TAB, 8 MG TAB, 10 MG TAB, 12 MG TAB)	npd	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
FANAPT TITRATION PACK 1 & 2 & 4 & 6 MG TAB	npd	QL (8 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY
INVEGA HAFYERA 1092 MG/3.5ML SUSP PRSYR	spec	QL (3.5 PER 180 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA HAFYERA 1560 MG/5ML SUSP PRSYR	spec	QL (5 PER 180 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA SUSTENNA 117 MG/0.75ML SUSP PRSYR	spec	QL (0.75 PER 28 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA SUSTENNA 156 MG/ML SUSP PRSYR	spec	QL (1 PER 28 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA SUSTENNA 234 MG/1.5ML SUSP PRSYR	spec	QL (1.5 PER 28 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA SUSTENNA 39 MG/0.25ML SUSP PRSYR	npd	QL (0.25 PER 28 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA SUSTENNA 78 MG/0.5ML SUSP PRSYR	spec	QL (0.5 PER 28 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA TRINZA 273 MG/0.88ML SUSP PRSYR	spec	QL (0.88 PER 84 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA TRINZA 410 MG/1.32ML SUSP PRSYR	spec	QL (1.32 PER 84 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA TRINZA 546 MG/1.75ML SUSP PRSYR	spec	QL (1.75 PER 84 OVER TIME), PA - PART B VS D DETERMINATION
INVEGA TRINZA 819 MG/2.63ML SUSP PRSYR	spec	QL (2.63 PER 84 OVER TIME), PA - PART B VS D DETERMINATION
<i>lurasidone hcl (20 mg tab, 40 mg tab, 60 mg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>lurasidone hcl (80 mg tab, 120 mg tab)</i>	gen	QL (2 PER 1 DAYS)
NUPLAZID (10 MG TAB, 34 MG CAP)	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>olanzapine (2.5 mg tab, 5 mg tab, 5 mg tab disp, 7.5 mg tab, 10 mg tab, 10 mg tab disp, 15 mg tab, 15 mg tab disp, 20 mg tab, 20 mg tab disp)</i>	gen	
<i>olanzapine 10 mg recon soln</i>	npd	
<i>paliperidone er (er 1.5 mg tab er 24h, er 3 mg tab er 24h, er 9 mg tab er 24h)</i>	gen	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>paliperidone er 6 mg tab er 24h</i>	gen	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
PERSERIS (90 MG PRSYR, 120 MG PRSYR)	spec	QL (1 PER 28 OVER TIME), PA - PART B VS D DETERMINATION

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>quetiapine fumarate (25 mg tab, 50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab, 300 mg tab, 400 mg tab)</i>	gen	
<i>quetiapine fumarate er (er 50 mg tab er 24h, er 150 mg tab er 24h, er 200 mg tab er 24h, er 300 mg tab er 24h, er 400 mg tab er 24h)</i>	gen	
REXULTI (0.25 MG TAB, 0.5 MG TAB, 1 MG TAB, 2 MG TAB, 3 MG TAB, 4 MG TAB)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>risperidone (0.25 mg tab, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp, 1 mg tab, 1 mg tab disp, 1 mg/ml solution, 2 mg tab, 2 mg tab disp, 3 mg tab, 3 mg tab disp, 4 mg tab, 4 mg tab disp)</i>	gen	
<i>risperidone microspheres er (er 25 mg, er 37.5 mg, er 50 mg)</i>	spec	PA - PART B VS D DETERMINATION
<i>risperidone microspheres er 12.5 mg srer</i>	npd	PA - PART B VS D DETERMINATION
SECUADO (3.8 MG/24HR PATCH 24HR, 5.7 MG/24HR PATCH 24HR, 7.6 MG/24HR PATCH 24HR)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VRAYLAR (1.5 MG CAP, 3 MG CAP, 4.5 MG CAP, 6 MG CAP)	spec	QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
VRAYLAR 1.5 & 3 MG CAP THPK	npd	QL (7 PER 30 OVER TIME), PA - FOR NEW STARTS ONLY
<i>ziprasidone hcl (20 mg cap, 40 mg cap, 60 mg cap, 80 mg cap)</i>	gen	
<i>ziprasidone mesylate 20 mg recon soln</i>	npd	
ZYPREXA RELPREVV (210 MG RECON SUSP, 300 MG RECON SUSP, 405 MG RECON SUSP)	npd	PA - PART B VS D DETERMINATION

## **TREATMENT-RESISTANT**

<i>clozapine (12.5 mg tab disp, 25 mg tab, 25 mg tab disp, 50 mg tab, 100 mg tab, 100 mg tab disp, 150 mg tab disp, 200 mg tab, 200 mg tab disp)</i>	gen	
VERSACLOZ 50 MG/ML SUSPENSION	spec	QL (18 PER 1 DAYS), PA - FOR NEW STARTS ONLY

## **ANTISPASTICITY AGENTS**

<i>baclofen 10 mg tab</i>	gen	QL (8 PER 1 DAYS)
<i>baclofen 15 mg tab</i>	gen	QL (6 PER 1 DAYS)
<i>baclofen 20 mg tab</i>	gen	QL (4 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>baclofen 5 mg tab</i>	gen	QL (16 PER 1 DAYS)
<i>dantrolene sodium (25 mg cap, 50 mg cap, 100 mg cap)</i>	gen	
<i>tizanidine hcl (2 mg cap, 2 mg tab, 4 mg cap, 4 mg tab, 6 mg cap)</i>	gen	

## ANTIVIRALS

### ANTI-CYTOMEGALOVIRUS (CMV) AGENTS

PREVYMIS 240 MG TAB	spec	QL (200 PER 365 OVER TIME)
PREVYMIS 480 MG TAB	spec	QL (100 PER 365 OVER TIME)
<i>valganciclovir hcl 450 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>valganciclovir hcl 50 mg/ml recon soln</i>	gen	QL (18 PER 1 DAYS)
ZIRGAN 0.15 % GEL	npd	QL (5 PER 30 OVER TIME)

### ANTI-HEPATITIS B (HBV) AGENTS

<i>adefovir dipivoxil 10 mg tab</i>	gen	QL (1 PER 1 DAYS)
BARACLUDE 0.05 MG/ML SOLUTION	brd	QL (21 PER 1 DAYS)
<i>entecavir (0.5 mg tab, 1 mg tab)</i>	gen	QL (1 PER 1 DAYS)
EPIVIR HBV 5 MG/ML SOLUTION	brd	
<i>lamivudine 100 mg tab</i>	gen	

### ANTI-HEPATITIS C (HCV) AGENTS

EPCLUSA (150-37.5 MG PACKET, 200-50 MG TAB, 400-100 MG TAB)	spec	PA, QL (1 PER 1 DAYS)
EPCLUSA 200-50 MG PACKET	spec	PA, QL (2 PER 1 DAYS)
HARVONI (33.75-150 MG PACKET, 45-200 MG TAB, 90-400 MG TAB)	spec	PA, QL (1 PER 1 DAYS)
HARVONI 45-200 MG PACKET	spec	PA, QL (2 PER 1 DAYS)
LEDIPASVIR-SOFOSBUVIR 90-400 MG TAB	spec	PA, QL (1 PER 1 DAYS)
MAVYRET 100-40 MG TAB	spec	PA, QL (3 PER 1 DAYS)
MAVYRET 50-20 MG PACKET	spec	PA, QL (6 PER 1 DAYS)
<i>ribavirin (200 mg cap, 200 mg tab)</i>	gen	
SOFOSBUVIR-VELPATASVIR 400-100 MG TAB	spec	PA, QL (1 PER 1 DAYS)
VOSEVI 400-100-100 MG TAB	spec	PA, QL (1 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
-----------	-----------	---------------------

### ANTI-HIV AGENTS, INTEGRASE INHIBITORS (INSTI)

BIKTARVY (30-120-15 MG TAB, 50-200-25 MG TAB)	brd	QL (1 PER 1 DAYS)
DOVATO 50-300 MG TAB	npd	QL (1 PER 1 DAYS)
GENVOYA 150-150-200-10 MG TAB	npd	QL (1 PER 1 DAYS)
ISENTRESS (25 MG CHEW TAB, 100 MG CHEW TAB)	brd	QL (6 PER 1 DAYS)
ISENTRESS 100 MG PACKET	brd	QL (2 PER 1 DAYS)
ISENTRESS 400 MG TAB	brd	QL (4 PER 1 DAYS)
ISENTRESS HD 600 MG TAB	brd	QL (2 PER 1 DAYS)
JULUCA 50-25 MG TAB	npd	QL (1 PER 1 DAYS)
STRIBILD 150-150-200-300 MG TAB	brd	QL (1 PER 1 DAYS)
TIVICAY (10 MG TAB, 25 MG TAB, 50 MG TAB)	brd	QL (2 PER 1 DAYS)
TIVICAY PD 5 MG TAB SOL	brd	QL (6 PER 1 DAYS)

### ANTI-HIV AGENTS, NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)

COMPLERA 200-25-300 MG TAB	brd	QL (1 PER 1 DAYS)
DELSTRIGO 100-300-300 MG TAB	npd	QL (1 PER 1 DAYS)
EDURANT 25 MG TAB	brd	QL (2 PER 1 DAYS)
EFAVIRENZ 200 MG CAP	gen	QL (3 PER 1 DAYS)
EFAVIRENZ 50 MG CAP	gen	QL (6 PER 1 DAYS)
<i>efavirenz 600 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>efavirenz-emtricitab-tenofo df 600-200-300 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>efavirenz-lamivudine-tenofovir (400-300-300 mg tab, 600-300-300 mg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>etravirine 100 mg tab</i>	gen	QL (4 PER 1 DAYS)
<i>etravirine 200 mg tab</i>	gen	QL (2 PER 1 DAYS)
INTELENCE 25 MG TAB	brd	QL (12 PER 1 DAYS)
<i>nevirapine 200 mg tab</i>	gen	QL (2 PER 1 DAYS)
NEVIRAPINE 50 MG/5ML SUSPENSION	gen	QL (40 PER 1 DAYS)
NEVIRAPINE ER 100 MG TAB ER 24H	gen	QL (3 PER 1 DAYS)
<i>nevirapine er 400 mg tab er 24h</i>	gen	QL (1 PER 1 DAYS)
ODEFSEY 200-25-25 MG TAB	brd	QL (1 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
PIFELTRO 100 MG TAB	npd	QL (2 PER 1 DAYS)
<b>ANTI-HIV AGENTS, NUCLEOSIDE AND NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)</b>		
<i>abacavir sulfate 20 mg/ml solution</i>	gen	QL (30 PER 1 DAYS)
<i>abacavir sulfate 300 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>abacavir sulfate-lamivudine 600-300 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>abacavir-lamivudine-zidovudine 300-150-300 mg tab</i>	gen	QL (2 PER 1 DAYS)
CIMDUO 300-300 MG TAB	brd	QL (1 PER 1 DAYS)
DESCOVY (120-15 MG TAB, 200-25 MG TAB)	brd	QL (1 PER 1 DAYS)
DIDANOSINE (200 MG CAP DR, 250 MG CAP DR, 400 MG CAP DR)	gen	QL (1 PER 1 DAYS)
<i>emtricitabine 200 mg cap</i>	gen	QL (1 PER 1 DAYS)
<i>emtricitabine-tenofovir df (100-150 mg tab, 133-200 mg tab, 167-250 mg tab, 200-300 mg tab)</i>	gen	QL (1 PER 1 DAYS)
EMTRIVA 10 MG/ML SOLUTION	brd	QL (24 PER 1 DAYS)
<i>lamivudine 10 mg/ml solution</i>	gen	QL (30 PER 1 DAYS)
<i>lamivudine 150 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>lamivudine 300 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>lamivudine-zidovudine 150-300 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>stavudine (15 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>	gen	QL (2 PER 1 DAYS)
TEMIXYS 300-300 MG TAB	brd	QL (1 PER 1 DAYS)
<i>tenofovir disoproxil fumarate 300 mg tab</i>	gen	QL (1 PER 1 DAYS)
TRIUMEQ 600-50-300 MG TAB	npd	QL (1 PER 1 DAYS)
TRIUMEQ PD 60-5-30 MG TAB SOL	npd	QL (6 PER 1 DAYS)
TRIZIVIR 300-150-300 MG TAB	brd	QL (2 PER 1 DAYS)
VIREAD (200 MG TAB, 250 MG TAB)	brd	QL (1 PER 1 DAYS)
VIREAD 150 MG TAB	brd	QL (2 PER 1 DAYS)
VIREAD 40 MG/GM POWDER	brd	QL (240 PER 30 OVER TIME)
<i>zidovudine 100 mg cap</i>	gen	QL (6 PER 1 DAYS)
<i>zidovudine 300 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>zidovudine 50 mg/5ml syrup</i>	gen	QL (60 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>ANTI-HIV AGENTS, OTHER</b>		
CABENUVA 400 & 600 MG/2ML SUSP	spec	QL (4 PER 30 OVER TIME), PA - PART B VS D DETERMINATION
CABENUVA 600 & 900 MG/3ML SUSP	spec	QL (6 PER 30 OVER TIME), PA - PART B VS D DETERMINATION
FUZEON 90 MG RECON SOLN	spec	QL (60 PER 30 OVER TIME)
<i>maraviroc 150 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>maraviroc 300 mg tab</i>	gen	QL (4 PER 1 DAYS)
RUKOBIA 600 MG TAB ER 12H	npd	QL (2 PER 1 DAYS)
SELZENTRY (25 MG TAB, 75 MG TAB)	brd	QL (8 PER 1 DAYS)
SELZENTRY 20 MG/ML SOLUTION	brd	QL (60 PER 1 DAYS)
SUNLENCA 4 X 300 MG TAB THPK	spec	QL (4 PER 180 OVER TIME)
SUNLENCA 463.5 MG/1.5ML SOLUTION	spec	QL (3 PER 180 OVER TIME), PA - PART B VS D DETERMINATION
SUNLENCA 5 X 300 MG TAB THPK	spec	QL (5 PER 180 OVER TIME)
TYBOST 150 MG TAB	brd	QL (1 PER 1 DAYS)

### ANTI-HIV AGENTS, PROTEASE INHIBITORS (PI)

APTIVUS 100 MG/ML SOLUTION	brd	QL (10 PER 1 DAYS)
APTIVUS 250 MG CAP	brd	QL (4 PER 1 DAYS)
<i>atazanavir sulfate (150 mg cap, 200 mg cap)</i>	gen	QL (2 PER 1 DAYS)
<i>atazanavir sulfate 300 mg cap</i>	gen	QL (1 PER 1 DAYS)
CRIXIVAN 200 MG CAP	brd	QL (9 PER 1 DAYS)
CRIXIVAN 400 MG CAP	brd	QL (6 PER 1 DAYS)
<i>darunavir 600 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>darunavir 800 mg tab</i>	gen	QL (1 PER 1 DAYS)
EVOTAZ 300-150 MG TAB	npd	QL (1 PER 1 DAYS)
<i>fosamprenavir calcium 700 mg tab</i>	gen	QL (4 PER 1 DAYS)
LEXIVA 50 MG/ML SUSPENSION	brd	QL (56 PER 1 DAYS)
<i>lopinavir-ritonavir 100-25 mg tab</i>	gen	QL (10 PER 1 DAYS)
<i>lopinavir-ritonavir 200-50 mg tab</i>	gen	QL (4 PER 1 DAYS)
<i>lopinavir-ritonavir 400-100 mg/5ml solution</i>	gen	QL (13 PER 1 DAYS)
NORVIR (100 MG CAP, 100 MG PACKET)	brd	QL (12 PER 1 DAYS)
NORVIR 80 MG/ML SOLUTION	brd	QL (15 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
PREZCOBIX 800-150 MG TAB	brd	QL (1 PER 1 DAYS)
PREZISTA 100 MG/ML SUSPENSION	brd	QL (12 PER 1 DAYS)
PREZISTA 150 MG TAB	brd	QL (8 PER 1 DAYS)
PREZISTA 75 MG TAB	brd	QL (10 PER 1 DAYS)
REYATAZ 50 MG PACKET	brd	QL (8 PER 1 DAYS)
<i>ritonavir 100 mg tab</i>	gen	QL (12 PER 1 DAYS)
SYMTUZA 800-150-200-10 MG TAB	npd	QL (1 PER 1 DAYS)
VIRACEPT 250 MG TAB	brd	QL (9 PER 1 DAYS)
VIRACEPT 625 MG TAB	brd	QL (4 PER 1 DAYS)

## ANTI-INFLUENZA AGENTS

<i>oseltamivir phosphate 30 mg cap</i>	gen	QL (120 PER 180 OVER TIME)
<i>oseltamivir phosphate 45 mg cap</i>	gen	QL (42 PER 180 OVER TIME)
<i>oseltamivir phosphate 6 mg/ml recon susp</i>	gen	QL (1080 PER 365 OVER TIME)
<i>oseltamivir phosphate 75 mg cap</i>	gen	QL (60 PER 180 OVER TIME)
RELENZA DISKHALER 5 MG/ACT AER POW BA	brd	QL (60 PER 180 OVER TIME)
RIMANTADINE HCL 100 MG TAB	gen	
XOFLUZA (40 MG DOSE) (OFLUZA MG DOSE) 1 40 MG TAB THPK, OFLUZA MG DOSE) 2 20 MG TAB THPK)	npd	QL (2 PER 30 OVER TIME)
XOFLUZA (80 MG DOSE) 1 X 80 MG TAB THPK	npd	QL (1 PER 30 OVER TIME)
XOFLUZA (80 MG DOSE) 2 X 40 MG TAB THPK	npd	QL (2 PER 30 OVER TIME)

## ANTIHERPETIC AGENTS

<i>acyclovir (200 mg cap, 200 mg/5ml suspension, 400 mg tab, 800 mg tab)</i>	gen	
<i>acyclovir sodium 50 mg/ml solution</i>	npd	PA - PART B VS D DETERMINATION
<i>famciclovir (125 mg tab, 250 mg tab, 500 mg tab)</i>	gen	
TRIFLURIDINE 1 % SOLUTION	gen	
<i>valacyclovir hcl (1 gm tab, 500 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>ANXIOLYTICS</b>		
<b>ANXIOLYTICS, OTHER</b>		
<i>bupirone hcl (5 mg tab, 7.5 mg tab, 10 mg tab, 15 mg tab, 30 mg tab)</i>	gen	
<i>meprobamate (200 mg tab, 400 mg tab)</i>	gen	
<b>BENZODIAZEPINES</b>		
<i>alprazolam (0.25 mg tab, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp, 1 mg tab, 1 mg tab disp)</i>	gen	QL (4 PER 1 DAYS)
<i>alprazolam (2 mg tab, 2 mg tab disp)</i>	gen	QL (5 PER 1 DAYS)
<i>alprazolam er (er 0.5 mg tab er 24h, er 1 mg tab er 24h, er 3 mg tab er 24h)</i>	gen	QL (1 PER 1 DAYS)
<i>alprazolam er 2 mg tab er 24h</i>	gen	QL (5 PER 1 DAYS)
ALPRAZOLAM INTENSOL 1 MG/ML CONC	gen	QL (10 PER 1 DAYS)
<i>alprazolam xr (0.5 mg tab er 24h, 1 mg tab er 24h, 3 mg tab er 24h)</i>	gen	QL (1 PER 1 DAYS)
<i>alprazolam xr 2 mg tab er 24h</i>	gen	QL (5 PER 1 DAYS)
<i>clonazepam (0.125 mg tab disp, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp)</i>	gen	QL (40 PER 1 DAYS)
<i>clonazepam (1 mg tab, 1 mg tab disp)</i>	gen	QL (20 PER 1 DAYS)
<i>clonazepam (2 mg tab, 2 mg tab disp)</i>	gen	QL (10 PER 1 DAYS)
<i>clorazepate dipotassium 15 mg tab</i>	gen	QL (6 PER 1 DAYS)
<i>clorazepate dipotassium 3.75 mg tab</i>	gen	QL (24 PER 1 DAYS)
<i>clorazepate dipotassium 7.5 mg tab</i>	gen	QL (12 PER 1 DAYS)
<i>diazepam (5 mg tab, 5 mg/ml conc)</i>	gen	QL (12 PER 1 DAYS)
<i>diazepam 10 mg tab</i>	gen	QL (6 PER 1 DAYS)
<i>diazepam 2 mg tab</i>	gen	QL (30 PER 1 DAYS)
<i>diazepam 5 mg/5ml solution</i>	gen	QL (60 PER 1 DAYS)
<i>diazepam intensol 5 mg/ml conc</i>	gen	QL (12 PER 1 DAYS)
<i>lorazepam (2 mg tab, 2 mg/ml conc)</i>	gen	QL (5 PER 1 DAYS)
<i>lorazepam 0.5 mg tab</i>	gen	QL (20 PER 1 DAYS)
<i>lorazepam 1 mg tab</i>	gen	QL (10 PER 1 DAYS)
<i>lorazepam intensol 2 mg/ml conc</i>	gen	QL (5 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>oxazepam (10 mg cap, 15 mg cap, 30 mg cap)</i>	gen	QL (4 PER 1 DAYS)

## BIPOLAR AGENTS

### MOOD STABILIZERS

EQUETRO (100 MG CAP ER 12H, 200 MG CAP ER 12H, 300 MG CAP ER 12H)	brd	
<i>lithium 8 meq/5ml solution</i>	gen	
<i>lithium carbonate (150 mg cap, 300 mg cap, 300 mg tab, 600 mg cap)</i>	gen	
<i>lithium carbonate er (er 300 mg tab er, er 450 mg tab er)</i>	gen	

## BLOOD GLUCOSE REGULATORS

### ANTIDIABETIC AGENTS

<i>acarbose (25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	
BYETTA 10 MCG PEN 10 MCG/0.04ML SOLN PEN	npd	PA, QL (2.4 PER 28 OVER TIME)
BYETTA 5 MCG PEN 5 MCG/0.02ML SOLN PEN	npd	PA, QL (1.2 PER 28 OVER TIME)
FARXIGA (5 MG TAB, 10 MG TAB)	brd	QL (1 PER 1 DAYS)
<i>glimepiride (1 mg tab, 2 mg tab, 4 mg tab)</i>	gen	
<i>glipizide (2.5 mg tab, 5 mg tab, 10 mg tab)</i>	gen	
<i>glipizide er (er 2.5 mg tab er 24h, er 5 mg tab er 24h, er 10 mg tab er 24h)</i>	gen	
<i>glipizide xl (2.5 mg tab er 24h, 5 mg tab er 24h, 10 mg tab er 24h)</i>	gen	
<i>glipizide-metformin hcl (2.5-250 mg tab, 2.5-500 mg tab, 5-500 mg tab)</i>	gen	
<i>glyburide (1.25 mg tab, 2.5 mg tab, 5 mg tab)</i>	gen	
GLYBURIDE MICRONIZED (1.5 MG TAB, 3 MG TAB, 6 MG TAB)	gen	
<i>glyburide-metformin (1.25-250 mg tab, 2.5-500 mg tab, 5-500 mg tab)</i>	gen	
GLYXAMBI (10-5 MG TAB, 25-5 MG TAB)	brd	QL (1 PER 1 DAYS)
JANUMET (50-1000 MG TAB, 50-500 MG TAB)	brd	QL (2 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
JANUMET XR (50-500 MG TAB ER 24H, 100-1000 MG TAB ER 24H)	brd	QL (1 PER 1 DAYS)
JANUMET XR 50-1000 MG TAB ER 24H	brd	QL (2 PER 1 DAYS)
JANUVIA (25 MG TAB, 50 MG TAB, 100 MG TAB)	brd	QL (1 PER 1 DAYS)
JARDIANCE (10 MG TAB, 25 MG TAB)	brd	QL (1 PER 1 DAYS)
JENTADUETO (2.5-1000 MG TAB, 2.5-500 MG TAB, 2.5-850 MG TAB)	brd	QL (2 PER 1 DAYS)
JENTADUETO XR 2.5-1000 MG TAB ER 24H	brd	QL (2 PER 1 DAYS)
JENTADUETO XR 5-1000 MG TAB ER 24H	brd	QL (1 PER 1 DAYS)
KERENDIA (10 MG TAB, 20 MG TAB)	npd	PA, QL (1 PER 1 DAYS)
<i>metformin hcl (500 mg tab, 850 mg tab, 1000 mg tab)</i>	gen	
<i>metformin hcl er (er 500 mg tab er 24h, er 750 mg tab er 24h)</i>	gen	
<i>miglitol (25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	QL (3 PER 1 DAYS)
MOUNJARO (2.5 MG/0.5ML SOLN A-INJ, 5 MG/0.5ML SOLN A-INJ, 7.5 MG/0.5ML SOLN A-INJ, 10 MG/0.5ML SOLN A-INJ, 12.5 MG/0.5ML SOLN A-INJ, 15 MG/0.5ML SOLN A-INJ)	brd	PA, QL (2 PER 28 OVER TIME)
<i>nateglinide (60 mg tab, 120 mg tab)</i>	gen	
OZEMPIC (0.25 OR 0.5 MG/DOSE) 2 MG/1.5ML SOLN PEN	brd	PA, QL (1.5 PER 28 OVER TIME)
OZEMPIC (0.25 OR 0.5 MG/DOSE) 2 MG/3ML SOLN PEN	brd	PA, QL (3 PER 28 OVER TIME)
OZEMPIC (1 MG/DOSE) (MG/DOSE) 2 MG/1.5ML SOLN PEN, (MG/DOSE) 4 MG/3ML SOLN PEN)	brd	PA, QL (3 PER 28 OVER TIME)
OZEMPIC (2 MG/DOSE) 8 MG/3ML SOLN PEN	brd	PA, QL (3 PER 28 OVER TIME)
<i>pioglitazone hcl (15 mg tab, 30 mg tab, 45 mg tab)</i>	gen	
<i>pioglitazone hcl-glimepiride (30-2 mg tab, 30-4 mg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>pioglitazone hcl-metformin hcl (-metformin 15-500 mg tab, -metformin 15-850 mg tab)</i>	gen	
<i>repaglinide (0.5 mg tab, 1 mg tab, 2 mg tab)</i>	gen	
RYBELSUS (3 MG TAB, 7 MG TAB, 14 MG TAB)	brd	PA, QL (1 PER 1 DAYS)
SYNJARDY (5-1000 MG TAB, 5-500 MG TAB, 12.5-1000 MG TAB, 12.5-500 MG TAB)	brd	QL (2 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
SYNJARDY XR (5-1000 MG TAB ER 24H, 10-1000 MG TAB ER 24H, 12.5-1000 MG TAB ER 24H)	brd	QL (2 PER 1 DAYS)
SYNJARDY XR 25-1000 MG TAB ER 24H	brd	QL (1 PER 1 DAYS)
TOLBUTAMIDE 500 MG TAB	gen	
TRADJENTA 5 MG TAB	brd	QL (1 PER 1 DAYS)
TRULICITY (0.75 MG/0.5ML SOLN A-INJ, 1.5 MG/0.5ML SOLN A-INJ, 3 MG/0.5ML SOLN A-INJ, 4.5 MG/0.5ML SOLN A-INJ)	brd	PA, QL (2 PER 28 OVER TIME)
VICTOZA 18 MG/3ML SOLN PEN	brd	PA, QL (9 PER 30 OVER TIME)
XIGDUO XR (2.5-1000 MG TAB ER 24H, 5-1000 MG TAB ER 24H, 10-1000 MG TAB ER 24H)	brd	QL (2 PER 1 DAYS)
XIGDUO XR (5-500 MG TAB ER 24H, 10-500 MG TAB ER 24H)	brd	QL (1 PER 1 DAYS)

## **GLYCEMIC AGENTS**

BAQSIMI ONE PACK 3 MG/DOSE POWDER	brd	QL (2 PER 30 OVER TIME)
BAQSIMI TWO PACK 3 MG/DOSE POWDER	brd	QL (2 PER 30 OVER TIME)
<i>diazoxide 50 mg/ml suspension</i>	gen	
GLUCAGEN HYPOKIT 1 MG RECON SOLN	brd	QL (2 PER 2 OVER TIME)
GLUCAGON EMERGENCY (1 MG KIT, 1 MG/ML RECON SOLN)	brd	QL (2 PER 2 OVER TIME)

## **INSULINS**

HUMALOG 100 UNIT/ML SOLN CART	brd	INS
HUMALOG JUNIOR KWIKPEN 100 UNIT/ML SOLN PEN	brd	INS
HUMALOG KWIKPEN (100 UNIT/ML SOLN PEN, 200 UNIT/ML SOLN PEN)	brd	INS
HUMALOG MIX 50/50 (50-50) 100 UNIT/ML SUSPENSION	brd	INS
HUMALOG MIX 50/50 KWIKPEN (50-50) 100 UNIT/ML SUSP PEN	brd	INS
HUMALOG MIX 75/25 (75-25) 100 UNIT/ML SUSPENSION	brd	INS
HUMALOG MIX 75/25 KWIKPEN (75-25) 100 UNIT/ML SUSP PEN	brd	INS
HUMULIN 70/30 (70-30) 100 UNIT/ML SUSPENSION	brd	INS

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
HUMULIN 70/30 KWIKPEN (70-30) 100 UNIT/ML SUSP PEN	brd	INS
HUMULIN N 100 UNIT/ML SUSPENSION	brd	INS
HUMULIN N KWIKPEN 100 UNIT/ML SUSP PEN	brd	INS
HUMULIN R 100 UNIT/ML SOLUTION	brd	INS
HUMULIN R U-500 (CONCENTRATED) 500 UNIT/ML SOLUTION	brd	PA - PART B VS D DETERMINATION, INS
HUMULIN R U-500 KWIKPEN 500 UNIT/ML SOLN PEN	brd	INS
INSULIN LISPRO (1 UNIT DIAL) 100 UNIT/ML SOLN PEN	brd	INS
INSULIN LISPRO 100 UNIT/ML SOLUTION	brd	INS
INSULIN LISPRO JUNIOR KWIKPEN 100 UNIT/ML SOLN PEN	brd	INS
INSULIN LISPRO PROT & LISPRO (75-25) 100 UNIT/ML SUSP PEN	brd	INS
LANTUS 100 UNIT/ML SOLUTION	brd	QL (40 PER 30 OVER TIME), INS
LANTUS SOLOSTAR 100 UNIT/ML SOLN PEN	brd	QL (45 PER 30 OVER TIME), INS
TOUJEO MAX SOLOSTAR 300 UNIT/ML SOLN PEN	brd	QL (18 PER 28 OVER TIME), INS
TOUJEO SOLOSTAR 300 UNIT/ML SOLN PEN	brd	QL (18 PER 28 OVER TIME), INS
TRESIBA 100 UNIT/ML SOLUTION	brd	QL (30 PER 30 OVER TIME), INS
TRESIBA FLEXTOUCH 100 UNIT/ML SOLN PEN	brd	QL (30 PER 30 OVER TIME), INS
TRESIBA FLEXTOUCH 200 UNIT/ML SOLN PEN	brd	QL (27 PER 30 OVER TIME), INS

## **BLOOD PRODUCTS AND MODIFIERS**

### **ANTICOAGULANTS**

<i>dabigatran etexilate mesylate (75 mg cap, 110 mg cap, 150 mg cap)</i>	gen	QL (2 PER 1 DAYS)
ELIQUIS (2.5 MG TAB, 5 MG TAB)	brd	QL (2 PER 1 DAYS)
ELIQUIS DVT/PE STARTER PACK 5 MG TAB THPK	brd	QL (74 PER 180 OVER TIME)
<i>enoxaparin sodium (100 mg/ml soln prsyr, 150 mg/ml soln prsyr, 300 mg/3ml solution)</i>	npd	QL (60 PER 30 OVER TIME)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>enoxaparin sodium (80 mg/0.8ml soln prsy, 120 mg/0.8ml soln prsy)</i>	npd	QL (48 PER 30 OVER TIME)
<i>enoxaparin sodium 30 mg/0.3ml soln prsy</i>	npd	QL (18 PER 30 OVER TIME)
<i>enoxaparin sodium 40 mg/0.4ml soln prsy</i>	npd	QL (24 PER 30 OVER TIME)
<i>enoxaparin sodium 60 mg/0.6ml soln prsy</i>	npd	QL (36 PER 30 OVER TIME)
<i>fondaparinux sodium 10 mg/0.8ml solution</i>	spec	QL (24 PER 30 OVER TIME)
<i>fondaparinux sodium 2.5 mg/0.5ml solution</i>	npd	QL (15 PER 30 OVER TIME)
<i>fondaparinux sodium 5 mg/0.4ml solution</i>	spec	QL (12 PER 30 OVER TIME)
<i>fondaparinux sodium 7.5 mg/0.6ml solution</i>	spec	QL (18 PER 30 OVER TIME)
<i>heparin sodium (porcine) ((porcine) 1000 unit/ml solution, (porcine) 5000 unit/ml solution, (porcine) 10000 unit/ml solution, (porcine) 20000 unit/ml solution)</i>	gen	PA - PART B VS D DETERMINATION
<i>heparin sodium (porcine) pf 1000 unit/ml solution</i>	gen	PA - PART B VS D DETERMINATION
<i>jantoven (1 mg tab, 2 mg tab, 2.5 mg tab, 3 mg tab, 4 mg tab, 5 mg tab, 6 mg tab, 7.5 mg tab, 10 mg tab)</i>	gen	
<i>warfarin sodium (1 mg tab, 2 mg tab, 2.5 mg tab, 3 mg tab, 4 mg tab, 5 mg tab, 6 mg tab, 7.5 mg tab, 10 mg tab)</i>	gen	
XARELTO (10 MG TAB, 15 MG TAB, 20 MG TAB)	brd	QL (1 PER 1 DAYS)
XARELTO 1 MG/ML RECON SUSP	brd	QL (20 PER 1 DAYS)
XARELTO 2.5 MG TAB	brd	QL (2 PER 1 DAYS)
XARELTO STARTER PACK 15 & 20 MG TAB THPK	brd	QL (51 PER 180 OVER TIME)
ZONTIVITY 2.08 MG TAB	npd	QL (1 PER 1 DAYS)

## **BLOOD PRODUCTS AND MODIFIERS, OTHER**

<i>anagrelide hcl (0.5 mg cap, 1 mg cap)</i>	gen	
ARANESP (ALBUMIN FREE) (FREE) 10 MCG/0.4ML SOLN PRSYR, (FREE) 25 MCG/0.42ML SOLN PRSYR, (FREE) 25 MCG/ML SOLUTION, (FREE) 40 MCG/0.4ML SOLN PRSYR, (FREE) 40 MCG/ML SOLUTION, (FREE) 60 MCG/0.3ML SOLN PRSYR, (FREE) 60 MCG/ML SOLUTION, (FREE) 100 MCG/ML SOLUTION)	npd	PA

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
ARANESP (ALBUMIN FREE) (FREE) 100 MCG/0.5ML SOLN PRSYR, (FREE) 150 MCG/0.3ML SOLN PRSYR, (FREE) 200 MCG/0.4ML SOLN PRSYR, (FREE) 200 MCG/ML SOLUTION, (FREE) 300 MCG/0.6ML SOLN PRSYR, (FREE) 500 MCG/ML SOLN PRSYR)	spec	PA
PROMACTA (12.5 MG PACKET, 12.5 MG TAB)	spec	PA, LA, QL (1 PER 1 DAYS)
PROMACTA (25 MG TAB, 50 MG TAB)	spec	PA, LA, QL (3 PER 1 DAYS)
PROMACTA 25 MG PACKET	spec	PA, LA, QL (6 PER 1 DAYS)
PROMACTA 75 MG TAB	spec	PA, LA, QL (2 PER 1 DAYS)
RETACRIT (2000 UNIT/ML SOLUTION, 3000 UNIT/ML SOLUTION, 4000 UNIT/ML SOLUTION, 10000 UNIT/ML SOLUTION, 20000 UNIT/ML SOLUTION)	npd	PA
RETACRIT 40000 UNIT/ML SOLUTION	spec	PA
ZARXIO (300 MCG/0.5ML SOLN PRSYR, 480 MCG/0.8ML SOLN PRSYR)	spec	PA

## HEMOSTASIS AGENTS

MEPHYTON 5 MG TAB	brd	QL (5 PER 7 OVER TIME), ED
<i>phytonadione 5 mg tab</i>	gen	QL (5 PER 7 OVER TIME), ED
<i>tranexamic acid 650 mg tab</i>	gen	QL (1 PER 1 DAYS)

## PLATELET MODIFYING AGENTS

<i>aspirin-dipyridamole er 25-200 mg cap er 12h</i>	gen	
BRILINTA (60 MG TAB, 90 MG TAB)	brd	QL (2 PER 1 DAYS)
CABLIVI 11 MG KIT	spec	PA, LA, QL (1 PER 1 DAYS)
<i>cilostazol (50 mg tab, 100 mg tab)</i>	gen	
<i>clopidogrel bisulfate 75 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>dipyridamole (25 mg tab, 50 mg tab, 75 mg tab)</i>	gen	
<i>prasugrel hcl (5 mg tab, 10 mg tab)</i>	gen	QL (1 PER 1 DAYS)

## CARDIOVASCULAR AGENTS

### ALPHA-ADRENERGIC AGONISTS

<i>clonidine (0.1 mg/24hr patch wk, 0.2 mg/24hr patch wk, 0.3 mg/24hr patch wk)</i>	gen	
---	-----	--

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>clonidine hcl (0.1 mg tab, 0.2 mg tab, 0.3 mg tab)</i>	gen	
<i>droxidopa 100 mg cap</i>	spec	PA, QL (252 PER 90 OVER TIME)
<i>droxidopa 200 mg cap</i>	spec	PA, QL (120 PER 30 OVER TIME)
<i>droxidopa 300 mg cap</i>	spec	PA, QL (84 PER 90 OVER TIME)
<i>guanfacine hcl (1 mg tab, 2 mg tab)</i>	gen	
<i>methyl dopa (250 mg tab, 500 mg tab)</i>	gen	
<i>midodrine hcl (2.5 mg tab, 5 mg tab, 10 mg tab)</i>	gen	

## **ALPHA-ADRENERGIC BLOCKING AGENTS**

<i>doxazosin mesylate (1 mg tab, 2 mg tab, 4 mg tab, 8 mg tab)</i>	gen	
<i>prazosin hcl (1 mg cap, 2 mg cap, 5 mg cap)</i>	gen	
<i>terazosin hcl (1 mg cap, 2 mg cap, 5 mg cap, 10 mg cap)</i>	gen	

## **ANGIOTENSIN II RECEPTOR ANTAGONISTS**

<i>candesartan cilexetil (4 mg tab, 8 mg tab, 16 mg tab, 32 mg tab)</i>	gen	
<b>EPROSARTAN MESYLATE 600 MG TAB</b>	gen	QL (1 PER 1 DAYS)
<i>irbesartan (75 mg tab, 150 mg tab, 300 mg tab)</i>	gen	
<i>losartan potassium (25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	
<i>olmesartan medoxomil (5 mg tab, 20 mg tab, 40 mg tab)</i>	gen	
<i>telmisartan (20 mg tab, 40 mg tab, 80 mg tab)</i>	gen	
<i>valsartan (40 mg tab, 80 mg tab, 160 mg tab, 320 mg tab)</i>	gen	

## **ANGIOTENSIN-CONVERTING ENZYME (ACE) INHIBITORS**

<i>benazepril hcl (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab)</i>	gen	
<i>captopril (12.5 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	
<i>enalapril maleate (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i>	gen	
<i>enalapril maleate 1 mg/ml solution</i>	gen	QL (40 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>fosinopril sodium (10 mg tab, 20 mg tab, 40 mg tab)</i>	gen	
<i>lisinopril (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab, 40 mg tab)</i>	gen	
<i>moexipril hcl (7.5 mg tab, 15 mg tab)</i>	gen	
<i>perindopril erbumine (2 mg tab, 4 mg tab, 8 mg tab)</i>	gen	
<i>quinapril hcl (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab)</i>	gen	
<i>ramipril (1.25 mg cap, 2.5 mg cap, 5 mg cap, 10 mg cap)</i>	gen	
<i>trandolapril (1 mg tab, 2 mg tab, 4 mg tab)</i>	gen	

## **ANTIARRHYTHMICS**

<i>amiodarone hcl (100 mg tab, 200 mg tab, 400 mg tab)</i>	gen	
<i>disopyramide phosphate (100 mg cap, 150 mg cap)</i>	gen	
<i>dofetilide (125 mcg cap, 250 mcg cap, 500 mcg cap)</i>	gen	
<i>flecainide acetate (50 mg tab, 100 mg tab, 150 mg tab)</i>	gen	
<i>mexiletine hcl (150 mg cap, 200 mg cap, 250 mg cap)</i>	gen	
MULTAQ 400 MG TAB	brd	QL (2 PER 1 DAYS)
<i>pacerone (100 mg tab, 200 mg tab, 400 mg tab)</i>	gen	
<i>propafenone hcl (150 mg tab, 225 mg tab, 300 mg tab)</i>	gen	
<i>propafenone hcl er (er 225 mg cap er 12h, er 325 mg cap er 12h, er 425 mg cap er 12h)</i>	gen	
<i>quinidine gluconate er 324 mg tab er</i>	gen	
<i>quinidine sulfate (200 mg tab, 300 mg tab)</i>	gen	
<i>sorine (80 mg tab, 120 mg tab, 160 mg tab, 240 mg tab)</i>	gen	
<i>sotalol hcl (80 mg tab, 120 mg tab, 160 mg tab, 240 mg tab)</i>	gen	
<i>sotalol hcl (af) ((af) 80 mg tab, (af) 120 mg tab, (af) 160 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
-----------	-----------	---------------------

## BETA-ADRENERGIC BLOCKING AGENTS

<i>acebutolol hcl (200 mg cap, 400 mg cap)</i>	gen	
<i>atenolol (25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	
<i>betaxolol hcl (10 mg tab, 20 mg tab)</i>	gen	
<i>bisoprolol fumarate (5 mg tab, 10 mg tab)</i>	gen	
<i>carvedilol (3.125 mg tab, 6.25 mg tab, 12.5 mg tab, 25 mg tab)</i>	gen	
<i>carvedilol phosphate er (er 10 mg cap er 24h, er 20 mg cap er 24h, er 40 mg cap er 24h, er 80 mg cap er 24h)</i>	gen	ST
<i>labetalol hcl (100 mg tab, 200 mg tab, 300 mg tab)</i>	gen	
<i>metoprolol succinate er (er 25 mg tab er 24h, er 50 mg tab er 24h, er 100 mg tab er 24h, er 200 mg tab er 24h)</i>	gen	
<i>metoprolol tartrate (25 mg tab, 37.5 mg tab, 50 mg tab, 75 mg tab, 100 mg tab)</i>	gen	
<i>nadolol (20 mg tab, 40 mg tab, 80 mg tab)</i>	gen	
<i>nebivolol hcl (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i>	gen	
<i>pindolol (5 mg tab, 10 mg tab)</i>	gen	
<i>propranolol hcl (10 mg tab, 20 mg tab, 20 mg/5ml solution, 40 mg tab, 40 mg/5ml solution, 60 mg tab, 80 mg tab)</i>	gen	
<i>propranolol hcl er (er 60 mg cap er 24h, er 80 mg cap er 24h, er 120 mg cap er 24h, er 160 mg cap er 24h)</i>	gen	

## CALCIUM CHANNEL BLOCKING AGENTS, DIHYDROPYRIDINES

<i>amlodipine besylate (2.5 mg tab, 5 mg tab, 10 mg tab)</i>	gen	
<i>felodipine er (er 2.5 mg tab er 24h, er 5 mg tab er 24h, er 10 mg tab er 24h)</i>	gen	
<i>isradipine (2.5 mg cap, 5 mg cap)</i>	gen	
<i>nicardipine hcl (20 mg cap, 30 mg cap)</i>	gen	
<i>nifedipine (10 mg cap, 20 mg cap)</i>	gen	
<i>nifedipine er (er 30 mg tab er 24h, er 60 mg tab er 24h, er 90 mg tab er 24h)</i>	gen	
<i>nifedipine er osmotic release (er 30 mg tab er 24h, er 60 mg tab er 24h, er 90 mg tab er 24h)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>nimodipine 30 mg cap</i>	gen	
<i>nisoldipine er (er 8.5 mg tab er 24h, er 17 mg tab er 24h, er 20 mg tab er 24h, er 25.5 mg tab er 24h, er 30 mg tab er 24h, er 34 mg tab er 24h, er 40 mg tab er 24h)</i>	gen	
NYMALIZE 6 MG/ML SOLUTION	spec	QL (1260 PER 21 OVER TIME)

## **CALCIUM CHANNEL BLOCKING AGENTS, NONDIHYDROPYRIDINES**

<i>cartia xt (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h)</i>	gen	
<i>dilt-xr (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h)</i>	gen	
<i>diltiazem hcl (30 mg tab, 60 mg tab, 90 mg tab, 120 mg tab)</i>	gen	
<i>diltiazem hcl 120 mg extended release 24hr capsule</i>	gen	
<i>diltiazem hcl 180 mg extended release 24hr capsule</i>	gen	
<i>diltiazem hcl 240 mg extended release 24hr capsule</i>	gen	
<i>diltiazem hcl 300 mg extended release 24hr capsule</i>	gen	
<i>diltiazem hcl 360 mg extended release 24hr capsule</i>	gen	
<i>diltiazem hcl er (er 60 mg cap er 12h, er 90 mg cap er 12h, er 120 mg cap er 12h, er 120 mg tab er 24h, er 180 mg tab er 24h, er 240 mg tab er 24h, er 300 mg tab er 24h, er 360 mg tab er 24h, er 420 mg tab er 24h)</i>	gen	
<i>diltiazem hcl er beads (er beads 240 mg cap er 24h, er beads 300 mg cap er 24h, er beads 360 mg cap er 24h, er beads 420 mg cap er 24h)</i>	gen	
<i>matzim la (180 mg tab er 24h, 240 mg tab er 24h, 300 mg tab er 24h, 360 mg tab er 24h, 420 mg tab er 24h)</i>	gen	
<i>taztia xt (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h, 360 mg cap er 24h)</i>	gen	
<i>tiadylt er (er 120 mg cap er 24h, er 180 mg cap er 24h, er 240 mg cap er 24h, er 300 mg cap er 24h, er 360 mg cap er 24h, er 420 mg cap er 24h)</i>	gen	
<i>verapamil hcl (40 mg tab, 80 mg tab, 120 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
VERAPAMIL HCL ER (ER 100 MG CAP ER 24H, ER 120 MG CAP ER 24H, ER 120 MG TAB ER, ER 180 MG CAP ER 24H, ER 180 MG TAB ER, ER 200 MG CAP ER 24H, ER 240 MG CAP ER 24H, ER 240 MG TAB ER, ER 300 MG CAP ER 24H, ER 360 MG CAP ER 24H)	gen	
<b>CARDIOVASCULAR AGENTS, OTHER</b>		
<i>acetazolamide (125 mg tab, 250 mg tab)</i>	gen	
<i>aliskiren fumarate (150 mg tab, 300 mg tab)</i>	gen	PA
<i>amiloride-hydrochlorothiazide 5-50 mg tab</i>	gen	
<i>amlodipine besy-benazepril hcl (2.5-10 mg cap, 5-10 mg cap, 5-20 mg cap, 5-40 mg cap, 10-20 mg cap, 10-40 mg cap)</i>	gen	
<i>amlodipine besylate-valsartan (5-160 mg tab, 5-320 mg tab, 10-160 mg tab, 10-320 mg tab)</i>	gen	
<i>amlodipine-atorvastatin (2.5-10 mg tab, 2.5-20 mg tab, 2.5-40 mg tab, 5-10 mg tab, 5-20 mg tab, 5-40 mg tab, 5-80 mg tab, 10-10 mg tab, 10-20 mg tab, 10-40 mg tab, 10-80 mg tab)</i>	gen	
<i>amlodipine-olmesartan (5-20 mg tab, 5-40 mg tab, 10-20 mg tab, 10-40 mg tab)</i>	gen	
<i>amlodipine-valsartan-hctz (5-160-12.5 mg tab, 5-160-25 mg tab, 10-160-12.5 mg tab, 10-160-25 mg tab, 10-320-25 mg tab)</i>	gen	
<i>atenolol-chlorthalidone (50-25 mg tab, 100-25 mg tab)</i>	gen	
<i>benazepril-hydrochlorothiazide (5-6.25 mg tab, 10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i>	gen	
<i>bisoprolol-hydrochlorothiazide (2.5-6.25 mg tab, 5-6.25 mg tab, 10-6.25 mg tab)</i>	gen	
<i>candesartan cilexetil-hctz (16-12.5 mg tab, 32-12.5 mg tab, 32-25 mg tab)</i>	gen	
CAPTOPRIL-HYDROCHLOROTHIAZIDE (25-15 MG TAB, 25-25 MG TAB, 50-15 MG TAB, 50-25 MG TAB)	gen	
CORLANOR 5 MG/5ML SOLUTION	npd	PA, QL (20 PER 1 DAYS)
<i>digitek (125 mcg tab, 250 mcg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>digox (125 mcg tab, 250 mcg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>digoxin (125 mcg tab, 250 mcg tab)</i>	gen	QL (1 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>digoxin 62.5 mcg tab</i>	gen	QL (2 PER 1 DAYS)
<i>enalapril-hydrochlorothiazide (5-12.5 mg tab, 10-25 mg tab)</i>	gen	
ENTRESTO (24-26 MG TAB, 49-51 MG TAB, 97-103 MG TAB)	brd	QL (2 PER 1 DAYS)
ENTRESTO (6-6 MG CAP SPRINK, 15-16 MG CAP SPRINK)	brd	QL (8 PER 1 DAYS)
<i>fosinopril sodium-hctz (10-12.5 mg tab, 20-12.5 mg tab)</i>	gen	
<i>irbesartan-hydrochlorothiazide (150-12.5 mg tab, 300-12.5 mg tab)</i>	gen	
<i>isosorb dinitrate-hydralazine 20-37.5 mg tab</i>	gen	QL (6 PER 1 DAYS)
<i>ivabradine hcl (5 mg tab, 7.5 mg tab)</i>	gen	PA, QL (2 PER 1 DAYS)
<i>lisinopril-hydrochlorothiazide (10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i>	gen	
<i>losartan potassium-hctz (50-12.5 mg tab, 100-12.5 mg tab, 100-25 mg tab)</i>	gen	
METHYLDOPA-HYDROCHLOROTHIAZIDE (250-15 MG TAB, 250-25 MG TAB)	gen	
<i>metoprolol-hydrochlorothiazide (50-25 mg tab, 100-25 mg tab, 100-50 mg tab)</i>	gen	
<i>metyrosine 250 mg cap</i>	spec	
<i>olmesartan medoxomil-hctz (20-12.5 mg tab, 40-12.5 mg tab, 40-25 mg tab)</i>	gen	
<i>olmesartan-amlodipine-hctz (20-5-12.5 mg tab, 40-10-12.5 mg tab, 40-10-25 mg tab, 40-5-12.5 mg tab, 40-5-25 mg tab)</i>	gen	
<i>pentoxifylline er 400 mg tab er</i>	gen	
PROPRANOLOL-HCTZ (40-25 MG TAB, 80-25 MG TAB)	gen	
<i>quinapril-hydrochlorothiazide (10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i>	gen	
<i>ranolazine er (er 500 mg tab er 12h, er 1000 mg tab er 12h)</i>	gen	QL (2 PER 1 DAYS)
<i>spironolactone-hctz 25-25 mg tab</i>	gen	
<i>telmisartan-amlodipine (40-10 mg tab, 40-5 mg tab, 80-10 mg tab, 80-5 mg tab)</i>	gen	
<i>telmisartan-hctz (40-12.5 mg tab, 80-12.5 mg tab, 80-25 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
TRANDOLAPRIL-VERAPAMIL HCL ER (ER 1-240 MG TAB ER, ER 2-180 MG TAB ER, ER 2-240 MG TAB ER, ER 4-240 MG TAB ER)	gen	
<i>triamterene-hctz (37.5-25 mg cap, 37.5-25 mg tab, 75-50 mg tab)</i>	gen	
<i>valsartan-hydrochlorothiazide (80-12.5 mg tab, 160-12.5 mg tab, 160-25 mg tab, 320-12.5 mg tab, 320-25 mg tab)</i>	gen	
VECAMYL 2.5 MG TAB	gen	
VERQUVO (2.5 MG TAB, 5 MG TAB, 10 MG TAB)	npd	PA, QL (1 PER 1 DAYS)
VYNDAMAX 61 MG CAP	spec	PA, LA, QL (1 PER 1 DAYS)

## DIURETICS, LOOP

<i>bumetanide (0.5 mg tab, 1 mg tab, 2 mg tab)</i>	gen	
<i>bumetanide 0.25 mg/ml solution</i>	npd	
<i>furosemide (8 mg/ml solution, 20 mg tab, 40 mg tab, 80 mg tab)</i>	gen	
<i>furosemide 10 mg/ml solution</i>	npd	
<i>torseamide (5 mg tab, 10 mg tab, 20 mg tab, 100 mg tab)</i>	gen	

## DIURETICS, POTASSIUM-SPARING

<i>amiloride hcl 5 mg tab</i>	gen	
<i>eplerenone (25 mg tab, 50 mg tab)</i>	gen	
<i>spironolactone (25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	
<i>triamterene (50 mg cap, 100 mg cap)</i>	gen	ST

## DIURETICS, THIAZIDE

<i>chlorthalidone (25 mg tab, 50 mg tab)</i>	gen	
DIURIL 250 MG/5ML SUSPENSION	npd	
<i>hydrochlorothiazide (12.5 mg cap, 12.5 mg tab, 25 mg tab, 50 mg tab)</i>	gen	
<i>indapamide (1.25 mg tab, 2.5 mg tab)</i>	gen	
<i>metolazone (2.5 mg tab, 5 mg tab, 10 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<b>DYSLIPIDEMICS, FIBRIC ACID DERIVATIVES</b>		
<i>fenofibrate (40 mg tab, 48 mg tab, 50 mg cap, 54 mg tab, 67 mg cap, 120 mg tab, 134 mg cap, 145 mg tab, 150 mg cap, 160 mg tab, 200 mg cap)</i>	gen	
<i>fenofibrate micronized (43 mg cap, 67 mg cap, 130 mg cap, 134 mg cap, 200 mg cap)</i>	gen	
<i>fenofibric acid (45 mg cap dr, 135 mg cap dr)</i>	gen	
<i>gemfibrozil 600 mg tab</i>	gen	
<b>DYSLIPIDEMICS, HMG COA REDUCTASE INHIBITORS</b>		
<i>atorvastatin calcium (10 mg tab, 20 mg tab, 40 mg tab, 80 mg tab)</i>	gen	
<i>fluvastatin sodium (20 mg cap, 40 mg cap)</i>	gen	
<i>fluvastatin sodium er 80 mg tab er 24h</i>	gen	
<i>lovastatin (10 mg tab, 20 mg tab, 40 mg tab)</i>	gen	
<i>pravastatin sodium (10 mg tab, 20 mg tab, 40 mg tab, 80 mg tab)</i>	gen	
<i>rosuvastatin calcium (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab)</i>	gen	
<i>simvastatin (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab, 80 mg tab)</i>	gen	
<b>DYSLIPIDEMICS, OTHER</b>		
<i>cholestyramine (4 gm packet, 4 gm/dose powder)</i>	gen	
<i>cholestyramine light (4 gm packet, 4 gm/dose powder)</i>	gen	
<i>colesevelam hcl (3.75 gm packet, 625 mg tab)</i>	gen	
<i>colestipol hcl (1 gm tab, 5 gm granules, 5 gm packet)</i>	gen	
<i>ezetimibe 10 mg tab</i>	gen	
<i>ezetimibe-simvastatin (10-10 mg tab, 10-20 mg tab, 10-40 mg tab, 10-80 mg tab)</i>	gen	
<i>icosapent ethyl 0.5 gm cap</i>	gen	QL (8 PER 1 DAYS)
<i>icosapent ethyl 1 gm cap</i>	gen	QL (4 PER 1 DAYS)
<b>NIACIN (ANTIHYPERTENSIVE) 500 MG TAB</b>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>niacin er (antihyperlipidemic) (er (antihyperlipidemic) 750 mg tab er, er (antihyperlipidemic) 1000 mg tab er)</i>	gen	QL (2 PER 1 DAYS)
<i>niacin er (antihyperlipidemic) 500 mg tab er</i>	gen	QL (4 PER 1 DAYS)
NIACOR 500 MG TAB	gen	
<i>omega-3-acid ethyl esters 1 gm cap</i>	gen	QL (4 PER 1 DAYS)
<i>prevalite (4 gm packet, 4 gm/dose powder)</i>	gen	
REPATHA 140 MG/ML SOLN PRSYR	brd	PA, QL (2 PER 28 OVER TIME)
REPATHA PUSHTRONEX SYSTEM 420 MG/3.5ML SOLN CART	brd	PA, QL (3.5 PER 28 OVER TIME)
REPATHA SURECLICK 140 MG/ML SOLN A-INJ	brd	PA, QL (2 PER 28 OVER TIME)

## VASODILATORS, DIRECT-ACTING ARTERIAL

<i>hydralazine hcl (10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i>	gen
<i>minoxidil (2.5 mg tab, 10 mg tab)</i>	gen

## VASODILATORS, DIRECT-ACTING ARTERIAL/VENOUS

<i>isosorbide dinitrate (5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab, 40 mg tab)</i>	gen	
<i>isosorbide mononitrate (10 mg tab, 20 mg tab)</i>	gen	
<i>isosorbide mononitrate er (er 30 mg tab er 24h, er 60 mg tab er 24h, er 120 mg tab er 24h)</i>	gen	
<i>minitran (0.1 mg/hr patch 24hr, 0.2 mg/hr patch 24hr, 0.4 mg/hr patch 24hr, 0.6 mg/hr patch 24hr)</i>	gen	
NITRO-BID 2 % OINTMENT	brd	
NITRO-DUR (0.3 MG/HR PATCH 24HR, 0.8 MG/HR PATCH 24HR)	brd	
NITRO-TIME (2.5 MG CAP ER, 6.5 MG CAP ER, 9 MG CAP ER)	gen	
<i>nitroglycerin (0.1 mg/hr patch 24hr, 0.2 mg/hr patch 24hr, 0.3 mg sl tab, 0.4 mg sl tab, 0.4 mg/hr patch 24hr, 0.4 mg/spray solution, 0.6 mg sl tab, 0.6 mg/hr patch 24hr)</i>	gen	
<i>nitroglycerin 0.4 % ointment</i>	gen	QL (30 PER 30 OVER TIME)
NITROSTAT (0.3 MG SL TAB, 0.4 MG SL TAB, 0.6 MG SL TAB)	brd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
-----------	-----------	---------------------

## CENTRAL NERVOUS SYSTEM AGENTS

### ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, AMPHETAMINES

<i>amphetamine sulfate 10 mg tab</i>	gen	ST, QL (6 PER 1 DAYS)
<i>amphetamine sulfate 5 mg tab</i>	gen	ST, QL (8 PER 1 DAYS)
<i>amphetamine-dextroamphet er (er 5 mg cap er 24h, er 10 mg cap er 24h, er 15 mg cap er 24h, er 20 mg cap er 24h, er 25 mg cap er 24h, er 30 mg cap er 24h)</i>	gen	QL (2 PER 1 DAYS)
<i>amphetamine-dextroamphetamine (5 mg tab, 7.5 mg tab, 10 mg tab, 15 mg tab)</i>	gen	QL (4 PER 1 DAYS)
<i>amphetamine-dextroamphetamine 12.5 mg tab</i>	gen	QL (5 PER 1 DAYS)
<i>amphetamine-dextroamphetamine 20 mg tab</i>	gen	QL (3 PER 1 DAYS)
<i>amphetamine-dextroamphetamine 30 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>dextroamphetamine sulfate (5 mg tab, 10 mg tab)</i>	gen	QL (6 PER 1 DAYS)
<i>dextroamphetamine sulfate 15 mg tab</i>	gen	QL (4 PER 1 DAYS)
<i>dextroamphetamine sulfate 20 mg tab</i>	gen	QL (3 PER 1 DAYS)
<i>dextroamphetamine sulfate 30 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>dextroamphetamine sulfate 5 mg/5ml solution</i>	gen	QL (60 PER 1 DAYS)
<i>dextroamphetamine sulfate er 10 mg cap er 24h</i>	gen	QL (6 PER 1 DAYS)
<i>dextroamphetamine sulfate er 15 mg cap er 24h</i>	gen	QL (4 PER 1 DAYS)
<i>dextroamphetamine sulfate er 5 mg cap er 24h</i>	gen	QL (12 PER 1 DAYS)
<i>lisdexamfetamine dimesylate (10 mg cap, 10 mg chew tab, 20 mg cap, 20 mg chew tab, 30 mg cap, 30 mg chew tab, 40 mg cap, 40 mg chew tab, 50 mg cap, 50 mg chew tab, 60 mg cap, 60 mg chew tab, 70 mg cap)</i>	gen	QL (1 PER 1 DAYS)
<i>procentra 5 mg/5ml solution</i>	gen	QL (60 PER 1 DAYS)
<i>zenzedi (5 mg tab, 10 mg tab)</i>	gen	QL (6 PER 1 DAYS)
<i>zenzedi 15 mg tab</i>	gen	QL (4 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>zenzedi 20 mg tab</i>	gen	QL (3 PER 1 DAYS)
<i>zenzedi 30 mg tab</i>	gen	QL (2 PER 1 DAYS)

## **ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, NON-AMPHETAMINES**

<i>atomoxetine hcl (10 mg cap, 18 mg cap, 25 mg cap)</i>	gen	QL (4 PER 1 DAYS)
<i>atomoxetine hcl (60 mg cap, 80 mg cap, 100 mg cap)</i>	gen	QL (1 PER 1 DAYS)
<i>atomoxetine hcl 40 mg cap</i>	gen	QL (2 PER 1 DAYS)
<i>clonidine hcl er 0.1 mg tab er 12h</i>	gen	
<i>dexmethylphenidate hcl (2.5 mg tab, 5 mg tab, 10 mg tab)</i>	gen	QL (2 PER 1 DAYS)
<i>dexmethylphenidate hcl er (er 5 mg cap er 24h, er 10 mg cap er 24h, er 15 mg cap er 24h, er 20 mg cap er 24h, er 25 mg cap er 24h, er 30 mg cap er 24h, er 35 mg cap er 24h, er 40 mg cap er 24h)</i>	gen	QL (1 PER 1 DAYS)
<i>guanfacine hcl er (er 1 mg tab er 24h, er 2 mg tab er 24h, er 3 mg tab er 24h, er 4 mg tab er 24h)</i>	gen	QL (1 PER 1 DAYS)
<i>methylphenidate hcl (10 mg chew tab, 10 mg tab)</i>	gen	QL (6 PER 1 DAYS)
<i>methylphenidate hcl (2.5 mg chew tab, 5 mg chew tab, 20 mg tab)</i>	gen	QL (3 PER 1 DAYS)
<i>methylphenidate hcl 10 mg/5ml solution</i>	gen	QL (30 PER 1 DAYS)
<i>methylphenidate hcl 5 mg tab</i>	gen	QL (12 PER 1 DAYS)
<i>methylphenidate hcl 5 mg/5ml solution</i>	gen	QL (60 PER 1 DAYS)
<i>methylphenidate hcl er (cd) (er (cd) 10 mg cap er, er (cd) 20 mg cap er, er (cd) 40 mg cap er, er (cd) 50 mg cap er, er (cd) 60 mg cap er)</i>	gen	QL (1 PER 1 DAYS)
<i>methylphenidate hcl er (cd) 30 mg cap er</i>	gen	QL (2 PER 1 DAYS)
<b>METHYLPHENIDATE HCL ER (ER 18 MG TAB ER, ER 18 MG TAB ER 24H, ER 27 MG TAB ER, ER 27 MG TAB ER 24H, ER 54 MG TAB ER, ER 54 MG TAB ER 24H)</b>	gen	QL (1 PER 1 DAYS)
<b>METHYLPHENIDATE HCL ER (ER 36 MG TAB ER, ER 36 MG TAB ER 24H)</b>	gen	QL (2 PER 1 DAYS)
<i>methylphenidate hcl er (la) (er (la) 20 mg cap er 24h, er (la) 30 mg cap er 24h, er (la) 40 mg cap er 24h, er (la) 60 mg cap er 24h)</i>	gen	QL (1 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>methylphenidate hcl er (la) 10 mg cap er 24h</i>	gen	QL (6 PER 1 DAYS)
<i>methylphenidate hcl er (osm) (er (osm) 18 mg tab er, er (osm) 27 mg tab er, er (osm) 54 mg tab er)</i>	gen	QL (1 PER 1 DAYS)
<i>methylphenidate hcl er (osm) 36 mg tab er</i>	gen	QL (2 PER 1 DAYS)
<i>methylphenidate hcl er 10 mg tab er</i>	gen	QL (6 PER 1 DAYS)
<i>methylphenidate hcl er 20 mg tab er</i>	gen	QL (3 PER 1 DAYS)

## **CENTRAL NERVOUS SYSTEM, OTHER**

AUSTEDO (9 MG TAB, 12 MG TAB)	spec	PA, QL (4 PER 1 DAYS)
AUSTEDO 6 MG TAB	spec	PA, QL (8 PER 1 DAYS)
AUSTEDO XR (6 MG TAB ER 24H, 12 MG TAB ER 24H, 18 MG TAB ER 24H, 30 MG TAB ER 24H, 36 MG TAB ER 24H, 42 MG TAB ER 24H, 48 MG TAB ER 24H)	spec	PA, QL (1 PER 1 DAYS)
AUSTEDO XR 24 MG TAB ER 24H	spec	PA, QL (2 PER 1 DAYS)
AUSTEDO XR PATIENT TITRATION 12 & 18 & 24 & 30 MG TBER THPK	spec	PA, QL (28 PER 28 DAYS)
AUSTEDO XR PATIENT TITRATION 6 & 12 & 24 MG TBER THPK	spec	PA, QL (42 PER 30 OVER TIME)
<i>bac 50-325-40 mg tab</i>	gen	PA, QL (48 PER 30 OVER TIME), NDS
<i>butalbital-acetaminophen (50-300 mg cap, 50-325 mg tab)</i>	gen	PA, QL (48 PER 30 OVER TIME), NDS
<i>butalbital-apap-caffeine (50-300-40 mg cap, 50-325-40 mg cap, 50-325-40 mg tab)</i>	gen	PA, QL (48 PER 30 OVER TIME), NDS
<i>esgic 50-325-40 mg cap</i>	gen	PA, QL (48 PER 30 OVER TIME), NDS
INGREZZA (60 MG CAP, 80 MG CAP)	spec	PA, LA, QL (1 PER 1 DAYS)
INGREZZA 40 & 80 MG CAP THPK	spec	PA, LA, QL (28 PER 28 OVER TIME)
INGREZZA 40 MG CAP	spec	PA, LA, QL (2 PER 1 DAYS)
NUEDEXTA 20-10 MG CAP	brd	PA, QL (2 PER 1 DAYS)
<i>riluzole 50 mg tab</i>	gen	
TENCON 50-325 MG TAB	gen	PA, QL (48 PER 30 OVER TIME), NDS
<i>tetrabenazine 12.5 mg tab</i>	spec	PA, LA, QL (8 PER 1 DAYS)
<i>tetrabenazine 25 mg tab</i>	spec	PA, LA, QL (4 PER 1 DAYS)
<i>zebutal 50-325-40 mg cap</i>	gen	PA, QL (48 PER 30 OVER TIME), NDS

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
-----------	-----------	---------------------

## FIBROMYALGIA AGENTS

DRIZALMA SPRINKLE (20 MG CAP DR, 30 MG CAP DR)	npd	QL (3 PER 1 DAYS), PA - FOR NEW STARTS ONLY
DRIZALMA SPRINKLE (40 MG CAP DR, 60 MG CAP DR)	npd	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>duloxetine hcl (20 mg cp dr part, 40 mg cp dr part, 60 mg cp dr part)</i>	gen	QL (2 PER 1 DAYS)
<i>duloxetine hcl 30 mg cp dr part</i>	gen	QL (3 PER 1 DAYS)
<i>pregabalin (200 mg cap, 225 mg cap, 300 mg cap)</i>	gen	QL (2 PER 1 DAYS)
<i>pregabalin (25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap)</i>	gen	QL (3 PER 1 DAYS)
<i>pregabalin 20 mg/ml solution</i>	gen	QL (30 PER 1 DAYS)

## MULTIPLE SCLEROSIS AGENTS

BETASERON 0.3 MG KIT	spec	PA, QL (15 PER 30 OVER TIME)
COPAXONE 20 MG/ML SOLN PRSYR	spec	PA, QL (30 PER 30 OVER TIME)
COPAXONE 40 MG/ML SOLN PRSYR	spec	PA, QL (12 PER 28 OVER TIME)
<i>dalfampridine er 10 mg tab er 12h</i>	brd	PA, QL (2 PER 1 DAYS)
<i>dimethyl fumarate (120 mg cap dr, 240 mg cap dr)</i>	spec	PA, QL (2 PER 1 DAYS)
<i>dimethyl fumarate starter pack 120 &amp; 240 mg cpdr thpk</i>	spec	PA, QL (2 PER 1 DAYS)
<i>fingolimod hcl 0.5 mg cap</i>	spec	PA, QL (1 PER 1 DAYS)
<i>teriflunomide (7 mg tab, 14 mg tab)</i>	npd	PA, QL (1 PER 1 DAYS)
TYSABRI 300 MG/15ML CONC	spec	PA, LA

## DENTAL AND ORAL AGENTS

<i>cevimeline hcl 30 mg cap</i>	gen	
<i>chlorhexidine gluconate 0.12 % solution</i>	gen	
KEPIVANCE 6.25 MG RECON SOLN	spec	PA - PART B VS D DETERMINATION
<i>kourzeq 0.1 % paste</i>	gen	
<i>oralone 0.1 % paste</i>	gen	
<i>paroex 0.12 % solution</i>	gen	
<i>periogard 0.12 % solution</i>	gen	
<i>pilocarpine hcl (5 mg tab, 7.5 mg tab)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>triamcinolone acetonide 0.1 % paste</i>	gen	

## DERMATOLOGICAL AGENTS

### ACNE AND ROSACEA AGENTS

<i>acutane (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>	gen	
<i>acitretin (10 mg cap, 17.5 mg cap, 25 mg cap)</i>	gen	
<i>adapalene (0.1 % cream, 0.1 % gel, 0.3 % gel)</i>	gen	PA
<i>adapalene-benzoyl peroxide (0.1-2.5 % gel, 0.3-2.5 % gel)</i>	gen	ST
<i>amnesteem (10 mg cap, 20 mg cap, 40 mg cap)</i>	gen	
<i>avita (0.025 % cream, 0.025 % gel)</i>	gen	PA
<i>azelaic acid 15 % gel</i>	gen	QL (50 PER 30 OVER TIME)
<i>benzoyl peroxide-erythromycin 5-3 % gel</i>	gen	
<i>claravis (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>	gen	
<i>clindamycin phos-benzoyl perox (1-5 % gel, 1.2-5 % gel)</i>	gen	
<i>clindamycin phos-benzoyl perox 1.2-2.5 % gel</i>	gen	ST
<i>clindamycin-tretinoin 1.2-0.025 % gel</i>	gen	ST
<i>isotretinoin (10 mg cap, 20 mg cap, 25 mg cap, 30 mg cap, 35 mg cap, 40 mg cap)</i>	gen	
<i>myorisan (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>	gen	
<i>tazarotene (0.05 % cream, 0.1 % cream)</i>	gen	
TAZORAC 0.05 % CREAM	npd	
<i>tretinoin (0.01 % gel, 0.025 % cream, 0.025 % gel, 0.05 % cream, 0.05 % gel, 0.1 % cream)</i>	gen	PA
<i>zenatane (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i>	gen	

### DERMATITIS AND PRURITUS AGENTS

<i>ala-cort (1 % cream, 2.5 % cream)</i>	gen	
<i>alclometasone dipropionate 0.05 % ointment</i>	gen	
<i>ammonium lactate (12 % cream, 12 % lotion)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
ANUSOL-HC 2.5 % CREAM	gen	
<i>betamethasone dipropionate (0.05 % cream, 0.05 % lotion)</i>	gen	
<i>betamethasone dipropionate aug (0.05 % gel, 0.05 % ointment)</i>	gen	
<i>betamethasone valerate (0.1 % cream, 0.1 % lotion, 0.1 % ointment)</i>	gen	
CAPEX 0.01 % SHAMPOO	npd	
<i>clobetasol prop emollient base 0.05 % cream</i>	gen	
<i>clobetasol propionate (0.05 % cream, 0.05 % gel, 0.05 % lotion, 0.05 % ointment, 0.05 % shampoo, 0.05 % solution)</i>	gen	
<i>clobetasol propionate 0.05 % foam</i>	gen	PA
<i>clobetasol propionate emulsion 0.05 % foam</i>	gen	PA
<i>clodan 0.05 % shampoo</i>	gen	
<i>desonide (0.05 % cream, 0.05 % ointment)</i>	gen	
<i>desonide 0.05 % gel</i>	gen	PA
<i>desoximetasone (0.05 % cream, 0.25 % cream, 0.25 % ointment)</i>	gen	
<i>desoximetasone (0.05 % gel, 0.05 % ointment, 0.25 % liquid)</i>	gen	ST
<i>desrx 0.05 % gel</i>	gen	PA
DIFLORASONE DIACETATE 0.05 % CREAM	gen	
<i>fluocinolone acetonide (0.01 % cream, 0.01 % solution, 0.025 % cream, 0.025 % ointment)</i>	gen	
<i>fluocinolone acetonide body 0.01 % oil</i>	gen	
<i>fluocinolone acetonide scalp 0.01 % oil</i>	gen	
<i>fluocinonide (0.05 % cream, 0.05 % gel, 0.05 % ointment, 0.05 % solution)</i>	gen	
<i>fluocinonide 0.1 % cream</i>	gen	ST
<i>fluocinonide emulsified base 0.05 % cream</i>	gen	
<i>flurandrenolide (0.05 % lotion, 0.05 % ointment)</i>	gen	PA
<i>fluticasone propionate (0.005 % ointment, 0.05 % cream)</i>	gen	
<i>halobetasol propionate (0.05 % cream, 0.05 % ointment)</i>	gen	QL (200 PER 28 OVER TIME)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>hydrocortisone (1 % cream, 1 % ointment, 2.5 % cream, 2.5 % lotion, 2.5 % ointment)</i>	gen	
<i>hydrocortisone (perianal) ((perianal) 1 % cream, (perianal) 2.5 % cream)</i>	gen	
<i>hydrocortisone butyrate (0.1 % cream, 0.1 % solution)</i>	gen	ST
<i>hydrocortisone valerate 0.2 % cream</i>	gen	ST
<i>mometasone furoate 0.1 % solution</i>	gen	
<i>nolix 0.05 % lotion</i>	gen	PA
<i>pimecrolimus 1 % cream</i>	gen	QL (100 PER 30 OVER TIME)
<i>procto-med hc 2.5 % cream</i>	gen	
<i>procto-pak 1 % cream</i>	gen	
<i>proctosol hc 2.5 % cream</i>	gen	
<i>proctozone-hc 2.5 % cream</i>	gen	
<i>selenium sulfide 2.5 % lotion</i>	gen	
<i>tacrolimus (0.03 % ointment, 0.1 % ointment)</i>	gen	QL (100 PER 30 OVER TIME)
<i>tovet 0.05 % foam</i>	gen	PA
<i>triamcinolone acetonide (0.025 % cream, 0.025 % lotion, 0.025 % ointment, 0.1 % cream, 0.1 % lotion, 0.1 % ointment, 0.5 % cream, 0.5 % ointment)</i>	gen	
<i>triamcinolone acetonide 0.147 mg/gm aero soln</i>	gen	PA
<i>triderm (0.1 % cream, 0.5 % cream)</i>	gen	

## **DERMATOLOGICAL AGENTS, OTHER**

<i>ANALPRAM-HC 2.5-1 % LOTION</i>	brd	
<i>avar-e emollient 10-5 % cream</i>	gen	ED
<i>avar-e green 10-5 % cream</i>	gen	ED
<i>calcipotriene (0.005 % cream, 0.005 % ointment, 0.005 % solution)</i>	gen	
<i>calcipotriene-betameth diprop 0.005-0.064 % ointment</i>	gen	PA
<i>calcitrene 0.005 % ointment</i>	gen	
<i>CALCITRIOL 3 MCG/GM OINTMENT</i>	gen	
<i>clotrimazole-betamethasone (1-0.05 % cream, 1-0.05 % lotion)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>diclofenac sodium 3 % gel</i>	gen	PA, QL (100 PER 30 OVER TIME)
EPIFOAM 1-1 % FOAM	brd	
<i>fluorouracil (2 % solution, 5 % cream, 5 % solution)</i>	gen	
HYDROCORTISONE ACE-PRAMOXINE 1-1 % CREAM	gen	
<i>imiquimod 5 % cream</i>	gen	QL (24 PER 30 OVER TIME)
<i>methoxsalen rapid 10 mg cap</i>	gen	
<i>nystatin-triamcinolone (100000-0.1 unit/gm-% cream, 100000-0.1 unit/gm-% ointment)</i>	gen	
OTEZLA (20 MG TAB, 30 MG TAB)	spec	PA, QL (2 PER 1 DAYS)
<i>podofilox 0.5 % solution</i>	gen	
PRAMOSONE (1-1 % LOTION, 1-2.5 % LOTION)	brd	
PROCTOFOAM HC 1-1 % FOAM	brd	
REGRANEX 0.01 % GEL	brd	PA, QL (15 PER 2 OVER TIME)
SANTYL 250 UNIT/GM OINTMENT	brd	QL (180 PER 30 OVER TIME)
<i>silver sulfadiazine 1 % cream</i>	gen	
SKYRIZI 600 MG/10ML SOLUTION	spec	PA, QL (30 PER 365 OVER TIME)
SODIUM SULFACETAMIDE-BAKUCHIOL 10 % LIQUID	gen	ED
<i>ssd 1 % cream</i>	gen	
<i>sss 10-5 10-5 % cream</i>	gen	
SSS 10-5 10-5 % FOAM	gen	ED
STELARA 130 MG/26ML SOLUTION	spec	PA, QL (104 PER 365 OVER TIME)
<i>sulfacetamide sodium-sulfur (10-5 % lotion, 10-5 % suspension)</i>	gen	ED
<i>sulfacetamide sodium-sulfur 10-5 % cream</i>	gen	
TOLAK 4 % CREAM	brd	

## **PEDICULICIDES/SCABICIDES**

<i>ivermectin 1 % cream</i>	gen	PA, QL (45 PER 30 OVER TIME)
LINDANE 1 % SHAMPOO	gen	
<i>malathion 0.5 % lotion</i>	gen	
<i>permethrin 5 % cream</i>	gen	
SPINOSAD 0.9 % SUSPENSION	gen	QL (240 PER 30 OVER TIME)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>TOPICAL ANTI-INFECTIVES</b>		
<i>acyclovir 5 % cream</i>	gen	PA, QL (5 PER 30 OVER TIME)
<i>acyclovir 5 % ointment</i>	gen	PA, QL (30 PER 30 OVER TIME)
<i>ciclodan 8 % solution</i>	gen	
<i>ciclopirox (0.77 % gel, 1 % shampoo, 8 % solution)</i>	gen	
<i>clindacin 1 % foam</i>	gen	
<i>clindamycin phosphate (1 % foam, 1 % gel, 1 % lotion, 1 % solution)</i>	gen	
<i>dapsone (5 % gel, 7.5 % gel)</i>	gen	PA, QL (90 PER 30 OVER TIME)
ERY 2 % PAD	gen	
<i>erythromycin (2 % gel, 2 % solution)</i>	gen	
<i>mafenide acetate 5 % packet</i>	gen	
<i>mupirocin 2 % ointment</i>	gen	
<i>penciclovir 1 % cream</i>	gen	PA, QL (5 PER 30 OVER TIME)
SULFAMYLON 85 MG/GM CREAM	npd	

## ELECTROLYTES/MINERALS/METALS/VITAMINS

### ELECTROLYTE/MINERAL REPLACEMENT

AMINOSYN II 10 % SOLUTION	npd	PA - PART B VS D DETERMINATION
AMINOSYN-PF 10 % SOLUTION	npd	PA - PART B VS D DETERMINATION
<i>carglumic acid 200 mg tab sol</i>	spec	PA, LA
CRYSVITA 10 MG/ML SOLUTION	spec	PA, LA, QL (2 PER 28 OVER TIME)
CRYSVITA 20 MG/ML SOLUTION	spec	PA, LA, QL (8 PER 28 OVER TIME)
CRYSVITA 30 MG/ML SOLUTION	spec	PA, LA, QL (6 PER 28 OVER TIME)
HEPATAMINE 8 % SOLUTION	npd	PA - PART B VS D DETERMINATION
INTRALIPID (20 % EMULSION, 30 % EMULSION)	npd	PA - PART B VS D DETERMINATION
KCL (0.149%) IN NAACL 20-0.9 MEQ/L-% SOLUTION	npd	
KCL (0.298%) IN NAACL 40-0.9 MEQ/L-% SOLUTION	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>kcl in dextrose-nacl ( 20-5-0.2 meq/l-%-% solution, 20-5-0.225 meq/l-%-% solution, 20-5-0.45 meq/l-%-% solution, 20-5-0.9 meq/l-%-% solution, 40-5-0.9 meq/l-%-% solution)</i>	npd	
<i>klor-con (8 tab er, 20 packet)</i>	gen	
<i>klor-con 10 10 meq tab er</i>	gen	
<i>klor-con m10 10 meq tab er</i>	gen	
<i>klor-con m15 15 meq tab er</i>	gen	
<i>klor-con m20 20 meq tab er</i>	gen	
<i>klor-con sprinkle (8 cap er, 10 cap er)</i>	gen	
<i>magnesium sulfate 50 % solution</i>	npd	
MULTIVITAMIN/FLUORIDE (MULTIVITAMIN/FLUORIDE 0.25 MG CHEW TAB, MULTIVITAMIN/FLUORIDE 0.5 MG CHEW TAB, MULTIVITAMIN/FLUORIDE 1 MG CHEW TAB)	gen	ED
NORMOSOL-M IN D5W SOLUTION	npd	
NUTRILIPID 20 % EMULSION	npd	PA - PART B VS D DETERMINATION
<i>potassium chloride (10 % solution, 20 meq packet, 20 meq/15ml (10%) solution, 40 meq/15ml (20%) solution)</i>	gen	
<i>potassium chloride (2 meq/ml solution, 10 meq/100ml solution, 20 meq/100ml solution, 40 meq/100ml solution)</i>	npd	
<i>potassium chloride crys er (crys er 10 tab er, crys er 15 tab er, crys er 20 tab er)</i>	gen	
<i>potassium chloride er (er 8 cap er, er 8 tab er, er 10 cap er, er 10 tab er, er 15 tab er, er 20 tab er)</i>	gen	
<i>potassium chloride in nacl (20-0.9 meq/l-% solution, 40-0.9 meq/l-% solution)</i>	npd	
<i>potassium citrate er (er 5 (540 mg) tab er, er 10 (1080 mg) tab er, er 15 (1620 mg) tab er)</i>	gen	
PREMASOL 10 % SOLUTION	npd	PA - PART B VS D DETERMINATION
<i>sodium chloride (0.45 % solution, 0.9 % solution, 2.5 meq/ml solution, 3 % solution, 5 % solution)</i>	npd	
<i>sodium chloride (pf) 0.9 % solution</i>	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>ELECTROLYTE/MINERAL/METAL MODIFIERS</b>		
CHEMET 100 MG CAP	brd	
<i>clovique 250 mg cap</i>	spec	PA, QL (8 PER 1 DAYS)
<i>deferasirox (180 mg tab, 250 mg tab sol, 360 mg tab, 500 mg tab sol)</i>	spec	
<i>deferasirox 125 mg tab sol</i>	brd	
<i>deferasirox 90 mg tab</i>	npd	
<i>deferiprone 1000 mg tab</i>	spec	PA
<i>deferiprone 500 mg tab</i>	spec	PA, LA
FERRIPROX 100 MG/ML SOLUTION	spec	PA, LA
<i>trientine hcl 250 mg cap</i>	spec	PA, QL (8 PER 1 DAYS)
TRIENTINE HCL 500 MG CAP	spec	PA, QL (4 PER 1 DAYS)
<b>PHOSPHATE BINDERS</b>		
AURYXIA 1 GM 210 MG(Fe) TAB	npd	PA, QL (12 PER 1 DAYS)
<i>calcium acetate (phos binder) (binder) 667 mg cap, binder) 667 mg tab)</i>	gen	
<i>calcium acetate 667 mg tab</i>	gen	
<i>lanthanum carbonate (500 mg chew tab, 750 mg chew tab, 1000 mg chew tab)</i>	gen	
<i>sevelamer carbonate (0.8 gm packet, 2.4 gm packet, 800 mg tab)</i>	gen	
<i>sevelamer hcl (400 mg tab, 800 mg tab)</i>	gen	
<b>POTASSIUM BINDERS</b>		
<i>kionex 15 gm/60ml suspension</i>	gen	
<i>sodium polystyrene sulfonate (15 gm/60ml suspension, powder)</i>	gen	
SPS (SODIUM POLYSTYRENE SULF) (SULF) 15 GM/60ML SUSPENSION, SULF) 30 GM/120ML SUSPENSION)	gen	
VELTASSA (1 GM PACKET, 8.4 GM PACKET, 16.8 GM PACKET, 25.2 GM PACKET)	brd	
<b>VITAMINS</b>		
<i>cyanocobalamin 1000 mcg/ml solution</i>	gen	ED
<i>dextrose (5 % solution, 10 % solution)</i>	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>dextrose in lactated ringers 5 % solution</i>	npd	
<i>dextrose-sodium chloride (2.5-0.45 % solution, 5-0.2 % solution, 5-0.225 % solution, 5-0.3 % solution, 5-0.33 % solution, 5-0.45 % solution, 5-0.9 % solution, 10-0.2 % solution, 10-0.45 % solution)</i>	npd	
<i>dodex 1000 mcg/ml solution</i>	gen	ED
<i>effer-k 25 meq effer tab</i>	gen	ED
<i>folic acid 1 mg tab</i>	gen	ED
<i>k-prime 25 meq effer tab</i>	gen	
KCL-LACTATED RINGERS-D5W 20 MEQ/L SOLUTION	npd	
<i>klor-con/ef 25 meq effer tab</i>	gen	ED
LACTATED RINGERS SOLUTION	npd	
<i>lactated ringers solution</i>	gen	
<i>levocarnitine (1 gm/10ml solution, 330 mg tab)</i>	gen	
<i>levocarnitine sf 1 gm/10ml solution</i>	gen	
MULTI-VIT-FLOR (0.25 MG CHEW TAB, 0.5 MG CHEW TAB, 1 MG CHEW TAB)	gen	ED
MULTI-VITAMIN/FLUORIDE 0.25 MG/ML SOLUTION	gen	ED
<i>multi-vitamin/fluoride/iron 0.25-10 mg/ml solution</i>	gen	ED
MULTIVITAMIN W/FLUORIDE (W/FLUORIDE 0.25 MG CHEW TAB, W/FLUORIDE 0.5 MG CHEW TAB, W/FLUORIDE 1 MG CHEW TAB)	gen	ED
MULTIVITAMIN/FLUORIDE (MULTIVITAMIN/FLUORIDE 0.25 MG CHEW TAB, MULTIVITAMIN/FLUORIDE 0.5 MG CHEW TAB, MULTIVITAMIN/FLUORIDE 1 MG CHEW TAB)	gen	ED
<i>multivitamins/fluoride 0.5 mg chew tab</i>	gen	ED
<i>nafrinse 2.2 (1 f) mg chew tab</i>	gen	
POLY-VI-FLOR (0.25 MG CHEW TAB, 0.5 MG CHEW TAB, 1 MG CHEW TAB)	gen	ED
<i>potassium chloride in dextrose 20-5 meq/l-% solution</i>	npd	
<i>prenatal vitamins</i>	brd	
QUFLORA PEDIATRIC (0.25 MG CHEW TAB, 0.5 MG CHEW TAB, 1 MG CHEW TAB)	gen	ED

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>ringers solution</i>	npd	
<i>ringers irrigation solution</i>	gen	
SMOFLIPID 20 % EMULSION	npd	PA - PART B VS D DETERMINATION
<i>sodium fluoride (0.55 (0.25 f) mg chew tab, 1.1 (0.5 f) mg chew tab, 1.1 (0.5 f) mg/ml solution, 2.2 (1 f) mg chew tab)</i>	gen	
<i>tis-u-sol solution</i>	gen	
TPN ELECTROLYTES CONC	npd	PA - PART B VS D DETERMINATION
TRI-VITE/FLUORIDE (TRI-VITE/FLUORIDE 0.25 MG/ML SOLUTION, TRI-VITE/FLUORIDE 0.5 MG/ML SOLUTION)	gen	
VITAMINS ACD-FLUORIDE (0.25 MG/ML SOLUTION, 0.5 MG/ML SOLUTION)	gen	

## **GASTROINTESTINAL AGENTS**

### **ANTI-CONSTIPATION AGENTS**

<i>constulose 10 gm/15ml solution</i>	gen	
<i>enulose 10 gm/15ml solution</i>	gen	
<i>gavilyte-n with flavor pack 420 gm recon soln</i>	gen	
<i>generlac 10 gm/15ml solution</i>	gen	
<i>lactulose (10 gm/15ml solution, 20 gm/30ml solution)</i>	gen	
<i>lactulose encephalopathy 10 gm/15ml solution</i>	gen	
LINZESS (72 MCG CAP, 145 MCG CAP, 290 MCG CAP)	brd	QL (1 PER 1 DAYS)
<i>lubiprostone (8 mcg cap, 24 mcg cap)</i>	gen	QL (2 PER 1 DAYS)
MOVANTIK (12.5 MG TAB, 25 MG TAB)	brd	QL (1 PER 1 DAYS)
<i>na sulfate-k sulfate-mg sulf 17.5-3.13-1.6 gm/177ml solution</i>	gen	
NULYTELY LEMON-LIME 420 GM RECON SOLN	brd	
NULYTELY WITH FLAVOR PACKS 420 GM RECON SOLN	brd	
<i>peg 3350-kcl-na bicarb-nacl 420 gm recon soln</i>	gen	
<i>peg-3350/electrolytes/ascorbat 100 gm recon soln</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>peg-kcl-nacl-nasulf-na asc-c 100 gm recon soln</i>	gen	
PEG-PREP 5-210 MG-GM KIT	gen	
PLENVU 140 GM RECON SOLN	brd	
RELISTOR (8 MG/0.4ML SOLUTION, 12 MG/0.6ML SOLUTION)	spec	PA
<i>trilyte 420 gm recon soln</i>	gen	

## ANTI-DIARRHEAL AGENTS

<i>alosetron hcl (0.5 mg tab, 1 mg tab)</i>	npd	PA
DIPHENOXYLATE-ATROPINE (2.5-0.025 MG TAB, 2.5-0.025 MG/5ML LIQUID)	gen	
<i>loperamide hcl 2 mg cap</i>	gen	
XERMELO 250 MG TAB	spec	PA, LA, QL (3 PER 1 DAYS)

## ANTISPASMODICS, GASTROINTESTINAL

<i>atropine sulfate (0.5 mg/5ml soln prsyr, 1 mg/10ml soln prsyr)</i>	npd	
<i>chlordiazepoxide-clidinium 5-2.5 mg cap</i>	gen	QL (8 PER 1 DAYS), ED
<i>dicyclomine hcl (10 mg cap, 10 mg/5ml solution, 20 mg tab)</i>	gen	PA
<i>ed-spaz 0.125 mg tab disp</i>	gen	ED
<i>glycopyrrolate (1 mg tab, 2 mg tab)</i>	gen	
<i>glycopyrrolate 1 mg/5ml solution</i>	gen	PA
<i>hyoscyamine sulfate (0.125 mg sl tab, 0.125 mg tab, 0.125 mg tab disp, 0.125 mg/5ml elixir, 0.125 mg/ml solution)</i>	gen	ED
<i>hyoscyamine sulfate er 0.375 mg tab er 12h</i>	gen	ED
<i>hyosyne (0.125 mg/5ml elixir, 0.125 mg/ml solution)</i>	gen	ED
<i>methscopolamine bromide (2.5 mg tab, 5 mg tab)</i>	gen	
<i>nulev 0.125 mg tab disp</i>	gen	ED
<i>oscimin (0.125 mg sl tab, 0.125 mg tab)</i>	gen	ED
<i>oscimin sr 0.375 mg tab er 12h</i>	gen	ED
<i>pb-hyoscy-atropine-scopolamine 16.2 mg tab</i>	gen	ED
<i>pb-hyoscy-atropine-scopolamine 16.2 mg/5ml elixir</i>	gen	QL (40 PER 1 DAYS), ED

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>phenobarbital-belladonna alk 16.2 mg tab</i>	gen	ED
<i>phenobarbital-belladonna alk 16.2 mg/5ml elixir</i>	gen	QL (40 PER 1 DAYS), ED
<i>phenohydro 16.2 mg tab</i>	gen	ED
<i>phenohydro 16.2 mg/5ml elixir</i>	gen	QL (40 PER 1 DAYS), ED
<i>symax-sl 0.125 mg sl tab</i>	gen	ED
<i>symax-sr 0.375 mg tab er 12h</i>	gen	ED

## GASTROINTESTINAL AGENTS, OTHER

GATTEX 5 MG KIT	spec	PA, LA
GAVILYTE-C 240 GM RECON SOLN	gen	
<i>gavilyte-g 236 gm recon soln</i>	gen	
GOLYTELY 236 GM RECON SOLN	brd	
MYALEPT 11.3 MG RECON SOLN	spec	PA, LA, QL (60 PER 30 OVER TIME)
<i>peg-3350/electrolytes 236 gm recon soln</i>	gen	
SKYRIZI 180 MG/1.2ML SOLN CART	spec	PA, QL (1.2 PER 56 OVER TIME)
SKYRIZI 360 MG/2.4ML SOLN CART	spec	PA, QL (2.4 PER 56 OVER TIME)
<i>ursodiol (250 mg tab, 300 mg cap, 500 mg tab)</i>	gen	

## HISTAMINE2 (H2) RECEPTOR ANTAGONISTS

<i>cimetidine (200 mg tab, 300 mg tab, 400 mg tab, 800 mg tab)</i>	gen	
<i>cimetidine hcl (300 mg/5ml solution, 400 mg/6.67ml solution)</i>	gen	
<i>famotidine (20 mg tab, 40 mg tab, 40 mg/5ml recon susp)</i>	gen	
NIZATIDINE (15 MG/ML SOLUTION, 150 MG CAP, 300 MG CAP)	gen	

## PROTECTANTS

<i>misoprostol (100 mcg tab, 200 mcg tab)</i>	gen	
<i>sucralfate (1 gm tab, 1 gm/10ml suspension)</i>	gen	

## PROTON PUMP INHIBITORS

<i>esomeprazole magnesium 20 mg cap dr</i>	gen	
<i>esomeprazole magnesium 40 mg cap dr</i>	gen	QL (2 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>lansoprazole 15 mg cap dr</i>	gen	
<i>lansoprazole 30 mg cap dr</i>	gen	QL (2 PER 1 DAYS)
<i>omeprazole (10 mg cap dr, 20 mg cap dr)</i>	gen	
<i>omeprazole 40 mg cap dr</i>	gen	QL (2 PER 1 DAYS)
<i>pantoprazole sodium 20 mg tab dr</i>	gen	
<i>pantoprazole sodium 40 mg recon soln</i>	npd	
<i>pantoprazole sodium 40 mg tab dr</i>	gen	QL (2 PER 1 DAYS)
<i>rabeprazole sodium 20 mg tab dr</i>	gen	

## GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT

ALDURAZYME 2.9 MG/5ML SOLUTION	spec	LA, PA - PART B VS D DETERMINATION
ARALAST NP (500 MG RECON SOLN, 1000 MG RECON SOLN)	spec	LA, PA - PART B VS D DETERMINATION
<i>betaine powder</i>	spec	
BYLVAY (PELLETS) 200 MCG CAP SPRINK	spec	PA, LA, QL (30 PER 1 DAYS)
BYLVAY (PELLETS) 600 MCG CAP SPRINK	spec	PA, LA, QL (10 PER 1 DAYS)
BYLVAY 1200 MCG CAP	spec	PA, LA, QL (6 PER 1 DAYS)
BYLVAY 400 MCG CAP	spec	PA, LA, QL (18 PER 1 DAYS)
CERDELGA 84 MG CAP	spec	PA, LA, QL (2 PER 1 DAYS)
CEREZYME 400 UNIT RECON SOLN	spec	PA, LA
CHOLBAM 250 MG CAP	spec	PA, QL (5 PER 1 DAYS)
CHOLBAM 50 MG CAP	spec	PA, QL (4 PER 1 DAYS)
CREON (3000-9500 CP DR PART, 6000-19000 CP DR PART, 12000-38000 CP DR PART, 24000-76000 CP DR PART, 36000-114000 CP DR PART)	brd	
<i>cromolyn sodium 100 mg/5ml conc</i>	gen	
CYSTAGON (50 MG CAP, 150 MG CAP)	npd	PA, LA
CYSTARAN 0.44 % SOLUTION	spec	PA, LA, QL (60 PER 28 OVER TIME)
ELAPRASE 6 MG/3ML SOLUTION	spec	LA, PA - PART B VS D DETERMINATION
<i>javygtor (100 mg packet, 100 mg tab, 500 mg packet)</i>	spec	PA
<i>l-glutamine 5 gm packet</i>	spec	PA, QL (6 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>miglustat 100 mg cap</i>	spec	PA, LA, QL (3 PER 1 DAYS)
NAGLAZYME 1 MG/ML SOLUTION	spec	LA, PA - PART B VS D DETERMINATION
<i>nitisinone (2 mg cap, 5 mg cap, 10 mg cap)</i>	spec	PA
PROCYSBI (25 MG CAP DR, 75 MG CAP DR)	spec	PA, LA
PROLASTIN-C (1000 MG RECON SOLN, 1000 MG/20ML SOLUTION)	spec	LA, PA - PART B VS D DETERMINATION
<i>sapropterin dihydrochloride (100 mg packet, 100 mg tab, 500 mg packet)</i>	spec	PA
<i>sodium phenylbutyrate (3 gm/tsp powder, 500 mg tab)</i>	spec	PA
STRENSIQ (18 MG/0.45ML SOLUTION, 28 MG/0.7ML SOLUTION, 40 MG/ML SOLUTION)	spec	PA, LA
STRENSIQ 80 MG/0.8ML SOLUTION	spec	PA, LA, QL (38.4 PER 28 OVER TIME)
SUCRAID 8500 UNIT/ML SOLUTION	spec	PA, LA
VYNDAQEL 20 MG CAP	spec	PA, LA, QL (4 PER 1 DAYS)
<i>yargesa 100 mg cap</i>	spec	PA, QL (3 PER 1 DAYS)
ZENPEP (3000-10000 CP DR PART, 5000-24000 CP DR PART, 10000-32000 CP DR PART, 15000-47000 CP DR PART, 20000-63000 CP DR PART, 25000-79000 CP DR PART, 40000-126000 CP DR PART, 60000-189600 CP DR PART)	npd	

## GENITOURINARY AGENTS

### ANTISPASMODICS, URINARY

<i>darifenacin hydrobromide er 15 mg tab er 24h</i>	gen	ST, QL (1 PER 1 DAYS)
<i>darifenacin hydrobromide er 7.5 mg tab er 24h</i>	gen	ST, QL (2 PER 1 DAYS)
<i>fesoterodine fumarate er (er 4 mg tab er 24h, er 8 mg tab er 24h)</i>	gen	
<i>flavoxate hcl 100 mg tab</i>	gen	
GEMTESA 75 MG TAB	brd	QL (1 PER 1 DAYS)
MYRBETRIQ (25 MG TAB ER 24H, 50 MG TAB ER 24H)	brd	
<i>oxybutynin chloride (5 mg tab, 5 mg/5ml solution)</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>oxybutynin chloride er (er 5 mg tab er 24h, er 10 mg tab er 24h, er 15 mg tab er 24h)</i>	gen	
<i>solifenacin succinate (5 mg tab, 10 mg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>tolterodine tartrate (1 mg tab, 2 mg tab)</i>	gen	ST
<i>tolterodine tartrate er (er 2 mg cap er 24h, er 4 mg cap er 24h)</i>	gen	ST
<i>tropium chloride 20 mg tab</i>	gen	
<i>tropium chloride er 60 mg cap er 24h</i>	gen	

## BENIGN PROSTATIC HYPERTROPHY AGENTS

<i>alfuzosin hcl er 10 mg tab er 24h</i>	gen	
<i>dutasteride 0.5 mg cap</i>	gen	QL (1 PER 1 DAYS)
<i>dutasteride-tamsulosin hcl 0.5-0.4 mg cap</i>	gen	QL (1 PER 1 DAYS)
<i>finasteride 5 mg tab</i>	gen	
<i>silodosin (4 mg cap, 8 mg cap)</i>	gen	QL (1 PER 1 DAYS)
<i>tadalafil (10 mg tab, 20 mg tab)</i>	gen	PA, QL (8 PER 30 OVER TIME), ED
<i>tadalafil 2.5 mg tab</i>	gen	PA, QL (2 PER 1 DAYS)
<i>tadalafil 5 mg tab</i>	gen	PA, QL (1 PER 1 DAYS)
<i>tamsulosin hcl 0.4 mg cap</i>	gen	

## GENITOURINARY AGENTS, OTHER

<i>bethanechol chloride (5 mg tab, 10 mg tab, 25 mg tab, 50 mg tab)</i>	gen	
CYTRA K CRYSTALS 3300-1002 MG PACKET	gen	ED
ELMIRON 100 MG CAP	brd	
MUSE (125 MCG PELLETT, 250 MCG PELLETT, 500 MCG PELLETT, 1000 MCG PELLETT)	brd	PA, QL (6 PER 30 OVER TIME), ED
<i>penicillamine 250 mg tab</i>	spec	PA
<i>phenazo 200 mg tab</i>	gen	ED
<i>phenazopyridine hcl (100 mg tab, 200 mg tab)</i>	gen	ED
<i>phospho-trin k500 500 mg tab</i>	gen	ED
<i>pot &amp; sod cit-cit ac 550-500-334 mg/5ml solution</i>	gen	ED
<i>potassium citrate-citric acid 1100-334 mg/5ml solution</i>	gen	ED
<i>sildenafil citrate (25 mg tab, 50 mg tab, 100 mg tab)</i>	gen	PA, QL (8 PER 30 OVER TIME), ED

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>sod citrate-citric acid (1.5-1 gm/15ml solution, 3-2 gm/30ml solution, 500-334 mg/5ml solution)</i>	gen	ED
<i>taron-crystals 3300-1002 mg packet</i>	gen	ED
<i>tiopronin (100 mg tab, 100 mg tab dr, 300 mg tab dr)</i>	spec	PA
<i>tricitrates 550-500-334 mg/5ml solution</i>	gen	ED
<i>vardenafil hcl (2.5 mg tab, 5 mg tab, 10 mg tab, 10 mg tab disp, 20 mg tab)</i>	gen	PA, QL (8 PER 30 OVER TIME), ED

## HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)

<i>alclometasone dipropionate 0.05 % cream</i>	gen	
<i>anucort-hc 25 mg suppos</i>	gen	ED
<i>anusol-hc 25 mg suppos</i>	gen	ED
<i>betamethasone dipropionate 0.05 % ointment</i>	gen	
<i>betamethasone dipropionate aug (0.05 % cream, 0.05 % lotion)</i>	gen	
<i>clobetasol prop emollient base 0.05 % cream</i>	gen	
<i>clobetasol propionate e 0.05 % cream</i>	gen	
CORTISONE ACETATE 25 MG TAB	gen	
CORTROPHIN 80 UNIT/ML GEL	spec	PA, LA
<i>decadron (0.5 mg tab, 0.75 mg tab, 4 mg tab, 6 mg tab)</i>	gen	
<i>desonide 0.05 % lotion</i>	gen	
<i>dexamethasone (0.5 mg tab, 0.5 mg/5ml elixir, 0.5 mg/5ml solution, 0.75 mg tab, 1 mg tab, 1.5 mg tab, 2 mg tab, 4 mg tab, 6 mg tab)</i>	gen	
DEXAMETHASONE INTENSOL 1 MG/ML CONC	gen	
DEXAMETHASONE SOD PHOS +RFID 4 MG/ML SOLN PRSYR	npd	
<i>dexamethasone sod phosphate pf 10 mg/ml solution</i>	npd	PA - PART B VS D DETERMINATION
<i>dexamethasone sodium phosphate (10 mg/ml solution, 100 mg/10ml solution)</i>	npd	PA - PART B VS D DETERMINATION

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>dexamethasone sodium phosphate (4 mg/ml soln prsyr, 4 mg/ml solution, 20 mg/5ml solution, 120 mg/30ml solution)</i>	npd	
<i>fludrocortisone acetate 0.1 mg tab</i>	gen	
HEMADY 20 MG TAB	npd	QL (2 PER 1 DAYS), PA - FOR NEW STARTS ONLY
<i>hemmorex-hc 25 mg suppos</i>	gen	ED
<i>hydrocortisone acetate 25 mg suppos</i>	gen	ED
<i>hydrocortisone butyrate 0.1 % ointment</i>	gen	ST
<i>hydrocortisone valerate 0.2 % ointment</i>	gen	
MEDROL 2 MG TAB	brd	
<i>methylprednisolone (4 mg tab, 4 mg tab thpk, 8 mg tab, 16 mg tab, 32 mg tab)</i>	gen	
<i>methylprednisolone acetate (40 mg/ml suspension, 80 mg/ml suspension)</i>	npd	
<i>methylprednisolone sodium succ 125 mg recon soln</i>	npd	PA - PART B VS D DETERMINATION
<i>methylprednisolone sodium succ 40 mg recon soln</i>	npd	
<i>mifepristone 300 mg tab</i>	spec	PA, QL (4 PER 1 DAYS)
<i>mometasone furoate (0.1 % cream, 0.1 % ointment)</i>	gen	
<i>prednisolone 15 mg/5ml solution</i>	gen	
<i>prednisolone sodium phosphate (6.7 (5 base) mg/5ml solution, 10 mg/5ml solution, 15 mg/5ml solution, 20 mg/5ml solution, 25 mg/5ml solution)</i>	gen	
<i>prednisone (1 mg tab, 2.5 mg tab, 5 mg (21) tab thpk, 5 mg (48) tab thpk, 5 mg tab, 5 mg/5ml solution, 10 mg (21) tab thpk, 10 mg (48) tab thpk, 10 mg tab, 20 mg tab, 50 mg tab)</i>	gen	
PREDNISONE INTENSOL 5 MG/ML CONC	gen	

## HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)

<i>desmopressin ace spray refrig 0.01 % solution</i>	gen
<i>desmopressin acetate (0.1 mg tab, 0.2 mg tab)</i>	gen

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>desmopressin acetate 4 mcg/ml solution</i>	npd	
<i>desmopressin acetate pf 4 mcg/ml solution</i>	npd	
<i>desmopressin acetate spray 0.01 % solution</i>	gen	
EGRIFTA SV 2 MG RECON SOLN	spec	PA, LA, QL (30 PER 30 OVER TIME)
GENOTROPIN (5 MG CARTRIDGE, 12 MG CARTRIDGE)	spec	PA
GENOTROPIN MINIQUICK (0.2 MG PRSYR, 0.4 MG PRSYR, 0.6 MG PRSYR, 0.8 MG PRSYR, 1 MG PRSYR, 1.2 MG PRSYR, 1.4 MG PRSYR, 1.6 MG PRSYR, 1.8 MG PRSYR, 2 MG PRSYR)	spec	PA
INCRELEX 40 MG/4ML SOLUTION	spec	PA, LA
OMNITROPE (5 MG/1.5ML SOLN CART, 5.8 MG RECON SOLN, 10 MG/1.5ML SOLN CART)	spec	PA

## **HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)**

### **ANABOLIC STEROIDS**

ANADROL-50 50 MG TAB	npd	
<i>oxandrolone (2.5 mg tab, 10 mg tab)</i>	gen	

### **ANDROGENS**

<i>danazol (50 mg cap, 100 mg cap, 200 mg cap)</i>	gen	
<i>depo-testosterone (100 mg/ml solution, 200 mg/ml solution)</i>	gen	
<i>methyltestosterone 10 mg cap</i>	gen	PA
<i>testosterone (1.62 % gel, 20.25 mg/act (1.62%) gel, 40.5 mg/2.5gm (1.62%) gel)</i>	gen	PA, QL (150 PER 30 OVER TIME)
<i>testosterone (12.5 mg/act (1%) gel, 25 mg/2.5gm (1%) gel, 50 mg/5gm (1%) gel)</i>	gen	PA, QL (300 PER 30 OVER TIME)
<i>testosterone 10 mg/act (2%) gel</i>	gen	PA, QL (120 PER 30 OVER TIME)
<i>testosterone 20.25 mg/1.25gm (1.62%) gel</i>	gen	PA, QL (37.5 PER 30 OVER TIME)
<i>testosterone 30 mg/act solution</i>	gen	PA, QL (180 PER 30 OVER TIME)
<i>testosterone cypionate (100 mg/ml solution, 200 mg/ml solution)</i>	gen	
TESTOSTERONE ENANTHATE 200 MG/ML SOLUTION	gen	QL (5 PER 30 OVER TIME)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>ESTROGENS</b>		
<i>afirmelle 0.1-20 mg-mcg tab</i>	gen	
<i>altavera 0.15-30 mg-mcg tab</i>	gen	
<i>alyacen 1/35 1-35 mg-mcg tab</i>	gen	
<i>alyacen 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>	gen	
<i>amabelz (0.5-0.1 mg tab, 1-0.5 mg tab)</i>	gen	
<i>amethia 0.15-0.03 &amp; 0.01 mg tab</i>	gen	
<i>amethia lo 0.1-0.02 &amp; 0.01 mg tab</i>	gen	
<i>amethyst 90-20 mcg tab</i>	gen	
<i>apri 0.15-30 mg-mcg tab</i>	gen	
<i>aranelle 0.5/1/0.5-35 mg-mcg tab</i>	gen	
<i>ashlyna 0.15-0.03 &amp; 0.01 mg tab</i>	gen	
<i>aubra 0.1-20 mg-mcg tab</i>	gen	
<i>aubra eq 0.1-20 mg-mcg tab</i>	gen	
<i>aurovela 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>aurovela 1/20 1-20 mg-mcg tab</i>	gen	
<i>aurovela 24 fe 1-20 mg-mcg(24) tab</i>	gen	
<i>aurovela fe 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>aurovela fe 1/20 1-20 mg-mcg tab</i>	gen	
<i>aviane 0.1-20 mg-mcg tab</i>	gen	
<i>ayuna 0.15-30 mg-mcg tab</i>	gen	
<i>azurette 0.15-0.02/0.01 mg (21/5) tab</i>	gen	
<i>balziva 0.4-35 mg-mcg tab</i>	gen	
<i>bekyree 0.15-0.02/0.01 mg (21/5) tab</i>	gen	
<i>blisovi 24 fe 1-20 mg-mcg(24) tab</i>	gen	
<i>blisovi fe 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>blisovi fe 1/20 1-20 mg-mcg tab</i>	gen	
<i>briellyn 0.4-35 mg-mcg tab</i>	gen	
<i>camrese 0.15-0.03 &amp; 0.01 mg tab</i>	gen	
<i>camrese lo 0.1-0.02 &amp; 0.01 mg tab</i>	gen	
<i>caziant 0.1/0.125/0.15 -0.025 mg tab</i>	gen	
<i>charlotte 24 fe 1-20 mg-mcg(24) chew tab</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>chateal 0.15-30 mg-mcg tab</i>	gen	
<i>chateal eq 0.15-30 mg-mcg tab</i>	gen	
CLIMARA PRO 0.045-0.015 MG/DAY PATCH WK	brd	QL (4 PER 28 OVER TIME)
<i>covaryx 1.25-2.5 mg tab</i>	gen	ED
<i>covaryx hs 0.625-1.25 mg tab</i>	gen	ED
<i>cryselle-28 0.3-30 mg-mcg tab</i>	gen	
<i>cyclafem 1/35 1-35 mg-mcg tab</i>	gen	
<i>cyclafem 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>	gen	
<i>cyred 0.15-30 mg-mcg tab</i>	gen	
<i>cyred eq 0.15-30 mg-mcg tab</i>	gen	
<i>dasetta 1/35 1-35 mg-mcg tab</i>	gen	
<i>dasetta 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>	gen	
<i>daysee 0.15-0.03 &amp; 0.01 mg tab</i>	gen	
<i>delyla 0.1-20 mg-mcg tab</i>	gen	
DEPO-ESTRADIOL 5 MG/ML OIL	npd	
<i>desogestrel-ethinyl estradiol (0.15-0.02/0.01 mg (21/5) tab, 0.15-30 mg-mcg tab)</i>	gen	
<i>dolishale 90-20 mcg tab</i>	gen	
<i>dotti (0.025 mg/24hr patch tw, 0.0375 mg/24hr patch tw, 0.05 mg/24hr patch tw, 0.075 mg/24hr patch tw, 0.1 mg/24hr patch tw)</i>	gen	QL (16 PER 28 OVER TIME)
<i>drospiren-eth estrad-levomefol (3-0.02-0.451 mg tab, 3-0.03-0.451 mg tab)</i>	gen	
<i>drospirenone-ethinyl estradiol (3-0.02 mg tab, 3-0.03 mg tab)</i>	gen	
<i>eemt 1.25-2.5 mg tab</i>	gen	ED
<i>eemt hs 0.625-1.25 mg tab</i>	gen	ED
<i>elinest 0.3-30 mg-mcg tab</i>	gen	
<i>eluryng 0.12-0.015 mg/24hr ring</i>	gen	QL (1 PER 28 OVER TIME)
<i>emoquette 0.15-30 mg-mcg tab</i>	gen	
<i>enilloring 0.12-0.015 mg/24hr ring</i>	gen	QL (1 PER 28 OVER TIME)
<i>enpresse-28 50-30/75-40/125-30 mcg tab</i>	gen	
<i>enskyce 0.15-30 mg-mcg tab</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>est estrogens-methyltest (rogens-methylt0.625-1.25 mg tab, rogens-methylt1.25-2.5 mg tab)</i>	gen	ED
<i>est estrogens-methyltest ds 1.25-2.5 mg tab</i>	gen	ED
<i>est estrogens-methyltest hs 0.625-1.25 mg tab</i>	gen	ED
<i>estarylla 0.25-35 mg-mcg tab</i>	gen	
<i>estradiol (0.025 mg/24hr patch tw, 0.0375 mg/24hr patch tw, 0.05 mg/24hr patch tw, 0.075 mg/24hr patch tw, 0.1 mg/24hr patch tw)</i>	gen	QL (16 PER 28 OVER TIME)
<i>estradiol (0.025 mg/24hr patch wk, 0.0375 mg/24hr patch wk, 0.05 mg/24hr patch wk, 0.06 mg/24hr patch wk, 0.075 mg/24hr patch wk, 0.1 mg/24hr patch wk)</i>	gen	QL (8 PER 28 OVER TIME)
<i>estradiol (0.1 mg/gm cream, 0.25 mg/0.25gm gel, 0.5 mg tab, 0.5 mg/0.5gm gel, 0.75 mg/0.75gm gel, 1 mg tab, 1 mg/gm gel, 1.25 mg/1.25gm gel, 2 mg tab, 10 mcg tab)</i>	gen	
<i>estradiol valerate (10 mg/ml oil, 20 mg/ml oil, 40 mg/ml oil)</i>	gen	
<i>estradiol-norethindrone acet (0.5-0.1 mg tab, 1-0.5 mg tab)</i>	gen	
<b>ESTRING (2 MG RING, 7.5 MCG/24HR RING)</b>	brd	QL (1 PER 84 OVER TIME)
<i>ethynodiol diac-eth estradiol (1-35 tab, 1-50 tab)</i>	gen	
<i>etonogestrel-ethinyl estradiol 0.12-0.015 mg/24hr ring</i>	gen	QL (1 PER 28 OVER TIME)
<i>falmina 0.1-20 mg-mcg tab</i>	gen	
<i>fayosim 42-21-21-7 days tab</i>	gen	
<i>femynor 0.25-35 mg-mcg tab</i>	gen	
<i>finzala 1-20 mg-mcg(24) chew tab</i>	gen	
<i>fyavolv (0.5-2.5 tab, 1-5 tab)</i>	gen	
<i>gemmily 1-20 mg-mcg(24) cap</i>	gen	
<i>gianvi 3-0.02 mg tab</i>	gen	
<i>hailey 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>hailey 24 fe 1-20 mg-mcg(24) tab</i>	gen	
<i>hailey fe 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>hailey fe 1/20 1-20 mg-mcg tab</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>haloette 0.12-0.015 mg/24hr ring</i>	gen	QL (1 PER 28 OVER TIME)
<i>iclevia 0.15-0.03 mg tab</i>	gen	
<i>introvale 0.15-0.03 mg tab</i>	gen	
<i>isibloom 0.15-30 mg-mcg tab</i>	gen	
<i>jaimiess 0.15-0.03 &amp; 0.01 mg tab</i>	gen	
<i>jasmiel 3-0.02 mg tab</i>	gen	
<i>jinteli 1-5 mg-mcg tab</i>	gen	
<i>jolessa 0.15-0.03 mg tab</i>	gen	
<i>juleber 0.15-30 mg-mcg tab</i>	gen	
<i>junel 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>junel 1/20 1-20 mg-mcg tab</i>	gen	
<i>junel fe 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>junel fe 1/20 1-20 mg-mcg tab</i>	gen	
<i>junel fe 24 1-20 mg-mcg(24) tab</i>	gen	
<i>kaitlib fe 0.8-25 mg-mcg chew tab</i>	gen	
<i>kalliga 0.15-30 mg-mcg tab</i>	gen	
<i>kariva 0.15-0.02/0.01 mg (21/5) tab</i>	gen	
<i>kelnor 1/35 1-35 mg-mcg tab</i>	gen	
<i>kelnor 1/50 1-50 mg-mcg tab</i>	gen	
<i>kurvelo 0.15-30 mg-mcg tab</i>	gen	
<i>larin 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>larin 1/20 1-20 mg-mcg tab</i>	gen	
<i>larin 24 fe 1-20 mg-mcg(24) tab</i>	gen	
<i>larin fe 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>larin fe 1/20 1-20 mg-mcg tab</i>	gen	
<i>larissia 0.1-20 mg-mcg tab</i>	gen	
<i>layolis fe 0.8-25 mg-mcg chew tab</i>	gen	
<i>leena 0.5/1/0.5-35 mg-mcg tab</i>	gen	
<i>lessina 0.1-20 mg-mcg tab</i>	gen	
<i>levonest 50-30/75-40/ 125-30 mcg tab</i>	gen	
<i>levonorg-eth estrad triphasic 50-30/75-40/ 125-30 mcg tab</i>	gen	
<i>levonorgest-eth est &amp; eth est 42-21-21-7 days tab</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>levonorgest-eth estrad 91-day (0.1-0.02 &amp; 0.01 mg tab, 0.15-0.03 &amp; 0.01 mg tab, 0.15-0.03 mg tab)</i>	gen	
<i>levonorgestrel-ethinyl estrad (0.1-20 mg-mcg tab, 0.15-30 mg-mcg tab, 90-20 mcg tab)</i>	gen	
<i>levora 0.15/30 (28) 0.15-30 mg-mcg tab</i>	gen	
<i>lillow 0.15-30 mg-mcg tab</i>	gen	
<i>lo-zumandimine 3-0.02 mg tab</i>	gen	
<i>loestrin 1.5/30 (21) 1.5-30 mg-mcg tab</i>	gen	
<i>loestrin 1/20 (21) 1-20 mg-mcg tab</i>	gen	
<i>loestrin fe 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>loestrin fe 1/20 1-20 mg-mcg tab</i>	gen	
<i>lojaimiess 0.1-0.02 &amp; 0.01 mg tab</i>	gen	
<i>lopreeza 1-0.5 mg tab</i>	gen	
<i>loryna 3-0.02 mg tab</i>	gen	
<i>low-ogestrel 0.3-30 mg-mcg tab</i>	gen	
<i>lutera 0.1-20 mg-mcg tab</i>	gen	
<i>lyllana (0.025 mg/24hr patch tw, 0.0375 mg/24hr patch tw, 0.05 mg/24hr patch tw, 0.075 mg/24hr patch tw, 0.1 mg/24hr patch tw)</i>	gen	QL (16 PER 28 OVER TIME)
<i>marlissa 0.15-30 mg-mcg tab</i>	gen	
<i>melodetta 24 fe 1-20 mg-mcg(24) chew tab</i>	gen	
<b>MENEST (0.3 MG TAB, 0.625 MG TAB, 1.25 MG TAB, 2.5 MG TAB)</b>	npd	
<i>merzee 1-20 mg-mcg(24) cap</i>	gen	
<i>mibelas 24 fe 1-20 mg-mcg(24) chew tab</i>	gen	
<i>microgestin 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>microgestin 1/20 1-20 mg-mcg tab</i>	gen	
<i>microgestin 24 fe 1-20 mg-mcg tab</i>	gen	
<i>microgestin fe 1.5/30 1.5-30 mg-mcg tab</i>	gen	
<i>microgestin fe 1/20 1-20 mg-mcg tab</i>	gen	
<i>mili 0.25-35 mg-mcg tab</i>	gen	
<i>mimvey 1-0.5 mg tab</i>	gen	
<i>mono-lynyah 0.25-35 mg-mcg tab</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>necon 0.5/35 (28) 0.5-35 mg-mcg tab</i>	gen	
<i>nikki 3-0.02 mg tab</i>	gen	
<i>norelgestromin-eth estradiol 150-35 mcg/24hr patch wk</i>	gen	
<i>norethin ace-eth estrad-fe (1-20 mg-mcg tab, 1-20 mg-mcg(24) cap, 1-20 mg-mcg(24) chew tab, 1-20 mg-mcg(24) tab, 1.5-30 mg-mcg tab)</i>	gen	
<i>norethin-eth estradiol-fe (0.4-35 chew tab, 0.8-25 chew tab)</i>	gen	
<i>norethindron-ethinyl estrad-fe 1-20/1-30/1-35 mg-mcg tab</i>	gen	
<i>norethindrone acet-ethinyl est (1-20 tab, 1.5-30 tab)</i>	gen	
<i>norethindrone-eth estradiol (0.5-2.5 tab, 1-5 tab)</i>	gen	
<i>norgestim-eth estrad triphasic (0.18/0.215/0.25 mg-25 mcg tab, 0.18/0.215/0.25 mg-35 mcg tab)</i>	gen	
<i>norgestimate-eth estradiol 0.25-35 mg-mcg tab</i>	gen	
<i>nortrel 0.5/35 (28) 0.5-35 mg-mcg tab</i>	gen	
<i>nortrel 1/35 (21) 1-35 mg-mcg tab</i>	gen	
<i>nortrel 1/35 (28) 1-35 mg-mcg tab</i>	gen	
<i>nortrel 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>	gen	
<i>nylia 1/35 1-35 mg-mcg tab</i>	gen	
<i>nylia 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>	gen	
<i>nymyo 0.25-35 mg-mcg tab</i>	gen	
<i>ocella 3-0.03 mg tab</i>	gen	
<i>orsythia 0.1-20 mg-mcg tab</i>	gen	
<i>philith 0.4-35 mg-mcg tab</i>	gen	
<i>pimtrea 0.15-0.02/0.01 mg (21/5) tab</i>	gen	
<i>pirmella 1/35 1-35 mg-mcg tab</i>	gen	
<i>pirmella 7/7/7 0.5/0.75/1-35 mg-mcg tab</i>	gen	
<i>portia-28 0.15-30 mg-mcg tab</i>	gen	
PREMARIN (0.3 MG TAB, 0.45 MG TAB, 0.625 MG TAB, 0.9 MG TAB, 1.25 MG TAB)	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
PREMARIN 0.625 MG/GM CREAM	brd	
PREMPHASE 0.625-5 MG TAB	brd	
PREMPRO (0.3-1.5 MG TAB, 0.45-1.5 MG TAB, 0.625-2.5 MG TAB, 0.625-5 MG TAB)	brd	
<i>previfem 0.25-35 mg-mcg tab</i>	gen	
<i>reclipsen 0.15-30 mg-mcg tab</i>	gen	
<i>rivelsa 42-21-21-7 days tab</i>	gen	
<i>setlakin 0.15-0.03 mg tab</i>	gen	
<i>simliya 0.15-0.02/0.01 mg (21/5) tab</i>	gen	
<i>simpesse 0.15-0.03 &amp; 0.01 mg tab</i>	gen	
<i>sprintec 28 0.25-35 mg-mcg tab</i>	gen	
<i>sronyx 0.1-20 mg-mcg tab</i>	gen	
<i>syeda 3-0.03 mg tab</i>	gen	
<i>tarina 24 fe 1-20 mg-mcg(24) tab</i>	gen	
<i>tarina fe 1/20 1-20 mg-mcg tab</i>	gen	
<i>tarina fe 1/20 eq 1-20 mg-mcg tab</i>	gen	
<i>taysofy 1-20 mg-mcg(24) cap</i>	gen	
<i>tilia fe 1-20/1-30/1-35 mg-mcg tab</i>	gen	
<i>tri femynor 0.18/0.215/0.25 mg-35 mcg tab</i>	gen	
<i>tri-estarylla 0.18/0.215/0.25 mg-35 mcg tab</i>	gen	
<i>tri-legest fe 1-20/1-30/1-35 mg-mcg tab</i>	gen	
<i>tri-linyah 0.18/0.215/0.25 mg-35 mcg tab</i>	gen	
<i>tri-lo-estarylla 0.18/0.215/0.25 mg-25 mcg tab</i>	gen	
<i>tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg tab</i>	gen	
<i>tri-lo-mili 0.18/0.215/0.25 mg-25 mcg tab</i>	gen	
<i>tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg tab</i>	gen	
<i>tri-mili 0.18/0.215/0.25 mg-35 mcg tab</i>	gen	
<i>tri-nymyo 0.18/0.215/0.25 mg-35 mcg tab</i>	gen	
<i>tri-previfem 0.18/0.215/0.25 mg-35 mcg tab</i>	gen	
<i>tri-sprintec 0.18/0.215/0.25 mg-35 mcg tab</i>	gen	
<i>tri-vylibra 0.18/0.215/0.25 mg-35 mcg tab</i>	gen	
<i>tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg tab</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>trivora (28) 50-30/75-40/ 125-30 mcg tab</i>	gen	
<i>turqoz 0.3-30 mg-mcg tab</i>	gen	
<i>tydemy 3-0.03-0.451 mg tab</i>	gen	
VELIVET 0.1/0.125/0.15 -0.025 MG TAB	gen	
<i>vestura 3-0.02 mg tab</i>	gen	
<i>vienva 0.1-20 mg-mcg tab</i>	gen	
<i>viorele 0.15-0.02/0.01 mg (21/5) tab</i>	gen	
<i>volnea 0.15-0.02/0.01 mg (21/5) tab</i>	gen	
<i>vyfemla 0.4-35 mg-mcg tab</i>	gen	
<i>vylibra 0.25-35 mg-mcg tab</i>	gen	
<i>wera 0.5-35 mg-mcg tab</i>	gen	
<i>wymzya fe 0.4-35 mg-mcg chew tab</i>	gen	
<i>xulane 150-35 mcg/24hr patch wk</i>	gen	
<i>yuvafem 10 mcg tab</i>	gen	
<i>zafemy 150-35 mcg/24hr patch wk</i>	gen	
<i>zarah 3-0.03 mg tab</i>	gen	
<i>zovia 1/35 (28) 1-35 mg-mcg tab</i>	gen	
<i>zovia 1/35e (28) 1-35 mg-mcg tab</i>	gen	
<i>zumandimine 3-0.03 mg tab</i>	gen	

## **PROGESTINS**

<i>camila 0.35 mg tab</i>	gen	
<i>deblitane 0.35 mg tab</i>	gen	
DEPO-PROVERA 400 MG/ML SUSPENSION	npd	
DEPO-SUBQ PROVERA 104 104 MG/0.65ML SUSP PRSYR	npd	
<i>errin 0.35 mg tab</i>	gen	
<i>heather 0.35 mg tab</i>	gen	
HYDROXYPROGESTERONE CAPROATE 1.25 GM/5ML SOLUTION	spec	
<i>incassia 0.35 mg tab</i>	gen	
<i>jencycla 0.35 mg tab</i>	gen	
<i>lyleq 0.35 mg tab</i>	gen	
<i>lyza 0.35 mg tab</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>medroxyprogesterone acetate (150 mg/ml susp prsyr, 150 mg/ml suspension)</i>	npd	
<i>medroxyprogesterone acetate (2.5 mg tab, 5 mg tab, 10 mg tab)</i>	gen	
<i>megestrol acetate (20 mg tab, 40 mg tab, 40 mg/ml suspension, 400 mg/10ml suspension, 800 mg/20ml suspension)</i>	gen	PA - FOR NEW STARTS ONLY
<i>megestrol acetate 625 mg/5ml suspension</i>	gen	PA
<i>nora-be 0.35 mg tab</i>	gen	
<i>norethindrone 0.35 mg tab</i>	gen	
<i>norethindrone acetate 5 mg tab</i>	gen	
<i>norlyda 0.35 mg tab</i>	gen	
<i>norlyroc 0.35 mg tab</i>	gen	
<i>progesterone (50 mg/ml oil, 100 mg cap, 200 mg cap)</i>	gen	
<i>sharobel 0.35 mg tab</i>	gen	
<i>tulana 0.35 mg tab</i>	gen	

### **SELECTIVE ESTROGEN RECEPTOR MODIFYING AGENTS**

<i>OSPHENA 60 MG TAB</i>	npd	PA, QL (1 PER 1 DAYS)
<i>raloxifene hcl 60 mg tab</i>	gen	QL (1 PER 1 DAYS)

### **HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)**

<i>ADTHYZA (15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB, 120 MG TAB)</i>	brd	
<i>ARMOUR THYROID (15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB, 120 MG TAB, 180 MG TAB, 240 MG TAB, 300 MG TAB)</i>	brd	ED
<i>euthyrox (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab)</i>	gen	
<i>levo-t (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab, 300 mcg tab)</i>	brd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>levothyroxine sodium (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab, 300 mcg tab)</i>	gen	
<i>levoxyl (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab)</i>	brd	
<i>liothyronine sodium (5 mcg tab, 25 mcg tab, 50 mcg tab)</i>	gen	
NIVA THYROID (15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB, 120 MG TAB)	brd	ED
NP THYROID (15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB, 120 MG TAB)	brd	ED
SYNTHROID (25 MCG TAB, 50 MCG TAB, 75 MCG TAB, 88 MCG TAB, 100 MCG TAB, 112 MCG TAB, 125 MCG TAB, 137 MCG TAB, 150 MCG TAB, 175 MCG TAB, 200 MCG TAB, 300 MCG TAB)	brd	
THYROID (15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB, 120 MG TAB)	brd	ED
<i>unithroid (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab, 300 mcg tab)</i>	brd	

## HORMONAL AGENTS, SUPPRESSANT (PITUITARY)

<i>cabergoline 0.5 mg tab</i>	gen	
FIRMAGON (240 MG DOSE) 120 MG/VIAL RECON SOLN	spec	
FIRMAGON 80 MG RECON SOLN	npd	
LANREOTIDE ACETATE 120 MG/0.5ML SOLUTION	spec	PA - FOR NEW STARTS ONLY
<i>leuprolide acetate 1 mg/0.2ml kit</i>	spec	
LUPRON DEPOT (1-MONTH) ((1-MONTH) 3.75 MG KIT, (1-MONTH) 7.5 MG KIT)	spec	
LUPRON DEPOT (3-MONTH) ((3-MONTH) 11.25 MG KIT, (3-MONTH) 22.5 MG KIT)	spec	
LUPRON DEPOT (4-MONTH) 30 MG KIT	spec	
LUPRON DEPOT (6-MONTH) 45 MG KIT	spec	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>octreotide acetate (50 mcg/ml soln prsyr, 50 mcg/ml solution, 100 mcg/ml soln prsyr, 100 mcg/ml solution, 200 mcg/ml solution, 500 mcg/ml solution, 1000 mcg/ml solution)</i>	npd	PA
OCTREOTIDE ACETATE 500 MCG/ML SOLN PRSYR	spec	PA
ORGOVYX 120 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
SANDOSTATIN LAR DEPOT (10 MG KIT, 20 MG KIT, 30 MG KIT)	spec	PA
SIGNIFOR (0.3 MG/ML SOLUTION, 0.6 MG/ML SOLUTION, 0.9 MG/ML SOLUTION)	spec	PA, LA, QL (60 PER 30 OVER TIME)
SOMATULINE DEPOT (60 MG/0.2ML SOLUTION, 90 MG/0.3ML SOLUTION)	spec	PA - FOR NEW STARTS ONLY
SOMAVERT (10 MG RECON SOLN, 15 MG RECON SOLN, 20 MG RECON SOLN, 25 MG RECON SOLN, 30 MG RECON SOLN)	spec	PA, QL (1 PER 1 DAYS)
SYNAREL 2 MG/ML SOLUTION	spec	
TRELSTAR MIXJECT (3.75 MG RECON SUSP, 11.25 MG RECON SUSP, 22.5 MG RECON SUSP)	npd	PA - PART B VS D DETERMINATION

## **HORMONAL AGENTS, SUPPRESSANT (THYROID)**

### **ANTITHYROID AGENTS**

<i>methimazole (5 mg tab, 10 mg tab)</i>	gen
<i>propylthiouracil 50 mg tab</i>	gen

## **IMMUNOLOGICAL AGENTS**

### **ANGIOEDEMA AGENTS**

HAEGARDA (2000 RECON SOLN, 3000 RECON SOLN)	spec	PA, LA
<i>icatibant acetate 30 mg/3ml soln prsyr</i>	spec	PA, QL (36 PER 60 OVER TIME)
<i>sajazir 30 mg/3ml soln prsyr</i>	spec	PA, QL (36 PER 60 OVER TIME)

### **IMMUNOGLOBULINS**

BIVIGAM (5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION)	spec	PA, LA
CARIMUNE NF (6 GM RECON SOLN, 12 GM RECON SOLN)	spec	PA

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
FLEBOGAMMA DIF (0.5 GM/10ML SOLUTION, 2.5 GM/50ML SOLUTION, 5 GM/100ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 10 GM/200ML SOLUTION, 20 GM/200ML SOLUTION, 20 GM/400ML SOLUTION)	spec	PA
GAMMAGARD (1 GM/10ML SOLUTION, 2.5 GM/25ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 30 GM/300ML SOLUTION)	spec	PA
GAMMAGARD S/D LESS IGA (S/D 5 GM RECON SOLN, S/D 10 GM RECON SOLN)	spec	PA
GAMMAKED (1 GM/10ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION)	spec	PA
GAMMAPLEX (5 GM/100ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 10 GM/200ML SOLUTION, 20 GM/200ML SOLUTION, 20 GM/400ML SOLUTION)	spec	PA, LA
GAMUNEX-C (1 GM/10ML SOLUTION, 2.5 GM/25ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 40 GM/400ML SOLUTION)	spec	PA
HIZENTRA (1 GM/5ML SOLN PRSYR, 1 GM/5ML SOLUTION, 2 GM/10ML SOLN PRSYR, 2 GM/10ML SOLUTION, 4 GM/20ML SOLN PRSYR, 4 GM/20ML SOLUTION, 10 GM/50ML SOLN PRSYR, 10 GM/50ML SOLUTION)	spec	PA, LA
PRIVIGEN (5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 40 GM/400ML SOLUTION)	spec	PA

## **IMMUNOLOGICAL AGENTS, OTHER**

ARCALYST 220 MG RECON SOLN	spec	PA, LA
BENLYSTA (200 MG/ML SOLN A-INJ, 200 MG/ML SOLN PRSYR)	spec	PA, LA, QL (4 PER 28 OVER TIME)
BEYFORTUS (50 MG/0.5ML SOLN PRSYR, 100 MG/ML SOLN PRSYR)	npd	
DUPIXENT (100 MG/0.67ML SOLN PRSYR, 200 MG/1.14ML SOLN A-INJ, 200 MG/1.14ML SOLN PRSYR, 300 MG/2ML SOLN A-INJ, 300 MG/2ML SOLN PRSYR)	spec	PA
ILARIS 150 MG/ML SOLUTION	spec	PA, LA

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
OTEZLA (4 X 10 51 X20 MG TAB THPK, 10 20 30 MG TAB THPK)	spec	PA, QL (55 PER 28 OVER TIME)
RIDAURA 3 MG CAP	brd	
SKYRIZI (150 MG DOSE) 75 MG/0.83ML PREF SY KT	spec	PA, QL (6 PER 365 OVER TIME)
SKYRIZI 150 MG/ML SOLN PRSYR	spec	PA, QL (6 PER 365 OVER TIME)
SKYRIZI PEN 150 MG/ML SOLN A-INJ	spec	PA, QL (6 PER 365 OVER TIME)
STELARA (45 MG/0.5ML SOLN PRSYR, 45 MG/0.5ML SOLUTION)	spec	PA, QL (0.5 PER 28 OVER TIME)
STELARA 90 MG/ML SOLN PRSYR	spec	PA, QL (1 PER 28 OVER TIME)
TALTZ (80 MG/ML SOLN A-INJ, 80 MG/ML SOLN PRSYR)	spec	PA, LA, QL (1 PER 28 OVER TIME)
TALTZ 20 MG/0.25ML SOLN PRSYR	spec	PA, QL (0.25 PER 28 DAYS)
TALTZ 40 MG/0.5ML SOLN PRSYR	spec	PA, QL (0.5 PER 28 DAYS)
XELJANZ (5 MG TAB, 10 MG TAB)	spec	PA, QL (2 PER 1 DAYS)
XELJANZ 1 MG/ML SOLUTION	spec	PA, QL (10 PER 1 DAYS)
XOLAIR (150 MG RECON SOLN, 150 MG/ML SOLN PRSYR)	spec	PA, LA, QL (8 PER 28 OVER TIME)
XOLAIR (150 MG/ML SOLN A-INJ, 300 MG/2ML SOLN A-INJ, 300 MG/2ML SOLN PRSYR)	spec	PA, QL (8 PER 28 OVER TIME)
XOLAIR 75 MG/0.5ML SOLN A-INJ	spec	PA, QL (2 PER 28 OVER TIME)
XOLAIR 75 MG/0.5ML SOLN PRSYR	spec	PA, LA, QL (2 PER 28 OVER TIME)

## IMMUNOSTIMULANTS

ACTIMMUNE 2000000 UNIT/0.5ML SOLUTION	spec	LA, PA - FOR NEW STARTS ONLY
INTRON A (6000000 UNIT/ML SOLUTION, 10000000 UNIT RECON SOLN, 10000000 UNIT/ML SOLUTION, 18000000 UNIT RECON SOLN, 50000000 UNIT RECON SOLN)	spec	LA
PEGASYS 180 MCG/0.5ML SOLN PRSYR	spec	PA, QL (2 PER 30 OVER TIME)
PEGASYS 180 MCG/ML SOLUTION	spec	PA, QL (4 PER 30 OVER TIME)
PEGASYS PROCLICK 180 MCG/0.5ML SOLN A-INJ	spec	PA, QL (2 PER 30 OVER TIME)

## IMMUNOSUPPRESSANTS

<i>azasan (75 mg tab, 100 mg tab)</i>	gen	PA - PART B VS D DETERMINATION
---------------------------------------	-----	--------------------------------

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>azathioprine (50 mg tab, 75 mg tab, 100 mg tab)</i>	gen	PA - PART B VS D DETERMINATION
AZATHIOPRINE SODIUM 100 MG RECON SOLN	npd	PA - PART B VS D DETERMINATION
<i>cyclosporine (25 mg cap, 100 mg cap)</i>	gen	PA - PART B VS D DETERMINATION
<i>cyclosporine 50 mg/ml solution</i>	npd	PA - PART B VS D DETERMINATION
<i>cyclosporine modified (25 mg cap, 50 mg cap, 100 mg cap, 100 mg/ml solution)</i>	gen	PA - PART B VS D DETERMINATION
ENBREL (25 MG RECON SOLN, 50 MG/ML SOLN PRSYR)	spec	PA, QL (8 PER 28 OVER TIME)
ENBREL 25 MG/0.5ML SOLN PRSYR	spec	PA, QL (4.08 PER 28 OVER TIME)
ENBREL 25 MG/0.5ML SOLUTION	spec	PA, QL (4 PER 28 OVER TIME)
ENBREL MINI 50 MG/ML SOLN CART	spec	PA, QL (8 PER 28 OVER TIME)
ENBREL SURECLICK 50 MG/ML SOLN A-INJ	spec	PA, QL (8 PER 28 OVER TIME)
ENVARUSUS XR (0.75 MG TAB ER 24H, 1 MG TAB ER 24H, 4 MG TAB ER 24H)	npd	PA - FOR NEW STARTS ONLY
<i>everolimus (0.25 mg tab, 0.5 mg tab, 0.75 mg tab, 1 mg tab)</i>	gen	PA - PART B VS D DETERMINATION
<i>gengraf (25 mg cap, 100 mg cap, 100 mg/ml solution)</i>	gen	PA - PART B VS D DETERMINATION
HADLIMA 40 MG/0.4ML SOLN PRSYR	spec	PA, QL (1.6 PER 28 OVER TIME)
HADLIMA 40 MG/0.8ML SOLN PRSYR	spec	PA, QL (3.2 PER 28 OVER TIME)
HADLIMA PUSHTOUCH 40 MG/0.4ML SOLN A-INJ	spec	PA, QL (1.6 PER 28 OVER TIME)
HADLIMA PUSHTOUCH 40 MG/0.8ML SOLN A-INJ	spec	PA, QL (3.2 PER 28 OVER TIME)
HUMIRA (10 MG/0.1ML PREF SY KT, 20 MG/0.2ML PREF SY KT)	spec	PA, QL (2 PER 28 OVER TIME)
HUMIRA (2 PEN) (PEN) 40 MG/0.4ML AUT-IJ KIT, (PEN) 40 MG/0.8ML AUT-IJ KIT)	spec	PA, QL (4 PER 28 OVER TIME)
HUMIRA (2 PEN) 80 MG/0.8ML AUT-IJ KIT	spec	PA, QL (2 PER 28 OVER TIME)
HUMIRA (2 SYRINGE) 40 MG/0.8ML PREF SY KT	spec	PA, QL (4 PER 28 OVER TIME)
HUMIRA 40 MG/0.4ML PREF SY KT	spec	PA, QL (4 PER 28 OVER TIME)
HUMIRA-CD/UC/HS STARTER 40 MG/0.8ML AUT-IJ KIT	spec	PA, QL (12 PER 365 OVER TIME)
HUMIRA-CD/UC/HS STARTER 80 MG/0.8ML AUT-IJ KIT	spec	PA, QL (6 PER 365 OVER TIME)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
HUMIRA-PED<40KG CROHNS STARTER 80 MG/0.8ML & 40MG/0.4ML PEF SY KT	spec	PA, QL (4 PER 365 OVER TIME)
HUMIRA-PED>=40KG CROHNS START 80 MG/0.8ML PEF SY KT	spec	PA, QL (6 PER 365 OVER TIME)
HUMIRA-PED>=40KG UC STARTER 80 MG/0.8ML AUT-IJ KIT	spec	PA, QL (8 PER 365 OVER TIME)
HUMIRA-PS/UV/ADOL HS STARTER 40 MG/0.8ML AUT-IJ KIT	spec	PA, QL (8 PER 365 OVER TIME)
HUMIRA-PSORIASIS/UVEIT STARTER 80 MG/0.8ML & 40MG/0.4ML AUT-IJ KIT	spec	PA, QL (6 PER 365 OVER TIME)
<i>leflunomide (10 mg tab, 20 mg tab)</i>	gen	
<i>methotrexate sodium (50 mg/2ml solution, 250 mg/10ml solution, 1000 mg/40ml solution)</i>	gen	PA - PART B VS D DETERMINATION
<i>methotrexate sodium (pf) ((pf) 1 gm/40ml solution, (pf) 50 mg/2ml solution, (pf) 250 mg/10ml solution)</i>	gen	PA - PART B VS D DETERMINATION
<i>methotrexate sodium 1 gm recon soln</i>	npd	PA - PART B VS D DETERMINATION
<i>methotrexate sodium 2.5 mg tab</i>	gen	
<i>mycophenolate mofetil (200 mg/ml recon susp, 250 mg cap, 500 mg tab)</i>	gen	PA - PART B VS D DETERMINATION
<i>mycophenolate mofetil 500 mg recon soln</i>	npd	PA - PART B VS D DETERMINATION
<i>mycophenolate mofetil hcl 500 mg recon soln</i>	npd	PA - PART B VS D DETERMINATION
<i>mycophenolate sodium (180 mg tab dr, 360 mg tab dr)</i>	gen	PA - PART B VS D DETERMINATION
<i>mycophenolic acid (180 mg tab dr, 360 mg tab dr)</i>	gen	PA - PART B VS D DETERMINATION
PROGRAF (0.2 MG PACKET, 1 MG PACKET)	npd	PA - FOR NEW STARTS ONLY
REZUROCK 200 MG TAB	spec	LA, QL (1 PER 1 DAYS), PA - FOR NEW STARTS ONLY
RINVOQ (15 MG TAB ER 24H, 30 MG TAB ER 24H)	spec	PA, QL (1 PER 1 DAYS)
RINVOQ 45 MG TAB ER 24H	spec	PA, QL (168 PER 365 OVER TIME)
RINVOQ LQ 1 MG/ML SOLUTION	spec	PA, QL (12 PER 1 DAYS)
SANDIMMUNE 100 MG/ML SOLUTION	brd	PA - PART B VS D DETERMINATION
<i>sirolimus (0.5 mg tab, 1 mg tab, 1 mg/ml solution, 2 mg tab)</i>	gen	PA - PART B VS D DETERMINATION
<i>tacrolimus (0.5 mg cap, 1 mg cap, 5 mg cap)</i>	gen	PA - PART B VS D DETERMINATION
TREXALL (5 MG TAB, 7.5 MG TAB, 10 MG TAB, 15 MG TAB)	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
XATMEP 2.5 MG/ML SOLUTION	npd	PA - FOR NEW STARTS ONLY
XELJANZ XR (11 MG TAB ER 24H, 22 MG TAB ER 24H)	spec	PA, QL (1 PER 1 DAYS)

## **VACCINES**

ABRYSVO 120 MCG/0.5ML RECON SOLN	brd	VAC
ACTHIB RECON SOLN	brd	
ADACEL 5-2-15.5 LF-MCG/0.5 SUSPENSION	brd	VAC
AREXVY 120 MCG/0.5ML RECON SUSP	brd	VAC
BCG VACCINE 50 MG RECON SOLN	brd	VAC
BEXSERO SUSP PRSYR	brd	VAC
BOOSTRIX (5-2.5-18.5 LF-MCG/0.5 SUSP PRSYR, 5-2.5-18.5 LF-MCG/0.5 SUSPENSION)	brd	VAC
DAPTACEL 23-15-5 SUSPENSION	brd	
DENGVAXIA RECON SUSP	brd	
DIPHTHERIA-TETANUS TOXOIDS DT 25-5 LFU/0.5ML SUSPENSION	brd	
ENGERIX-B (10 MCG/0.5ML SUSP PRSYR, 20 MCG/ML SUSP PRSYR, 20 MCG/ML SUSPENSION)	brd	PA - PART B VS D DETERMINATION, VAC
GARDASIL 9 (9 SUSP PRSYR, 9 SUSPENSION)	brd	VAC
HAVRIX 1440 EL U/ML SUSPENSION	brd	VAC
HAVRIX 720 EL U/0.5ML SUSPENSION	brd	
HEPLISAV-B 20 MCG/0.5ML SOLN PRSYR	brd	PA - PART B VS D DETERMINATION, VAC
HIBERIX 10 MCG RECON SOLN	brd	
IMOVAX RABIES 2.5 UNIT/ML RECON SUSP	brd	VAC
INFANRIX 25-58-10 SUSPENSION	brd	
IPOL INJECTABLE	brd	VAC
IXCHIQ RECON SOLN	npd	
IXIARO SUSPENSION	npd	VAC
JYNNEOS 0.5 ML SUSPENSION	brd	VAC
KINRIX (0.5 ML SUSP PRSYR, SUSPENSION)	brd	
M-M-R II RECON SOLN	brd	VAC
MENACTRA SOLUTION	brd	VAC

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
MENQUADFI SOLUTION	brd	VAC
MENVEO (RECON SOLN, SOLUTION)	brd	VAC
MRESVIA 50 MCG/0.5ML SUSP PRSYR	brd	
PEDIARIX SUSP PRSYR	brd	
PEDVAX HIB 7.5 MCG/0.5ML SUSPENSION	brd	
PENBRAYA RECON SUSP	brd	
PENTACEL RECON SUSP	brd	
PREHEVBRIO 10 MCG/ML SUSPENSION	brd	PA - PART B VS D DETERMINATION, VAC
PRIORIX RECON SUSP	brd	VAC
PROQUAD RECON SUSP	brd	
QUADRACEL (0.5 ML SUSP PRSYR, SUSPENSION)	brd	
RABAVERT RECON SUSP	brd	VAC
RECOMBIVAX HB (5 MCG/0.5ML SUSP PRSYR, 5 MCG/0.5ML SUSPENSION, 10 MCG/ML SUSP PRSYR, 10 MCG/ML SUSPENSION, 40 MCG/ML SUSPENSION)	brd	PA - PART B VS D DETERMINATION, VAC
ROTARIX (RECON SUSP, SUSPENSION)	brd	
ROTATEQ SOLUTION	brd	
SHINGRIX 50 MCG/0.5ML RECON SUSP	brd	QL (2 PER 365 OVER TIME), VAC
TDVAX 2-2 LF/0.5ML SUSPENSION	brd	VAC
TENIVAC 5-2 LFU INJECTABLE	brd	VAC
TETANUS-DIPHThERIA TOXOIDS TD 2-2 LF/0.5ML SUSPENSION	brd	VAC
TICOVAC 1.2 MCG/0.25ML SUSP PRSYR	brd	
TICOVAC 2.4 MCG/0.5ML SUSP PRSYR	brd	VAC
TRUMENBA SUSP PRSYR	brd	VAC
TWINRIX 720-20 ELU-MCG/ML SUSP PRSYR	brd	PA - PART B VS D DETERMINATION, VAC
TYPHIM VI (25 MCG/0.5ML SOLN PRSYR, 25 MCG/0.5ML SOLUTION)	npd	VAC
VAQTA 25 UNIT/0.5ML SUSPENSION	brd	
VAQTA 50 UNIT/ML SUSPENSION	brd	VAC
VARIVAX 1350 PFU/0.5ML RECON SUSP	brd	VAC
VAXCHORA RECON SUSP	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
YF-VAX INJECTABLE	npd	VAC

## INFLAMMATORY BOWEL DISEASE AGENTS

### AMINOSALICYLATES

<i>balsalazide disodium 750 mg cap</i>	gen	
DIPENTUM 250 MG CAP	npd	PA
<i>mesalamine (4 gm enema, 1000 mg suppos)</i>	gen	
<i>mesalamine (400 mg cap dr, 800 mg tab dr)</i>	gen	ST, QL (6 PER 1 DAYS)
<i>mesalamine 1.2 gm tab dr</i>	gen	QL (4 PER 1 DAYS)
<i>mesalamine er 0.375 gm cap er 24h</i>	gen	QL (4 PER 1 DAYS)
<i>mesalamine er 500 mg cap er</i>	gen	ST, QL (8 PER 1 DAYS)
<i>sulfasalazine (500 mg tab, 500 mg tab dr)</i>	gen	

### GLUCOCORTICOIDS

<i>budesonide 3 mg cp dr part</i>	gen	PA, QL (3 PER 1 DAYS)
<i>budesonide er 9 mg tab er 24h</i>	gen	PA, QL (1 PER 1 DAYS)
CORTIFOAM 10 % FOAM	brd	
<i>hydrocortisone (5 mg tab, 10 mg tab, 20 mg tab, 100 mg/60ml enema)</i>	gen	

### METABOLIC BONE DISEASE AGENTS

<i>alendronate sodium (5 mg tab, 10 mg tab, 35 mg tab, 70 mg tab, 70 mg/75ml solution)</i>	gen	
<i>calcitonin (salmon) 200 unit/act solution</i>	gen	QL (3.7 PER 30 OVER TIME)
<i>calcitriol (0.25 mcg cap, 0.5 mcg cap, 1 mcg/ml solution)</i>	gen	PA - PART B VS D DETERMINATION
CALCITRIOL 1 MCG/ML SOLUTION	npd	PA - PART B VS D DETERMINATION
<i>cinacalcet hcl (30 mg tab, 60 mg tab, 90 mg tab)</i>	gen	PA - PART B VS D DETERMINATION
<i>doxercalciferol (0.5 mcg cap, 1 mcg cap, 2.5 mcg cap)</i>	gen	PA - PART B VS D DETERMINATION
<i>doxercalciferol 4 mcg/2ml solution</i>	npd	PA - PART B VS D DETERMINATION
<i>ergocalciferol 1.25 mg (50000 ut) cap</i>	gen	ED
FORTEO 600 MCG/2.4ML SOLN PEN	spec	PA
<i>ibandronate sodium 150 mg tab</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>ibandronate sodium 3 mg/3ml solution</i>	npd	PA - PART B VS D DETERMINATION
NATPARA (25 MCG CARTRIDGE, 50 MCG CARTRIDGE, 75 MCG CARTRIDGE, 100 MCG CARTRIDGE)	spec	PA, LA, QL (2 PER 28 OVER TIME)
<i>paricalcitol (1 mcg cap, 2 mcg cap, 4 mcg cap)</i>	gen	PA - PART B VS D DETERMINATION
<i>paricalcitol (2 mcg/ml solution, 5 mcg/ml solution)</i>	npd	PA - PART B VS D DETERMINATION
PROLIA 60 MG/ML SOLN PRSYR	npd	PA
<i>risedronate sodium (5 mg tab, 30 mg tab, 35 mg tab, 35 mg tab dr, 150 mg tab)</i>	gen	
TERIPARATIDE (RECOMBINANT) 620 MCG/2.48ML SOLN PEN	spec	PA
TYMLOS 3120 MCG/1.56ML SOLN PEN	spec	PA, QL (1.56 PER 28 OVER TIME)
<i>vitamin d (ergocalciferol) ((ergocalciferol) 1.25 mg (50000 ut) cap, (ergocalciferol) 50000 unit cap)</i>	gen	ED
XGEVA 120 MG/1.7ML SOLUTION	spec	QL (1.7 PER 28 OVER TIME), PA - FOR NEW STARTS ONLY
<i>zoledronic acid (4 mg/100ml solution, 4 mg/5ml conc, 5 mg/100ml solution)</i>	npd	PA - PART B VS D DETERMINATION

## MISCELLANEOUS THERAPEUTIC AGENTS

ADVOCATE INSULIN PEN NEEDLE 32G X 4 MM MISC	brd	
AEROCHAMBER HOLDING CHAMBER DEVICE	brd	
AEROCHAMBER MINI CHAMBER DEVICE	brd	ED
AEROCHAMBER MV MISC	brd	ED
AEROCHAMBER PLS FLOVU MTHPIECE DEVICE	brd	
AEROCHAMBER PLUS FLO-VU MISC	brd	ED
AEROCHAMBER PLUS FLO-VU INTERM DEVICE	brd	
AEROCHAMBER PLUS FLO-VU LARGE (DEVICE, MISC)	brd	ED
AEROCHAMBER PLUS FLO-VU MEDIUM (DEVICE, MISC)	brd	ED
AEROCHAMBER PLUS FLO-VU SMALL (DEVICE, MISC)	brd	ED

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
AEROCHAMBER PLUS FLO-VU W/MASK MISC	brd	ED
AEROCHAMBER PLUS FLOW VU MISC	brd	ED
AEROCHAMBER W/FLOWSIGNAL MISC	brd	ED
AEROCHAMBER Z-STAT PLUS MISC	brd	ED
AEROCHAMBER Z-STAT PLUS CHAMBR MISC	brd	ED
AEROCHAMBER Z-STAT PLUS/LARGE MISC	brd	ED
AEROCHAMBER Z-STAT PLUS/MEDIUM MISC	brd	ED
AEROCHAMBER Z-STAT PLUS/SMALL MISC	brd	ED
AEROVENT PLUS DEVICE	brd	ED
ALCOHOL 70% PADS	gen	
ALCOHOL PREP PAD	gen	
ALCOHOL PREP PADS 70 % PAD	gen	
ALCOHOL SWABSTICK PAD	gen	
<i>alcohol wipes 70 % misc</i>	gen	
AQ INSULIN SYRINGE (29G 1/2" 1 ML MISC, 30G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC)	brd	
AQINJECT PEN NEEDLE (PEN 31G 5 MISC, PEN 32G 4 MISC)	brd	
<i>argyle sterile water solution</i>	gen	
ASSURE ID DUO PRO PEN NEEDLES 31G X 5 MM MISC	brd	
ASSURE ID PRO PEN NEEDLES 30G X 5 MM MISC	brd	
AUM ALCOHOL PREP PADS 70 % PAD	gen	
AUM INSULIN SAFETY PEN NEEDLE (PEN 4 MISC, PEN 5 MISC)	brd	
AUM PEN NEEDLE (PEN 32G 4 MISC, PEN 32G 5 MISC, PEN 32G 6 MISC, PEN 33G 4 MISC, PEN 33G 5 MISC, PEN 33G 6 MISC)	brd	
BD INSULIN SYRINGE 27.5G X 5/8" 2 ML MISC	brd	
BD PEN NEEDLE MINI U/F 31G X 5 MM MISC	brd	
BD PEN NEEDLE NANO U/F 32G X 4 MM MISC	brd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
BD PEN NEEDLE ORIGINAL U/F 29G X 12.7MM MISC	brd	
BD PEN NEEDLE SHORT U/F 31G X 8 MM MISC	brd	
BIOGUARD GAUZE SPONGES 2"X2" PAD	gen	
BREATHE COMFORT CHAMBER/ADULT DEVICE	brd	ED
BREATHE COMFORT CHAMBER/CHILD DEVICE	brd	ED
BREATHE EASE LARGE DEVICE	brd	ED
BREATHE EASE MEDIUM DEVICE	brd	ED
BREATHE EASE SMALL DEVICE	brd	ED
BREATHERITE MISC	brd	ED
BREATHERITE COLL SPACER ADULT MISC	brd	ED
BREATHERITE COLL SPACER CHILD MISC	brd	ED
BREATHERITE COLL SPACER INFANT MISC	brd	ED
BREATHERITE RIGID SPACER/MASK MISC	brd	ED
BREATHERITE SPACER NEONATE MISC	brd	ED
BREATHERITE SPACER SMALL CHILD MISC	brd	ED
BREATHERITE VALVED MDI CHAMBER DEVICE	brd	ED
BREATHERITE/LARGE MASK MISC	brd	ED
BREATHERITE/MEDIUM MASK MISC	brd	ED
BREATHERITE/SMALL MASK MISC	brd	ED
CARETOUCH ALCOHOL PREP 70 % PAD	gen	
CLEVER CHOICE HOLDING CHAMBER DEVICE	brd	ED
COMFORT EZ PRO PEN NEEDLES (PEN 30G 8 MISC, PEN 31G 4 MISC, PEN 31G 5 MISC)	brd	
COMPACT SPACE CHAMBER DEVICE	brd	ED
COMPACT SPACE CHAMBER/LG MASK DEVICE	brd	ED
COMPACT SPACE CHAMBER/MED MASK DEVICE	brd	ED
COMPACT SPACE CHAMBER/SM MASK DEVICE	brd	ED
CVS ALCOHOL PREP PADS 70 % PAD	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
CVS ANTIBACTERIAL GAUZE 2"X2" PAD	gen	
<i>cvs isopropyl alcohol wipes 70 % misc</i>	gen	
DROPLET MICRON 34G X 3.5 MM MISC	brd	
DROPSAFE SAFETY SYRINGE/NEEDLE (SYRINGE/NEEDLE 29G 1/2" 1 ML MISC, SYRINGE/NEEDLE 31G 15/64" 0.3 ML MISC, SYRINGE/NEEDLE 31G 15/64" 0.5 ML MISC, SYRINGE/NEEDLE 31G 15/64" 1 ML MISC, SYRINGE/NEEDLE 31G 5/16" 0.3 ML MISC, SYRINGE/NEEDLE 31G 5/16" 0.5 ML MISC, SYRINGE/NEEDLE 31G 5/16" 1 ML MISC)	brd	
EASIVENT MISC	brd	ED
EASIVENT MASK LARGE MISC	brd	ED
EASIVENT MASK MEDIUM MISC	brd	ED
EASIVENT MASK SMALL MISC	brd	ED
EASY COMFORT INSULIN SYRINGE (1/2" 0.3 ML MISC, 5/16" 0.3 ML MISC)	brd	
EASY COMFORT PEN NEEDLES (PEN 31G 5 MISC, PEN 31G 6 MISC, PEN 32G 4 MISC)	brd	
EMBRACE PEN NEEDLES (PEN 29G 12MM MISC, PEN 30G 5 MM MISC, PEN 30G 8 MM MISC, PEN 31G 5 MM MISC, PEN 31G 6 MM MISC, PEN 31G 8 MM MISC, PEN 32G 4 MM MISC)	brd	
EQ SPACE CHAMBER ANTI-STATIC DEVICE	brd	ED
EQ SPACE CHAMBER ANTI-STATIC L DEVICE	brd	ED
EQ SPACE CHAMBER ANTI-STATIC M DEVICE	brd	ED
EQ SPACE CHAMBER ANTI-STATIC S DEVICE	brd	ED
FLEXICHAMBER DEVICE	brd	ED
<i>gauze pads 2</i>	gen	
INSPIRACHAMBER/LARGE DEVICE	brd	ED
INSPIRACHAMBER/MEDIUM DEVICE	brd	ED
INSPIRACHAMBER/MOUTHPIECE DEVICE	brd	ED
INSPIRACHAMBER/SMALL DEVICE	brd	ED
INSPIREASE MISC	brd	ED
INSULIN PEN NEEDLES	brd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
INSULIN SYRINGE 0.3 ML	brd	
INSULIN SYRINGE 0.5 ML	brd	
INSULIN SYRINGE 1 ML	brd	
INSULIN SYRINGE-NEEDLE U-100 (27G 1/2" 0.5 ML MISC, 27G 1/2" 1 ML MISC, 28G 1/2" 0.5 ML MISC, 28G 1/2" 1 ML MISC, 29G 1/2" 0.5 ML MISC, 29G 1/2" 1 ML MISC, 30G 1/2" 1 ML MISC, 30G 5/16" 0.5 ML MISC, 31G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC)	brd	
INSUPEN PEN NEEDLES (PEN 31G 5 MISC, PEN 31G 8 MISC, PEN 32G 4 MISC)	brd	
<i>isopropyl alcohol 70 % misc</i>	gen	
<i>isopropyl alcohol wipes 70 % misc</i>	gen	
IWILFIN 192 MG TAB	spec	LA, QL (8 PER 1 DAYS), PA - FOR NEW STARTS ONLY
LAGEVRIO 200 MG CAP	npd	QL (40 PER 30 OVER TIME)
LITEAIRE DEVICE	brd	ED
<i>medpura alcohol pads 70 % misc</i>	gen	
<i>methergine 0.2 mg tab</i>	gen	
<i>methylergonovine maleate 0.2 mg tab</i>	gen	
MICROCHAMBER (DEVICE, MISC)	brd	ED
MICROSPACER MISC	brd	ED
NOVOFINE 32G X 6 MM MISC	brd	
NOVOTWIST 32G X 5 MM MISC	brd	
OPTICHAMBER ADVANTAGE-LG MASK MISC	brd	ED
OPTICHAMBER ADVANTAGE-MED MASK MISC	brd	ED
OPTICHAMBER ADVANTAGE-SM MASK MISC	brd	ED
OPTICHAMBER DIAMOND (DEVICE, MISC)	brd	ED
OPTICHAMBER DIAMOND-LG MASK DEVICE	brd	ED
OPTICHAMBER DIAMOND-MD MASK MISC	brd	ED
OPTICHAMBER DIAMOND-SM MASK MISC	brd	ED
OPTICHAMBER FACE MASK-LARGE MISC	brd	ED
OPTICHAMBER FACE MASK-MEDIUM MISC	brd	ED

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
OPTICHAMBER FACE MASK-SMALL MISC	brd	ED
OPTIHALER (DEVICE, MISC)	brd	ED
OPVEE 2.7 MG/0.1ML SOLUTION	npd	QL (2 PER 30 OVER TIME)
PAXLOVID (150/100) 10 X 150 MG & 10 X 100MG TAB THPK	brd	QL (40 PER 30 OVER TIME)
PAXLOVID (300/100) 20 X 150 MG & 10 X 100MG TAB THPK	brd	QL (60 PER 30 OVER TIME)
PEN NEEDLES (PEN 30G 5 MISC, PEN 31G 5 MISC, PEN 31G 8 MISC, PEN 32G 4 MISC)	brd	
POCKET CHAMBER DEVICE	brd	ED
POCKET SPACER DEVICE	brd	ED
PRIMEAIRE HOLDING CHAMBER DEVICE	brd	ED
PRO COMFORT INSULIN SYRINGE (30G 5/16" 0.5 ML MISC, 30G 5/16" 1 ML MISC, 31G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC)	brd	
PRO COMFORT SPACER ADULT MISC	brd	ED
PRO COMFORT SPACER CHILD MISC	brd	ED
PRO COMFORT SPACER INFANT DEVICE	brd	ED
PROCARE SPACER/ADULT MASK DEVICE	brd	ED
PROCARE SPACER/CHILD MASK DEVICE	brd	ED
PROCHAMBER VHC DEVICE	brd	ED
PURE COMFORT SAFETY PEN NEEDLE (PEN 31G 5 MISC, PEN 31G 6 MISC, PEN 32G 4 MISC)	brd	
PURE COMFORT SPACER CHAMBER DEVICE	brd	ED
<i>qc alcohol 70 % misc</i>	gen	
<i>ra isopropyl alcohol wipes 70 % misc</i>	gen	
RITEFLO DEVICE	brd	ED
<i>saline bacteriostatic 0.9 % solution</i>	npd	
SECURESAFE INSULIN SYRINGE (1/2" 0.5 ML MISC, 1/2" 1 ML MISC)	brd	
SILIGENTLE FOAM DRESSING 2"X2" PAD	gen	
<i>sodium chloride bacteriostatic 0.9 % solution</i>	npd	
<i>sterile water for irrigation solution</i>	gen	
SURE COMFORT PEN NEEDLES (PEN 31G 5 MISC, PEN 31G 8 MISC, PEN 32G 4 MISC)	brd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
TECHLITE PLUS PEN NEEDLES 32G X 4 MM MISC	brd	
TRUE COMFORT INSULIN SYRINGE (30G 1/2" 0.5 ML MISC, 30G 1/2" 1 ML MISC, 30G 5/16" 0.5 ML MISC, 30G 5/16" 1 ML MISC, 31G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC, 32G 5/16" 1 ML MISC)	brd	
TRUE COMFORT PEN NEEDLES (PEN 31G 5 MISC, PEN 31G 6 MISC, PEN 32G 4 MISC)	brd	
TRUE COMFORT PRO PEN NEEDLES 32G X 4 MM MISC	brd	
ULTIGUARD SAFEPAK PEN NEEDLE (PEN 4 MISC, PEN 6 MISC)	brd	
UNIFINE PROTECT PEN NEEDLE (PEN 30G 5 MISC, PEN 30G 8 MISC, PEN 32G 4 MISC)	brd	
UNIFINE SAFECONTROL PEN NEEDLE (PEN 5 MISC, PEN 6 MISC, PEN 8 MISC)	brd	
VERIFINE INSULIN PEN NEEDLE (PEN 29G 12MM MISC, PEN 31G 5 MM MISC, PEN 31G 8 MM MISC, PEN 32G 4 MM MISC, PEN 32G 6 MM MISC)	brd	
VERIFINE INSULIN SYRINGE (29G 1/2" 0.5 ML MISC, 29G 1/2" 1 ML MISC, 31G 5/16" 0.3 ML MISC, 31G 5/16" 0.5 ML MISC, 31G 5/16" 1 ML MISC)	brd	
VERIFINE PLUS PEN NEEDLE (PEN 31G 5 MISC, PEN 31G 8 MISC, PEN 32G 4 MISC)	brd	
VORTEX HOLD CHMBR/MASK/CHILD DEVICE	brd	ED
VORTEX HOLD CHMBR/MASK/TODDLER DEVICE	brd	ED
VORTEX VALVED HOLDING CHAMBER DEVICE	brd	ED
WATCHHALER DEVICE	brd	ED
<i>water for irrigation, sterile solution</i>	gen	

## OPHTHALMIC AGENTS

### OPHTHALMIC AGENTS, OTHER

<i>ak-poly-bac 500-10000 unit/gm ointment</i>	gen
<i>altafrin (2.5 % solution, 10 % solution)</i>	gen

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>atropine sulfate 1 % solution</i>	gen	
<i>bacitra-neomycin-polymyxin-hc 1 % ointment</i>	gen	
<i>bacitracin-polymyxin b 500-10000 unit/gm ointment</i>	gen	
BLEPHAMIDE 10-0.2 % SUSPENSION	brd	
<i>brimonidine tartrate-timolol 0.2-0.5 % solution</i>	gen	
<i>dorzolamide hcl-timolol mal 22.3-6.8 mg/ml solution</i>	gen	
<i>dorzolamide hcl-timolol mal pf 2-0.5 % solution</i>	gen	
HOMATROPAIRE 5 % SOLUTION	gen	ED
<i>neo-polycin 3.5-400-10000 ointment</i>	gen	
<i>neo-polycin hc 1 % ointment</i>	gen	
<i>neomycin-bacitracin zn-polymyx (3.5-400-10000 ointment, 5-400-10000 ointment)</i>	gen	
<i>neomycin-polymyxin-dexameth (3.5-10000-0.1 ointment, 3.5-10000-0.1 suspension)</i>	gen	
NEOMYCIN-POLYMYXIN-GRAMICIDIN 1.75-10000-.025 SOLUTION	gen	
NEOMYCIN-POLYMYXIN-HC 3.5-10000-1 SUSPENSION	gen	
<i>phenylephrine hcl (2.5 % solution, 10 % solution)</i>	gen	
<i>polycin 500-10000 unit/gm ointment</i>	gen	
<i>proparacaine hcl 0.5 % solution</i>	gen	
RESTASIS 0.05 % EMULSION	brd	QL (60 PER 30 OVER TIME)
RESTASIS MULTIDOSE 0.05 % EMULSION	brd	QL (5.5 PER 30 OVER TIME)
ROCKLATAN 0.02-0.005 % SOLUTION	npd	QL (2.5 PER 25 OVER TIME)
SULFACETAMIDE-PREDNISOLONE 10-0.23 % SOLUTION	gen	
TOBRADEX 0.3-0.1 % OINTMENT	brd	
<i>tobramycin-dexamethasone 0.3-0.1 % suspension</i>	gen	
XIIDRA 5 % SOLUTION	brd	
ZYLET 0.5-0.3 % SUSPENSION	brd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>OPHTHALMIC ANTI-ALLERGY AGENTS</b>		
<i>azelastine hcl 0.05 % solution</i>	gen	
<i>bepotastine besilate 1.5 % solution</i>	gen	
<i>cromolyn sodium 4 % solution</i>	gen	
<i>epinastine hcl 0.05 % solution</i>	gen	
LASTACAFT 0.25 % SOLUTION	npd	
<i>olopatadine hcl 0.2 % solution</i>	gen	
PAZEO 0.7 % SOLUTION	brd	QL (2.5 PER 30 OVER TIME)
<b>OPHTHALMIC ANTI-INFECTIVES</b>		
BACITRACIN 500 UNIT/GM OINTMENT	gen	
<i>erythromycin 5 mg/gm ointment</i>	gen	
<i>gatifloxacin 0.5 % solution</i>	gen	QL (2.5 PER 30 OVER TIME)
GENTAK 0.3 % OINTMENT	gen	
<i>gentamicin sulfate 0.3 % solution</i>	gen	
LEVOFLOXACIN (0.5 % SOLUTION, 1.5 % SOLUTION)	gen	
MOXIFLOXACIN HCL (2X DAY) 0.5 % SOLUTION	gen	
<i>moxifloxacin hcl 0.5 % solution</i>	gen	
NATACYN 5 % SUSPENSION	brd	
<i>ofloxacin 0.3 % solution</i>	gen	
<i>polymyxin b-trimethoprim 10000-0.1 unit/ml-% solution</i>	gen	
<i>sulfacetamide sodium (10 % ointment, 10 % solution)</i>	gen	
<i>tobramycin 0.3 % solution</i>	gen	
TOBREX 0.3 % OINTMENT	brd	
<b>OPHTHALMIC ANTI-INFLAMMATORIES</b>		
<i>bromfenac sodium (once-daily) 0.09 % solution</i>	gen	
DEXAMETHASONE SODIUM PHOSPHATE 0.1 % SOLUTION	gen	
<i>diclofenac sodium 0.1 % solution</i>	gen	
<i>difluprednate 0.05 % emulsion</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>fluorometholone 0.1 % suspension</i>	gen	
FLURBIPROFEN SODIUM 0.03 % SOLUTION	gen	
FML 0.1 % OINTMENT	npd	
FML FORTE 0.25 % SUSPENSION	npd	
ILEVRO 0.3 % SUSPENSION	brd	QL (3 PER 30 OVER TIME)
<i>ketorolac tromethamine (0.4 % solution, 0.5 % solution)</i>	gen	
<i>loteprednol etabonate (0.2 % suspension, 0.5 % gel, 0.5 % suspension)</i>	gen	
MAXIDEX 0.1 % SUSPENSION	npd	
<i>prednisolone acetate 1 % suspension</i>	gen	
PREDNISOLONE SODIUM PHOSPHATE 1 % SOLUTION	gen	
PROLENSA 0.07 % SOLUTION	brd	

## OPHTHALMIC BETA-ADRENERGIC BLOCKING AGENTS

<i>betaxolol hcl 0.5 % solution</i>	gen	
BETIMOL (0.25 % SOLUTION, 0.5 % SOLUTION)	brd	
BETOPTIC-S 0.25 % SUSPENSION	brd	
CARTEOLOL HCL 1 % SOLUTION	gen	
LEVOBUNOLOL HCL 0.5 % SOLUTION	gen	
<i>timolol maleate (0.25 % gel f soln, 0.25 % solution, 0.5 % (daily) solution, 0.5 % gel f soln, 0.5 % solution)</i>	gen	
<i>timolol maleate (once-daily) 0.5 % solution</i>	gen	
<i>timolol maleate ocudose 0.5 % solution</i>	gen	
<i>timolol maleate pf (0.25 % solution, 0.5 % solution)</i>	gen	

## OPHTHALMIC INTRAOCULAR PRESSURE LOWERING AGENTS, OTHER

<i>acetazolamide er 500 mg cap er 12h</i>	gen	
<i>apraclonidine hcl 0.5 % solution</i>	gen	
<i>brimonidine tartrate (0.1 % solution, 0.15 % solution, 0.2 % solution)</i>	gen	
<i>brinzolamide 1 % suspension</i>	gen	
<i>dorzolamide hcl 2 % solution</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<i>methazolamide (25 mg tab, 50 mg tab)</i>	gen	
PHOSPHOLINE IODIDE 0.125 % RECON SOLN	npd	
<i>pilocarpine hcl (1 % solution, 2 % solution, 4 % solution)</i>	gen	
RHOPRESSA 0.02 % SOLUTION	brd	QL (2.5 PER 25 OVER TIME)
SIMBRINZA 1-0.2 % SUSPENSION	brd	

## OPHTHALMIC PROSTAGLANDIN AND PROSTAMIDE ANALOGS

<i>bimatoprost 0.03 % solution</i>	gen	ST, QL (5 PER 30 DAYS)
<i>latanoprost 0.005 % solution</i>	gen	
LUMIGAN 0.01 % SOLUTION	brd	QL (5 PER 30 DAYS)
<i>tafluprost (pf) 0.0015 % solution</i>	gen	ST, QL (1 PER 1 DAYS)
<i>travoprost (bak free) 0.004 % solution</i>	gen	QL (5 PER 30 DAYS)
VYZULTA 0.024 % SOLUTION	npd	

## OTIC AGENTS

CIPRO HC 0.2-1 % SUSPENSION	npd	
CIPROFLOXACIN HCL 0.2 % SOLUTION	gen	
<i>ciprofloxacin-dexamethasone 0.3-0.1 % suspension</i>	gen	
CIPROFLOXACIN-FLUOCINOLONE PF 0.3-0.025 % SOLUTION	gen	QL (2 PER 1 DAYS)
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML SUSPENSION	brd	
DERMOTIC 0.01 % OIL	brd	
<i>flac 0.01 % oil</i>	gen	
<i>fluocinolone acetonide 0.01 % oil</i>	gen	
<i>hydrocortisone-acetic acid 1-2 % solution</i>	gen	
<i>neomycin-polymyxin-hc (1 % solution, 3.5-10000-1 solution, 3.5-10000-1 suspension)</i>	gen	
<i>ofloxacin 0.3 % solution</i>	gen	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>RESPIRATORY TRACT/PULMONARY AGENTS</b>		
<b>ANTI-INFLAMMATORIES, INHALED CORTICOSTEROIDS</b>		
ARNUITY ELLIPTA (50 MCG/ACT AER POW BA, 100 MCG/ACT AER POW BA, 200 MCG/ACT AER POW BA)	brd	QL (30 PER 30 DAYS)
<i>budesonide (0.25 mg/2ml suspension, 0.5 mg/2ml suspension, 1 mg/2ml suspension)</i>	gen	PA - PART B VS D DETERMINATION
<i>flunisolide 25 mcg/act (0.025%) solution</i>	gen	QL (50 PER 30 DAYS)
<i>fluticasone propionate 50 mcg/act suspension</i>	gen	QL (16 PER 30 DAYS)
<i>mometasone furoate 50 mcg/act suspension</i>	gen	QL (34 PER 30 DAYS)
PULMICORT FLEXHALER (90 MCG/ACT AER POW BA, 180 MCG/ACT AER POW BA)	brd	QL (2 PER 30 DAYS)
<b>ANTIHISTAMINES</b>		
<i>azelastine hcl (0.1 % solution, 0.15 % solution, 137 mcg/spray solution)</i>	gen	QL (30 PER 25 DAYS)
<i>azelastine-fluticasone 137-50 mcg/act suspension</i>	gen	QL (23 PER 30 DAYS)
<i>cetirizine hcl (1 mg/ml solution, 5 mg/5ml solution)</i>	gen	
<i>cyproheptadine hcl 4 mg tab</i>	gen	PA
DES Loratadine (2.5 MG TAB DISP, 5 MG TAB DISP)	gen	ST
<i>desloratadine 5 mg tab</i>	gen	
<i>hydroxyzine hcl (10 mg tab, 10 mg/5ml syrup, 25 mg tab, 50 mg tab)</i>	gen	PA
<i>hydroxyzine pamoate (25 mg cap, 50 mg cap, 100 mg cap)</i>	gen	PA
<i>levocetirizine dihydrochloride 5 mg tab</i>	gen	
<i>olopatadine hcl 0.6 % solution</i>	gen	QL (30.5 PER 30 DAYS)
<i>promethazine hcl 6.25 mg/5ml solution</i>	gen	PA
<b>ANTILEUKOTRIENES</b>		
<i>montelukast sodium (4 mg chew tab, 4 mg packet, 5 mg chew tab, 10 mg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>zafirlukast (10 mg tab, 20 mg tab)</i>	gen	QL (2 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>BRONCHODILATORS, ANTICHOLINERGIC</b>		
ATROVENT HFA 17 MCG/ACT AERO SOLN	brd	QL (25.8 PER 30 DAYS)
<i>ipratropium bromide 0.02 % solution</i>	gen	PA - PART B VS D DETERMINATION
<i>ipratropium bromide 0.03 % solution</i>	gen	QL (30 PER 30 DAYS)
<i>ipratropium bromide 0.06 % solution</i>	gen	QL (45 PER 30 DAYS)
SPIRIVA HANDIHALER 18 MCG CAP	brd	QL (30 PER 30 DAYS)
SPIRIVA RESPIMAT (1.25 MCG/ACT AERO SOLN, 2.5 MCG/ACT AERO SOLN)	brd	QL (4 PER 30 DAYS)
<b>BRONCHODILATORS, SYMPATHOMIMETIC</b>		
<i>albuterol 90mg hfa inhaler (generic proair)</i>	gen	QL (17 PER 30 OVER TIME)
<i>albuterol 90mg hfa inhaler (generic proventil)</i>	gen	QL (13.4 PER 30 OVER TIME)
ALBUTEROL 90MG HFA INHALER (GENERIC VENTOLIN)	gen	QL (36 PER 30 OVER TIME)
<i>albuterol sulfate (0.63 mg/3ml nebu soln, 1.25 mg/3ml nebu soln, (2.5 mg/3ml) 0.083% nebu soln, 2.5 mg/0.5ml nebu soln, (5 mg/ml) 0.5% nebu soln)</i>	gen	PA - PART B VS D DETERMINATION
<i>albuterol sulfate (2 mg tab, 2 mg/5ml syrup, 4 mg tab)</i>	gen	
ALBUTEROL SULFATE ER (ER 4 MG TAB ER 12H, ER 8 MG TAB ER 12H)	gen	
<i>albuterol sulfate hfa 108 (90 base) mcg/act aero soln</i>	gen	QL (17 PER 30 OVER TIME)
<i>arformoterol tartrate 15 mcg/2ml nebu soln</i>	gen	PA - PART B VS D DETERMINATION
<i>epinephrine (0.15 mg/0.15ml soln a-inj, 0.15 mg/0.3ml soln a-inj, 0.3 mg/0.3ml soln a-inj)</i>	gen	QL (24 PER 365 OVER TIME)
EPINEPHRINE AUTOINJECTOR (GENERIC ADRENALCLICK)	gen	QL (24 PER 365 OVER TIME)
<i>formoterol fumarate 20 mcg/2ml nebu soln</i>	gen	PA - PART B VS D DETERMINATION
<i>levalbuterol hcl (0.31 mg/3ml nebu soln, 0.63 mg/3ml nebu soln, 1.25 mg/0.5ml nebu soln, 1.25 mg/3ml nebu soln)</i>	gen	PA
LEVALBUTEROL TARTRATE 45 MCG/ACT AEROSOL	gen	QL (30 PER 30 DAYS)
SEREVENT DISKUS 50 MCG/ACT AER POW BA	brd	QL (60 PER 30 DAYS)
<i>terbutaline sulfate (2.5 mg tab, 5 mg tab)</i>	gen	
<i>terbutaline sulfate 1 mg/ml solution</i>	npd	

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
<b>CYSTIC FIBROSIS AGENTS</b>		
CAYSTON 75 MG RECON SOLN	spec	PA, LA, QL (84 PER 28 OVER TIME)
KALYDECO (5.8 MG PACKET, 13.4 MG PACKET, 25 MG PACKET, 50 MG PACKET, 75 MG PACKET, 150 MG TAB)	spec	PA, LA, QL (2 PER 1 DAYS)
PULMOZYME 2.5 MG/2.5ML SOLUTION	spec	QL (150 PER 30 OVER TIME), PA - PART B VS D DETERMINATION
SYMDEKO (50-75 75 MG TAB THPK, 100-150 150 MG TAB THPK)	spec	PA, LA, QL (2 PER 1 DAYS)
TOBI PODHALER 28 MG CAP	spec	PA, LA, QL (224 PER 28 OVER TIME)
<i>tobramycin 300 mg/4ml nebu soln</i>	spec	PA, QL (224 PER 28 OVER TIME)
<i>tobramycin 300 mg/5ml nebu soln</i>	spec	PA, QL (280 PER 56 OVER TIME)
TRIKAFTA (50-25-37.5 75 MG TAB THPK, 100-50-75 150 MG TAB THPK)	spec	PA, LA, QL (3 PER 1 DAYS)
<b>MAST CELL STABILIZERS</b>		
<i>cromolyn sodium 20 mg/2ml nebu soln</i>	gen	PA - PART B VS D DETERMINATION
<b>PHOSPHODIESTERASE INHIBITORS, AIRWAYS DISEASE</b>		
<i>caffeine citrate (20 mg/ml solution, 60 mg/3ml solution)</i>	gen	
<i>elixophyllin 80 mg/15ml elixir</i>	gen	
<i>roflumilast 250 mcg tab</i>	gen	PA, QL (28 PER 180 OVER TIME)
<i>roflumilast 500 mcg tab</i>	gen	PA, QL (1 PER 1 DAYS)
THEO-24 (100 MG CAP ER 24H, 200 MG CAP ER 24H, 300 MG CAP ER 24H, 400 MG CAP ER 24H)	brd	
<i>theophylline (80 mg/15ml elixir, 80 mg/15ml solution)</i>	gen	
<i>theophylline er (er 100 mg tab er 12h, er 200 mg tab er 12h, er 300 mg tab er 12h, er 400 mg tab er 24h, er 450 mg tab er 12h, er 600 mg tab er 24h)</i>	gen	
<b>PULMONARY ANTIHYPERTENSIVES</b>		
ADEMPAS (0.5 MG TAB, 1 MG TAB, 1.5 MG TAB, 2 MG TAB, 2.5 MG TAB)	spec	PA, LA, QL (3 PER 1 DAYS)
<i>alyq 20 mg tab</i>	spec	PA, QL (2 PER 1 DAYS)
<i>ambrisentan (5 mg tab, 10 mg tab)</i>	spec	PA, LA, QL (1 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>bosentan 125 mg tab</i>	spec	PA, LA, QL (2 PER 1 DAYS)
<i>bosentan 62.5 mg tab</i>	spec	PA, LA, QL (4 PER 1 DAYS)
OPSUMIT 10 MG TAB	spec	PA, LA, QL (1 PER 1 DAYS)
<i>sildenafil citrate 10 mg/ml recon susp</i>	spec	PA, QL (6 PER 1 DAYS)
<i>sildenafil citrate 20 mg tab</i>	gen	PA, QL (3 PER 1 DAYS)
<i>tadalafil (pah) 20 mg tab</i>	spec	PA, QL (2 PER 1 DAYS)
TRACLEER 32 MG TAB SOL	spec	PA, LA, QL (4 PER 1 DAYS)
VENTAVIS 10 MCG/ML SOLUTION	spec	LA, QL (270 PER 30 OVER TIME), PA - PART B VS D DETERMINATION
VENTAVIS 20 MCG/ML SOLUTION	spec	LA, QL (90 PER 30 OVER TIME), PA - PART B VS D DETERMINATION

## **PULMONARY FIBROSIS AGENTS**

OFEV (100 MG CAP, 150 MG CAP)	spec	PA, LA, QL (2 PER 1 DAYS)
<i>pirfenidone (267 mg cap, 267 mg tab)</i>	spec	PA, QL (9 PER 1 DAYS)
PIRFENIDONE 534 MG TAB	spec	PA, QL (5 PER 1 DAYS)
<i>pirfenidone 801 mg tab</i>	spec	PA, QL (3 PER 1 DAYS)

## **RESPIRATORY TRACT AGENTS, OTHER**

<i>acetylcysteine (10 % solution, 20 % solution)</i>	gen	PA - PART B VS D DETERMINATION
ADVAIR HFA (45-21 MCG/ACT AEROSOL, 115-21 MCG/ACT AEROSOL, 230-21 MCG/ACT AEROSOL)	brd	QL (12 PER 30 DAYS)
ANORO ELLIPTA 62.5-25 MCG/ACT AER POW BA	brd	QL (60 PER 30 DAYS)
<i>benzonatate (100 mg cap, 150 mg cap, 200 mg cap)</i>	gen	ED
BEVESPI AEROSPHERE 9-4.8 MCG/ACT AEROSOL	brd	QL (10.7 PER 28 DAYS)
BREO ELLIPTA (50-25 MCG/INH AER POW BA, 100-25 MCG/ACT AER POW BA, 200-25 MCG/ACT AER POW BA)	brd	QL (60 PER 30 DAYS)
<i>breynd (80-4.5 mcg/act aerosol, 160-4.5 mcg/act aerosol)</i>	brd	QL (10.3 PER 30 DAYS)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACT AEROSOL	brd	QL (10.7 PER 30 DAYS)
<i>bromfed dm 2-30-10 mg/5ml syrup</i>	gen	ED
<i>budesonide-formoterol fumarate (80-4.5 mcg/act aerosol, 160-4.5 mcg/act aerosol)</i>	brd	QL (10.2 PER 30 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

DRUG NAME	DRUG TIER	REQUIREMENTS/LIMITS
COMBIVENT RESPIMAT 20-100 MCG/ACT AERO SOLN	brd	QL (4 PER 30 DAYS)
<i>fluticasone-salmeterol (100-50 mcg/act aer pow ba, 250-50 mcg/act aer pow ba, 500-50 mcg/act aer pow ba)</i>	gen	QL (60 PER 30 DAYS)
FLUTICASONE-SALMETEROL (55-14 MCG/ACT AER POW BA, 113-14 MCG/ACT AER POW BA, 232-14 MCG/ACT AER POW BA)	gen	QL (1 PER 30 DAYS)
<i>g tussin ac 100-10 mg/5ml solution</i>	gen	QL (420 PER 30 OVER TIME), NDS, ED
<i>guaiaatussin ac 100-10 mg/5ml syrup</i>	gen	QL (420 PER 30 OVER TIME), NDS, ED
<i>guaifenesin ac 100-10 mg/5ml syrup</i>	gen	QL (420 PER 30 OVER TIME), NDS, ED
<i>guaifenesin-codeine (100-10 mg/5ml solution, 200-20 mg/10ml solution)</i>	gen	QL (420 PER 30 OVER TIME), NDS, ED
<i>hydrocod poli-chlorphe poli er 10-8 mg/5ml susp</i>	gen	QL (70 PER 30 OVER TIME), NDS, ED
<i>hydrocodone bit-homatrop mbr 5-1.5 mg tab</i>	gen	QL (42 PER 30 OVER TIME), NDS, ED
<i>hydrocodone bit-homatrop mbr 5-1.5 mg/5ml solution</i>	gen	QL (210 PER 30 OVER TIME), NDS, ED
<i>hydromet 5-1.5 mg/5ml solution</i>	gen	QL (210 PER 30 OVER TIME), NDS, ED
<i>ipratropium-albuterol 0.5-2.5 (3) mg/3ml solution</i>	gen	PA - PART B VS D DETERMINATION
<i>maxi-tuss ac 100-10 mg/5ml solution</i>	gen	QL (420 PER 30 OVER TIME), NDS, ED
<i>nebusal 3 % nebu soln</i>	gen	ED
NUCALA (100 MG RECON SOLN, 100 MG/ML SOLN A-INJ, 100 MG/ML SOLN PRSYR)	spec	PA, LA, QL (3 PER 30 OVER TIME)
NUCALA 40 MG/0.4ML SOLN PRSYR	spec	PA, LA, QL (0.4 PER 28 OVER TIME)
<i>promethazine vc 6.25-5 mg/5ml syrup</i>	gen	PA
PROMETHAZINE VC/CODEINE 6.25-5-10 MG/5ML SYRUP	gen	PA, QL (240 PER 30 OVER TIME), NDS, ED
<i>promethazine-codeine (6.25-10 mg/5ml solution, 6.25-10 mg/5ml syrup)</i>	gen	PA, QL (240 PER 30 OVER TIME), NDS, ED
<i>promethazine-dm 6.25-15 mg/5ml syrup</i>	gen	PA, ED
<i>promethazine-phenyleph-codeine 6.25-5-10 mg/5ml syrup</i>	gen	PA, QL (240 PER 30 OVER TIME), NDS, ED

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>promethazine-phenylephrine 6.25-5 mg/5ml syrup</i>	gen	PA
<i>pseudoeph-bromphen-dm 30-2-10 mg/5ml syrup</i>	gen	ED
<i>pulmosal 7 % nebu soln</i>	gen	ED
<i>ribavirin 6 gm recon soln</i>	spec	PA - PART B VS D DETERMINATION
<i>sodium chloride (3 % nebu soln, 7 % nebu soln, 10 % nebu soln)</i>	gen	ED
TRELEGY ELLIPTA (100-62.5-25 MCG/ACT AER POW BA, 200-62.5-25 MCG/ACT AER POW BA)	brd	QL (60 PER 30 DAYS)
<i>virtussin a/c 100-10 mg/5ml solution</i>	gen	QL (420 PER 30 OVER TIME), NDS, ED
<i>virtussin ac w/alc 100-10 mg/5ml liquid</i>	gen	QL (420 PER 30 OVER TIME), NDS, ED
<i>wixela inhub (100-50 mcg/act aer pow ba, 250-50 mcg/act aer pow ba, 500-50 mcg/act aer pow ba)</i>	gen	QL (60 PER 30 DAYS)

## **SKELETAL MUSCLE RELAXANTS**

<i>carisoprodol 350 mg tab</i>	gen	PA, QL (4 PER 1 DAYS)
<i>cyclobenzaprine hcl (5 mg tab, 10 mg tab)</i>	gen	PA
<i>metaxalone (400 mg tab, 800 mg tab)</i>	gen	PA, QL (4 PER 1 DAYS)
<i>methocarbamol (500 mg tab, 750 mg tab)</i>	gen	PA
<i>vanadom 350 mg tab</i>	gen	PA, QL (4 PER 1 DAYS)

## **SLEEP DISORDER AGENTS**

### **SLEEP PROMOTING AGENTS**

<i>estazolam (1 mg tab, 2 mg tab)</i>	gen	QL (1 PER 1 DAYS)
<i>eszopiclone (1 mg tab, 2 mg tab, 3 mg tab)</i>	gen	QL (1 PER 1 DAYS)
FLURAZEPAM HCL (15 MG CAP, 30 MG CAP)	gen	QL (1 PER 1 DAYS)
<i>ramelteon 8 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>tasimelteon 20 mg cap</i>	spec	PA, QL (1 PER 1 DAYS)
<i>temazepam (22.5 mg cap, 30 mg cap)</i>	gen	QL (1 PER 1 DAYS)
<i>temazepam 15 mg cap</i>	gen	QL (2 PER 1 DAYS)
<i>temazepam 7.5 mg cap</i>	gen	QL (4 PER 1 DAYS)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/LIMITS</b>
<i>triazolam 0.125 mg tab</i>	gen	QL (4 PER 1 DAYS)
<i>triazolam 0.25 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>zaleplon 10 mg cap</i>	gen	QL (2 PER 1 DAYS)
<i>zaleplon 5 mg cap</i>	gen	QL (4 PER 1 DAYS)
<i>zolpidem tartrate 10 mg tab</i>	gen	QL (1 PER 1 DAYS)
<i>zolpidem tartrate 5 mg tab</i>	gen	QL (2 PER 1 DAYS)
<i>zolpidem tartrate er 12.5 mg tab er</i>	gen	QL (1 PER 1 DAYS)
<i>zolpidem tartrate er 6.25 mg tab er</i>	gen	QL (2 PER 1 DAYS)

## **WAKEFULNESS PROMOTING AGENTS**

<i>armodafinil (50 mg tab, 150 mg tab, 200 mg tab, 250 mg tab)</i>	gen	PA, QL (1 PER 1 DAYS)
<i>modafinil 100 mg tab</i>	gen	PA, QL (3 PER 1 DAYS)
<i>modafinil 200 mg tab</i>	gen	PA, QL (2 PER 1 DAYS)
<b>XYREM 500 MG/ML SOLUTION</b>	spec	PA, LA, QL (540 PER 30 OVER TIME)

You can find information on what the symbols and abbreviations on this table mean by going to page ix.

# Index of Drugs

## A

abacavir sulfate	44	AEROCHAMBER PLUS FLO-VU SMALL	102
abacavir sulfate-lamivudine	44	AEROCHAMBER PLUS FLO-VU W/MASK	103
abacavir-lamivudine-zidovudine	44	AEROCHAMBER PLUS FLOW VU	103
ABELCET	22	AEROCHAMBER W/FLOWSIGNAL	103
ABILIFY ASIMTUFII	39	AEROCHAMBER Z-STAT PLUS	103
ABILIFY MAINTENA	39	AEROCHAMBER Z-STAT PLUS CHAMBR	103
abiraterone acetate	26	AEROCHAMBER Z-STAT PLUS/LARGE	103
ABRYSVO	99	AEROCHAMBER Z-STAT PLUS/MEDIUM	103
acamprosate calcium	5	AEROCHAMBER Z-STAT PLUS/SMALL	103
acarbose	48	AEROVENT PLUS	103
accutane	67	afirmelle	84
acebutolol hcl	56	AIMOVIG	24
ACETAMINOPHEN-CODEINE	3	ak-poly-bac	108
acetaminophen-codeine	3	AKEEGA	27
acetazolamide	58	ala-cort	67
acetazolamide er	111	albendazole	36
acetic acid	6	albuterol 90mg hfa inhaler (generic proair)	114
acetylcysteine	116	albuterol 90mg hfa inhaler (generic proventil)	114
acitretin	67	ALBUTEROL 90MG HFA INHALER (GENERIC VENTOLIN)	114
ACTHIB	99	albuterol sulfate	114
ACTIMMUNE	96	ALBUTEROL SULFATE ER	114
acyclovir	46,71	albuterol sulfate hfa	114
acyclovir sodium	46	alclometasone dipropionate	67,81
ADACEL	99	ALCOHOL 70% PADS	103
adapalene	67	ALCOHOL PREP	103
adapalene-benzoyl peroxide	67	ALCOHOL PREP PADS	103
adefovir dipivoxil	42	ALCOHOL SWABSTICK	103
ADEMPAS	115	alcohol wipes	103
ADTHYZA	92	ALDURAZYME	78
ADVAIR HFA	116	ALECENSA	30
ADVOCATE INSULIN PEN NEEDLE	102	alendronate sodium	101
AEROCHAMBER HOLDING CHAMBER	102	alfuzosin hcl er	80
AEROCHAMBER MINI CHAMBER	102	ALINIA	36
AEROCHAMBER MV	102	aliskiren fumarate	58
AEROCHAMBER PLS FLOVU MTHPIECE	102	allopurinol	23
AEROCHAMBER PLUS FLO-VU	102	alosetron hcl	76
AEROCHAMBER PLUS FLO-VU INTERM	102	alprazolam	47
AEROCHAMBER PLUS FLO-VU LARGE	102	alprazolam er	47
AEROCHAMBER PLUS FLO-VU MEDIUM	102	ALPRAZOLAM INTENSOL	47
		alprazolam xr	47

altafrin . . . . .	108	ANALPRAM-HC . . . . .	69
altavera . . . . .	84	anastrozole . . . . .	30
ALUNBRIG . . . . .	30	ANORO ELLIPTA . . . . .	116
alyacen 1/35 . . . . .	84	anucort-hc . . . . .	81
alyacen 7/7/7 . . . . .	84	ANUSOL-HC . . . . .	68
alyq . . . . .	115	anusol-hc . . . . .	81
amabelz . . . . .	84	APAP-CAFF-DIHYDROCODEINE . . . . .	3
amantadine hcl . . . . .	37	apomorphine hcl . . . . .	37
ambrisentan . . . . .	115	apraclonidine hcl . . . . .	111
amethia . . . . .	84	aprepitant . . . . .	21
amethia lo . . . . .	84	apri . . . . .	84
amethyst . . . . .	84	APTIOM . . . . .	16
amikacin sulfate . . . . .	6	APTIVUS . . . . .	45
amiloride hcl . . . . .	60	AQ INSULIN SYRINGE . . . . .	103
amiloride-hydrochlorothiazide . . . . .	58	AQINJECT PEN NEEDLE . . . . .	103
AMINOSYN II . . . . .	71	ARALAST NP . . . . .	78
AMINOSYN-PF . . . . .	71	aranelle . . . . .	84
amiodarone hcl . . . . .	55	ARANESP (ALBUMIN FREE) . . . . .	52,53
amitriptyline hcl . . . . .	20	ARCALYST . . . . .	95
amlodipine besy-benazepril hcl . . . . .	58	AREXVY . . . . .	99
amlodipine besylate . . . . .	56	arformoterol tartrate . . . . .	114
amlodipine besylate-valsartan . . . . .	58	argyle sterile water . . . . .	103
amlodipine-atorvastatin . . . . .	58	aripiprazole . . . . .	39
amlodipine-olmesartan . . . . .	58	ARISTADA . . . . .	39
amlodipine-valsartan-hctz . . . . .	58	ARISTADA INITIO . . . . .	39
ammonium lactate . . . . .	67	armodafinil . . . . .	119
amnesteem . . . . .	67	ARMOUR THYROID . . . . .	92
amoxapine . . . . .	20	ARNUIITY ELLIPTA . . . . .	113
amoxicillin . . . . .	9	ascomp-codeine . . . . .	3
amoxicillin-pot clavulanate . . . . .	9	asenapine maleate . . . . .	39
AMOXICILLIN-POT CLAVULANATE ER . . . . .	9	ashlyna . . . . .	84
amphetamine sulfate . . . . .	63	aspirin-dipyridamole er . . . . .	53
amphetamine-dextroamphet er . . . . .	63	ASSURE ID DUO PRO PEN NEEDLES . . . . .	103
amphetamine-dextroamphetamine . . . . .	63	ASSURE ID PRO PEN NEEDLES . . . . .	103
AMPHOTERICIN B . . . . .	22	atazanavir sulfate . . . . .	45
amphotericin b liposome . . . . .	22	atenolol . . . . .	56
ampicillin . . . . .	9	atenolol-chlorthalidone . . . . .	58
ampicillin sodium . . . . .	9	atomoxetine hcl . . . . .	64
ampicillin-sulbactam sodium . . . . .	9	atorvastatin calcium . . . . .	61
ANADROL-50 . . . . .	83	atovaquone . . . . .	36
anagrelide hcl . . . . .	52	atovaquone-proguanil hcl . . . . .	36

atropine sulfate . . . . .	76,109	baclofen . . . . .	41,42
ATROVENT HFA . . . . .	114	balsalazide disodium . . . . .	101
aubra . . . . .	84	BALVERSA . . . . .	30
aubra eq . . . . .	84	balziva . . . . .	84
AUGMENTIN . . . . .	10	BAQSIMI ONE PACK . . . . .	50
AUGTYRO . . . . .	27	BAQSIMI TWO PACK . . . . .	50
AUM ALCOHOL PREP PADS . . . . .	103	BARACLUDGE . . . . .	42
AUM INSULIN SAFETY PEN NEEDLE . . . . .	103	BCG VACCINE . . . . .	99
AUM PEN NEEDLE . . . . .	103	BD INSULIN SYRINGE . . . . .	103
aurovela 1.5/30 . . . . .	84	BD PEN NEEDLE MINI U/F 31G X 5 MM MISC . . . . .	103
aurovela 1/20 . . . . .	84	BD PEN NEEDLE NANO U/F 32G X 4 MM MISC . . . . .	103
aurovela 24 fe . . . . .	84	BD PEN NEEDLE ORIGINAL U/F 29G X 12.7MM MISC . . . . .	104
aurovela fe 1.5/30 . . . . .	84	BD PEN NEEDLE SHORT U/F 31G X 8 MM MISC . . . . .	104
aurovela fe 1/20 . . . . .	84	bekyree . . . . .	84
AURYXIA . . . . .	73	benazepril hcl . . . . .	54
AUSTEDO . . . . .	65	benazepril-hydrochlorothiazide . . . . .	58
AUSTEDO XR . . . . .	65	BENLYSTA . . . . .	95
AUSTEDO XR PATIENT TITRATION . . . . .	65	BENZNIDAZOLE . . . . .	36
AUVELITY . . . . .	18	benzonatate . . . . .	116
avar-e emollient . . . . .	69	benzoyl peroxide-erythromycin . . . . .	67
avar-e green . . . . .	69	benztropine mesylate . . . . .	37
aviane . . . . .	84	bepotastine besilate . . . . .	110
avidoxy . . . . .	12	BESIVANCE . . . . .	11
avita . . . . .	67	BESREMI . . . . .	27
ayuna . . . . .	84	betaine . . . . .	78
AYVAKIT . . . . .	27	betamethasone dipropionate . . . . .	68,81
azasan . . . . .	96	betamethasone dipropionate aug . . . . .	68,81
azathioprine . . . . .	97	betamethasone valerate . . . . .	68
AZATHIOPRINE SODIUM . . . . .	97	BETASERON . . . . .	66
azelaic acid . . . . .	67	betaxolol hcl . . . . .	56,111
azelastine hcl . . . . .	110,113	bethanechol chloride . . . . .	80
azelastine-fluticasone . . . . .	113	BETIMOL . . . . .	111
azithromycin . . . . .	11	BETOPTIC-S . . . . .	111
aztreonam . . . . .	6	BEVESPI AEROSPHERE . . . . .	116
azurette . . . . .	84	bexarotene . . . . .	36
<b>B</b>		BEXSERO . . . . .	99
bac . . . . .	65	BEYFORTUS . . . . .	95
bacitra-neomycin-polymyxin-hc . . . . .	109		
BACITRACIN . . . . .	110		
bacitracin-polymyxin b . . . . .	109		

bicalutamide	26	brinzolamide	111
BICILLIN C-R	10	BRIVIACT	13
BICILLIN C-R 900/300	10	bromfed dm	116
BICILLIN L-A	10	bromfenac sodium (once-daily)	110
BIKTARVY	43	bromocriptine mesylate	37
bimatoprost	112	BRUKINSA	27
BIOGUARD GAUZE SPONGES	104	budesonide	101,113
bisoprolol fumarate	56	budesonide er	101
bisoprolol-hydrochlorothiazide	58	budesonide-formoterol fumarate	116
BIVIGAM	94	bumetanide	60
BLEPHAMIDE	109	buprenorphine	2
blisovi 24 fe	84	buprenorphine hcl	5
blisovi fe 1.5/30	84	buprenorphine hcl-naloxone hcl	5
blisovi fe 1/20	84	bupropion hcl	18
BOOSTRIX	99	bupropion hcl er (smoking det)	6,18
bosentan	116	bupropion hcl er (sr)	18
BOSULIF	30	bupropion hcl er (xl)	18
BRAFTOVI	30	buspirone hcl	47
BREATHE COMFORT CHAMBER/ADULT	104	butalbital-acetaminophen	65
BREATHE COMFORT CHAMBER/CHILD	104	butalbital-apap-caff-cod	3
BREATHE EASE LARGE	104	butalbital-apap-caffeine	65
BREATHE EASE MEDIUM	104	butalbital-asa-caff-codeine	3
BREATHE EASE SMALL	104	BUTALBITAL-ASPIRIN-CAFFEINE	1
BREATHERITE	104	butorphanol tartrate	3
BREATHERITE COLL SPACER ADULT	104	BYETTA 10 MCG PEN	48
BREATHERITE COLL SPACER CHILD	104	BYETTA 5 MCG PEN	48
BREATHERITE COLL SPACER INFANT	104	BYLVAY	78
BREATHERITE RIGID SPACER/MASK	104	BYLVAY (PELLETS)	78
BREATHERITE SPACER NEONATE	104		
BREATHERITE SPACER SMALL CHILD	104	<b>C</b>	
BREATHERITE VALVED MDI CHAMBER	104	CABENUVA	45
BREATHERITE/LARGE MASK	104	cabergoline	93
BREATHERITE/MEDIUM MASK	104	CABLIVI	53
BREATHERITE/SMALL MASK	104	CABOMETYX	31
BREO ELLIPTA	116	caffeine citrate	115
breynd	116	calcipotriene	69
BREZTRI AEROSPHERE	116	calcipotriene-betameth diprop	69
briellyn	84	calcitonin (salmon)	101
BRILINTA	53	calcitrene	69
brimonidine tartrate	111	CALCITRIOL	69,101
brimonidine tartrate-timolol	109	calcitriol	101

calcium acetate	73	cefoxitin sodium	9
calcium acetate (phos binder)	73	cefpodoxime proxetil	9
CALQUENCE	31	cefprozil	9
camila	91	ceftazidime	9
camrese	84	ceftriaxone sodium	9
camrese lo	84	cefuroxime axetil	9
candesartan cilexetil	54	cefuroxime sodium	9
candesartan cilexetil-hctz	58	celecoxib	1
CAPASTAT SULFATE	25	cephalexin	9
CAPEX	68	CERDELGA	78
CAPLYTA	39	CEREZYME	78
CAPRELSA	31	cetirizine hcl	113
captopril	54	cevimeline hcl	66
CAPTOPRIL-HYDROCHLOROTHIAZIDE	58	charlotte 24 fe	84
carbamazepine	16	chateal	85
carbamazepine er	16	chateal eq	85
carbidopa	38	CHEMET	73
carbidopa-levodopa	38	CHLORAMPHENICOL SOD SUCCINATE	6
carbidopa-levodopa er	38	chlordiazepoxide-clidinium	76
carbidopa-levodopa-entacapone	37	chlorhexidine gluconate	66
CARETOUCH ALCOHOL PREP	104	chloroquine phosphate	37
carglumic acid	71	chlorpromazine hcl	38
CARIMUNE NF	94	chlorthalidone	60
carisoprodol	118	CHOLBAM	78
CARTEOLOL HCL	111	cholestyramine	61
cartia xt	57	cholestyramine light	61
carvedilol	56	ciclodan	71
carvedilol phosphate er	56	ciclopirox	71
caspofungin acetate	22	ciclopirox olamine	22
cataflam	1	cilostazol	53
CAYSTON	115	CILOXAN	11
caziant	84	CIMDUO	44
CEFACLOR	8	cimetidine	77
CEFACLOR ER	8	cimetidine hcl	77
cefadroxil	8	cinacalcet hcl	101
cefazolin sodium	8	CIPRO HC	112
cefdinir	8	ciprofloxacin	11
CEFEPIME HCL	8	ciprofloxacin hcl	11
cefixime	8	CIPROFLOXACIN HCL	112
CEFOTAXIME SODIUM	8	ciprofloxacin in d5w	11
cefotetan disodium	8	ciprofloxacin-dexamethasone	112

CIPROFLOXACIN-FLUOCINOLONE PF . . . . .	112	colesevelam hcl . . . . .	61
citalopram hydrobromide . . . . .	19	colestipol hcl . . . . .	61
claravis . . . . .	67	colistimethate sodium (cba) . . . . .	7
clarithromycin . . . . .	11	COMBIVENT RESPIMAT . . . . .	117
clarithromycin er . . . . .	11	COMETRIQ (100 MG DAILY DOSE) . . . . .	31
CLEOCIN . . . . .	7	COMETRIQ (140 MG DAILY DOSE) . . . . .	31
CLEVER CHOICE HOLDING CHAMBER . . . . .	104	COMETRIQ (60 MG DAILY DOSE) . . . . .	31
CLIMARA PRO . . . . .	85	COMFORT EZ PRO PEN NEEDLES . . . . .	104
clindacin . . . . .	71	COMPACT SPACE CHAMBER . . . . .	104
clindacin etz . . . . .	7	COMPACT SPACE CHAMBER/LG MASK . . . . .	104
clindacin-p . . . . .	7	COMPACT SPACE CHAMBER/MED MASK . . . . .	104
clindamycin hcl . . . . .	7	COMPACT SPACE CHAMBER/SM MASK . . . . .	104
clindamycin palmitate hcl . . . . .	7	COMPLERA . . . . .	43
clindamycin phos-benzoyl perox . . . . .	67	compro . . . . .	21
clindamycin phosphate . . . . .	7,71	constulose . . . . .	75
clindamycin phosphate in d5w . . . . .	7	COPAXONE . . . . .	66
CLINDAMYCIN PHOSPHATE IN NAACL . . . . .	7	COPIKTRA . . . . .	31
clindamycin-tretinoin . . . . .	67	CORLANOR . . . . .	58
CLINDESSE . . . . .	7	CORTIFOAM . . . . .	101
clobazam . . . . .	15	CORTISONE ACETATE . . . . .	81
clobetasol prop emollient base . . . . .	68,81	CORTISPORIN-TC . . . . .	112
clobetasol propionate . . . . .	68	CORTROPHIN . . . . .	81
clobetasol propionate e . . . . .	81	COTELLIC . . . . .	31
clobetasol propionate emulsion . . . . .	68	covaryx . . . . .	85
clodan . . . . .	68	covaryx hs . . . . .	85
clomipramine hcl . . . . .	20	CREON . . . . .	78
clonazepam . . . . .	47	CRESEMBA . . . . .	22
clonidine . . . . .	53	CRIXIVAN . . . . .	45
clonidine hcl . . . . .	54	cromolyn sodium . . . . .	78,110,115
clonidine hcl er . . . . .	64	cryselle-28 . . . . .	85
clopidogrel bisulfate . . . . .	53	CRYSVITA . . . . .	71
clorazepate dipotassium . . . . .	47	CVS ALCOHOL PREP PADS . . . . .	104
clotrimazole . . . . .	22	CVS ANTIBACTERIAL GAUZE . . . . .	105
clotrimazole-betamethasone . . . . .	69	cvs isopropyl alcohol wipes . . . . .	105
clovique . . . . .	73	cyanocobalamin . . . . .	73
clozapine . . . . .	41	cyclafem 1/35 . . . . .	85
COARTEM . . . . .	37	cyclafem 7/7/7 . . . . .	85
CODEINE SULFATE . . . . .	3	cyclobenzaprine hcl . . . . .	118
codeine sulfate . . . . .	3	CYCLOPHOSPHAMIDE . . . . .	25
colchicine . . . . .	23	cyclosporine . . . . .	97
colchicine-probenecid . . . . .	23	cyclosporine modified . . . . .	97

cyproheptadine hcl	113
cyred	85
cyred eq	85
CYSTAGON	78
CYSTARAN	78
CYTRA K CRYSTALS	80

## D

dabigatran etexilate mesylate	51
dalfampridine er	66
danazol	83
dantrolene sodium	42
dapsone	25,71
DAPTACEL	99
daptomycin	7
darifenacin hydrobromide er	79
darunavir	45
dasatinib	31
dasetta 1/35	85
dasetta 7/7/7	85
DAURISMO	31
daysee	85
deblitane	91
decadron	81
deferasirox	73
deferiprone	73
DELSTRIGO	43
delyla	85
demeclocycline hcl	12
DENGVAXIA	99
DEPO-ESTRADIOL	85
DEPO-PROVERA	91
DEPO-SUBQ PROVERA 104	91
depo-testosterone	83
DERMOTIC	112
DESCOVY	44
desipramine hcl	20
DESLORATADINE	113
desloratadine	113
desmopressin ace spray refrig	82
desmopressin acetate	82,83
desmopressin acetate pf	83
desmopressin acetate spray	83
desogestrel-ethinyl estradiol	85
desonide	68,81
desoximetasone	68
desrx	68
desvenlafaxine succinate er	19
dexamethasone	81
DEXAMETHASONE INTENSOL	81
DEXAMETHASONE SOD PHOS +RFID	81
dexamethasone sod phosphate pf	81
dexamethasone sodium phosphate	81,82
DEXAMETHASONE SODIUM PHOSPHATE	110
dexmethylphenidate hcl	64
dexmethylphenidate hcl er	64
dextroamphetamine sulfate	63
dextroamphetamine sulfate er	63
dextrose	73
dextrose in lactated ringers	74
dextrose-sodium chloride	74
DIACOMIT	13
diazepam	15,47
DIAZEPAM	15
diazepam intensol	47
diazoxide	50
diclofenac potassium	1
diclofenac sodium	1,70,110
diclofenac sodium er	1
diclofenac-misoprostol	1
dicloxacillin sodium	10
dicyclomine hcl	76
DIDANOSINE	44
DIFICID	11
DIFLORASONE DIACETATE	68
diflunisal	1
difluprednate	110
digitek	58
digox	58
digoxin	58,59
dihydroergotamine mesylate	24
DILANTIN	16



DILANTIN INFATABS.....	16	doxercalciferol.....	101
dilt-xr.....	57	doxy 100.....	12
diltiazem hcl.....	57	doxycycline.....	12
diltiazem hcl 120 mg extended release 24hr capsule.....	57	doxycycline hyclate.....	12
diltiazem hcl 180 mg extended release 24hr capsule.....	57	doxycycline monohydrate.....	12
diltiazem hcl 240 mg extended release 24hr capsule.....	57	doxylamine-pyridoxine.....	21
diltiazem hcl 300 mg extended release 24hr capsule.....	57	DRIZALMA SPRINKLE.....	66
diltiazem hcl 360 mg extended release 24hr capsule.....	57	dronabinol.....	21
diltiazem hcl er.....	57	DROPLET MICRON.....	105
diltiazem hcl er beads.....	57	DROPSAFE SAFETY SYRINGE/NEEDLE.....	105
dimethyl fumarate.....	66	drospiren-eth estrad-levomefol.....	85
dimethyl fumarate starter pack.....	66	drospirenone-ethinyl estradiol.....	85
DIPENTUM.....	101	DROXIA.....	27
DIPHENOXYLATE-ATROPINE.....	76	droxidopa.....	54
DIPHThERIA-TETANUS TOXOIDS DT.....	99	duloxetine hcl.....	66
dipyridamole.....	53	DUPIXENT.....	95
disopyramide phosphate.....	55	dutasteride.....	80
disulfiram.....	5	dutasteride-tamsulosin hcl.....	80
DIURIL.....	60	dvorah.....	3
divalproex sodium.....	13	<b>E</b>	
divalproex sodium er.....	13	E.E.S. 400.....	11
dodex.....	74	EASIVENT.....	105
dofetilide.....	55	EASIVENT MASK LARGE.....	105
dolishale.....	85	EASIVENT MASK MEDIUM.....	105
donepezil hcl.....	17	EASIVENT MASK SMALL.....	105
donepezil hydrochloride orally disintegrating tab 10 mg.....	17	EASY COMFORT INSULIN SYRINGE.....	105
donepezil hydrochloride orally disintegrating tab 5 mg.....	17	EASY COMFORT PEN NEEDLES.....	105
dorzolamide hcl.....	111	ec-naproxen.....	1
dorzolamide hcl-timolol mal.....	109	econazole nitrate.....	22
dorzolamide hcl-timolol mal pf.....	109	ed-spaz.....	76
dotti.....	85	EDURANT.....	43
DOVATO.....	43	eemt.....	85
doxazosin mesylate.....	54	eemt hs.....	85
doxepin hcl.....	20	EFAVIRENZ.....	43
		efavirenz.....	43
		efavirenz-emtricitab-tenofo df.....	43
		efavirenz-lamivudine-tenofovir.....	43
		effer-k.....	74
		EGRIFTA SV.....	83
		ELAPRASE.....	78

elinest.....	85	EQ SPACE CHAMBER ANTI-STATIC.....	105
ELIQUIS.....	51	EQ SPACE CHAMBER ANTI-STATIC L.....	105
ELIQUIS DVT/PE STARTER PACK.....	51	EQ SPACE CHAMBER ANTI-STATIC M.....	105
elixophyllin.....	115	EQ SPACE CHAMBER ANTI-STATIC S.....	105
ELMIRON.....	80	EQUETRO.....	48
eluryng.....	85	ergocalciferol.....	101
EMBRACE PEN NEEDLES.....	105	ERGOLOID MESYLATES.....	17
EMCYT.....	26	ERGOTAMINE-CAFFEINE.....	24
emoquette.....	85	ERIVEDGE.....	31
EMSAM.....	19	ERLEADA.....	26
emtricitabine.....	44	erlotinib hcl.....	31
emtricitabine-tenofovir df.....	44	errin.....	91
EMTRIVA.....	44	ertapenem sodium.....	10
enalapril maleate.....	54	ERY.....	71
enalapril-hydrochlorothiazide.....	59	ery-tab.....	11
ENBREL.....	97	erythrocin lactobionate.....	11
ENBREL MINI.....	97	ERYTHROCIN STEARATE.....	11
ENBREL SURECLICK.....	97	erythromycin.....	11,71,110
endocet.....	3	erythromycin base.....	11
ENGERIX-B.....	99	erythromycin ethylsuccinate.....	11
enilloring.....	85	erythromycin lactobionate.....	11
enoxaparin sodium.....	51,52	escitalopram oxalate.....	19
enpresse-28.....	85	esgic.....	65
enskyce.....	85	esomeprazole magnesium.....	77
entacapone.....	37	est estrogens-methyltest.....	86
entecavir.....	42	est estrogens-methyltest ds.....	86
ENTRESTO.....	59	est estrogens-methyltest hs.....	86
enulose.....	75	estarylla.....	86
ENVARUSUS XR.....	97	estazolam.....	118
EPCLUSA.....	42	estradiol.....	86
EPIDIOLEX.....	13	estradiol valerate.....	86
EPIFOAM.....	70	estradiol-norethindrone acet.....	86
epinastine hcl.....	110	ESTRING.....	86
epinephrine.....	114	eszopiclone.....	118
EPINEPHRINE AUTOINJECTOR (GENERIC ADRENACLICK).....	114	ethambutol hcl.....	25
epitol.....	16	ethosuximide.....	15
EPIVIR HBV.....	42	ethynodiol diac-eth estradiol.....	86
eplerenone.....	60	etodolac.....	1
EPRONTIA.....	13	etodolac er.....	1
EPROSARTAN MESYLATE.....	54	etonogestrel-ethinyl estradiol.....	86
		etravirine.....	43

euthyrox	92	fluconazole in sodium chloride	22
everolimus	31,97	flucytosine	22
EVOTAZ	45	fludrocortisone acetate	82
exemestane	30	flunisolide	113
EXKIVITY	27	fluocinolone acetonide	68,112
ezetimibe	61	fluocinolone acetonide body	68
ezetimibe-simvastatin	61	fluocinolone acetonide scalp	68
<b>F</b>		fluocinonide	68
falmina	86	fluocinonide emulsified base	68
famciclovir	46	fluorometholone	111
famotidine	77	fluorouracil	70
FANAPT	40	fluoxetine hcl	19
FANAPT TITRATION PACK	40	FLUOXETINE HCL	19
FARXIGA	48	FLUOXETINE HCL (PMDD)	19
fayosim	86	fluphenazine decanoate	38
febuxostat	23	FLUPHENAZINE HCL	38,39
felbamate	13	flurandrenolide	68
felodipine er	56	FLURAZEPAM HCL	118
femynor	86	FLURBIPROFEN	1
fenofibrate	61	FLURBIPROFEN SODIUM	111
fenofibrate micronized	61	flutamide	26
fenofibric acid	61	fluticasone propionate	68,113
fentanyl	2	fluticasone-salmeterol	117
FENTANYL CITRATE	3	FLUTICASONE-SALMETEROL	117
FERRIPROX	73	fluvastatin sodium	61
fesoterodine fumarate er	79	fluvastatin sodium er	61
FETZIMA	19	fluvoxamine maleate	19
FETZIMA TITRATION	19	fluvoxamine maleate er	19
finasteride	80	FML	111
fingolimod hcl	66	FML FORTE	111
FINTEPLA	13	folic acid	74
finzala	86	fondaparinux sodium	52
FIRMAGON	93	formoterol fumarate	114
FIRMAGON (240 MG DOSE)	93	FORTEO	101
flac	112	fosamprenavir calcium	45
flavoxate hcl	79	fosfomycin tromethamine	7
FLEBOGAMMA DIF	95	fosinopril sodium	55
flecainide acetate	55	fosinopril sodium-hctz	59
FLEXICHAMBER	105	FOTIVDA	27
fluconazole	22	FRUZAQLA	32
		fulvestrant	26

furosemide.....	60
FUZEON.....	45
fyavolv.....	86
FYCOMPA.....	13

## G

g tussin ac.....	117
gabapentin.....	15
galantamine hydrobromide.....	17
galantamine hydrobromide er.....	17
GAMMAGARD.....	95
GAMMAGARD S/D LESS IGA.....	95
GAMMAKED.....	95
GAMMAPLEX.....	95
GAMUNEX-C.....	95
GARDASIL 9.....	99
gatifloxacin.....	110
GATTEX.....	77
gauze pads 2.....	105
GAVILYTE-C.....	77
gavilyte-g.....	77
gavilyte-n with flavor pack.....	75
GAVRETO.....	32
gefitinib.....	32
gemfibrozil.....	61
gemmily.....	86
GEMTESA.....	79
generlac.....	75
gengraf.....	97
GENOTROPIN.....	83
GENOTROPIN MINIQUICK.....	83
GENTAK.....	110
gentamicin sulfate.....	6,110
GENVOYA.....	43
gianvi.....	86
GILOTRIF.....	32
GLEOSTINE.....	25
glimepiride.....	48
glipizide.....	48
glipizide er.....	48
glipizide xl.....	48
glipizide-metformin hcl.....	48
GLUCAGEN HYPOKIT.....	50
GLUCAGON EMERGENCY.....	50
glyburide.....	48
GLYBURIDE MICRONIZED.....	48
glyburide-metformin.....	48
glycopyrrolate.....	76
GLYXAMBI.....	48
GOLYTELY.....	77
granisetron hcl.....	21
griseofulvin microsize.....	22
griseofulvin ultramicrosize.....	22
guaiaatussin ac.....	117
guaifenesin ac.....	117
guaifenesin-codeine.....	117
guanfacine hcl.....	54
guanfacine hcl er.....	64
GUANIDINE HCL.....	24
GYNAZOLE-1.....	22

## H

HADLIMA.....	97
HADLIMA PUSHTOUCH.....	97
HAEGARDA.....	94
hailey 1.5/30.....	86
hailey 24 fe.....	86
hailey fe 1.5/30.....	86
hailey fe 1/20.....	86
halobetasol propionate.....	68
haloette.....	87
haloperidol.....	39
haloperidol decanoate.....	39
haloperidol lactate.....	39
HARVONI.....	42
HAVRIX.....	99
heather.....	91
HEMADY.....	82
hemmorex-hc.....	82
heparin sodium (porcine).....	52
heparin sodium (porcine) pf.....	52
HEPATAMINE.....	71

HEPLISAV-B.....	99	hydromorphone hcl.....	4
HIBERIX.....	99	HYDROMORPHONE HCL.....	4
HIZENTRA.....	95	hydromorphone hcl er.....	2
HOMATROPAIRE.....	109	hydroxychloroquine sulfate.....	37
HUMALOG.....	50	HYDROXYPROGESTERONE CAPROATE.....	91
HUMALOG JUNIOR KWIKPEN.....	50	hydroxyurea.....	27
HUMALOG KWIKPEN.....	50	hydroxyzine hcl.....	113
HUMALOG MIX 50/50.....	50	hydroxyzine pamoate.....	113
HUMALOG MIX 50/50 KWIKPEN.....	50	hyoscyamine sulfate.....	76
HUMALOG MIX 75/25.....	50	hyoscyamine sulfate er.....	76
HUMALOG MIX 75/25 KWIKPEN.....	50	hyosyne.....	76
HUMIRA.....	97		
HUMIRA (2 PEN).....	97	<b>I</b>	
HUMIRA (2 SYRINGE).....	97	ibandronate sodium.....	101,102
HUMIRA-CD/UC/HS STARTER.....	97	IBRANCE.....	32
HUMIRA-PED<40KG CROHNS STARTER.....	98	ibu.....	1
HUMIRA-PED>/=40KG CROHNS START.....	98	ibuprofen.....	1
HUMIRA-PED>/=40KG UC STARTER.....	98	icatibant acetate.....	94
HUMIRA-PS/UV/ADOL HS STARTER.....	98	iclevia.....	87
HUMIRA-PSORIASIS/UEVIT STARTER.....	98	ICLUSIG.....	32
HUMULIN 70/30.....	50	icosapent ethyl.....	61
HUMULIN 70/30 KWIKPEN.....	51	IDHIFA.....	27
HUMULIN N.....	51	ILARIS.....	95
HUMULIN N KWIKPEN.....	51	ILEVRO.....	111
HUMULIN R.....	51	imatinib mesylate.....	32
HUMULIN R U-500 (CONCENTRATED).....	51	IMBRUVICA.....	32
HUMULIN R U-500 KWIKPEN.....	51	imipenem-cilastatin.....	10
hydralazine hcl.....	62	imipramine hcl.....	20
hydrochlorothiazide.....	60	imiquimod.....	70
hydrocod poli-chlorphe poli er.....	117	IMOVAX RABIES.....	99
hydrocodone bit-homatrop mbr.....	117	incassia.....	91
hydrocodone-acetaminophen.....	3,4	INCRELEX.....	83
hydrocodone-ibuprofen.....	4	indapamide.....	60
hydrocortisone.....	69,101	indomethacin.....	1
hydrocortisone (perianal).....	69	indomethacin er.....	1
HYDROCORTISONE ACE-PRAMOXINE.....	70	INFANRIX.....	99
hydrocortisone acetate.....	82	INGREZZA.....	65
hydrocortisone butyrate.....	69,82	INLYTA.....	32
hydrocortisone valerate.....	69,82	INQOVI.....	27
hydrocortisone-acetic acid.....	112	INREBIC.....	27
hydromet.....	117	INSPIRACHAMBER/LARGE.....	105

INSPIRACHAMBER/MEDIUM.....	105	ivermectin.....	36,70
INSPIRACHAMBER/MOUTHPIECE.....	105	IWILFIN.....	106
INSPIRACHAMBER/SMALL.....	105	IXCHIQ.....	99
INSPIREASE.....	105	IXIARO.....	99
INSULIN LISPRO.....	51	<b>J</b>	
INSULIN LISPRO (1 UNIT DIAL).....	51	jaimiess.....	87
INSULIN LISPRO JUNIOR KWIKPEN.....	51	JAKAFI.....	32
INSULIN LISPRO PROT & LISPRO.....	51	jantoven.....	52
INSULIN PEN NEEDLES.....	105	JANUMET.....	48
INSULIN SYRINGE 0.3 ML.....	106	JANUMET XR.....	49
INSULIN SYRINGE 0.5 ML.....	106	JANUVIA.....	49
INSULIN SYRINGE 1 ML.....	106	JARDIANCE.....	49
INSULIN SYRINGE-NEEDLE U-100.....	106	jasmiel.....	87
INSUPEN PEN NEEDLES.....	106	javygtor.....	78
INTELENCE.....	43	JAYPIRCA.....	32
INTRALIPID.....	71	jencycla.....	91
INTRON A.....	96	JENTADUETO.....	49
introvale.....	87	JENTADUETO XR.....	49
INVEGA HAFYERA.....	40	jinteli.....	87
INVEGA SUSTENNA.....	40	jolessa.....	87
INVEGA TRINZA.....	40	juleber.....	87
IPOL.....	99	JULUCA.....	43
ipratropium bromide.....	114	junel 1.5/30.....	87
ipratropium-albuterol.....	117	junel 1/20.....	87
irbesartan.....	54	junel fe 1.5/30.....	87
irbesartan-hydrochlorothiazide.....	59	junel fe 1/20.....	87
ISENTRESS.....	43	junel fe 24.....	87
ISENTRESS HD.....	43	JYNNEOS.....	99
isibloom.....	87	<b>K</b>	
isoniazid.....	25	k-prime.....	74
ISONIAZID.....	25	kaitlib fe.....	87
isopropyl alcohol.....	106	kalliga.....	87
isopropyl alcohol wipes.....	106	KALYDECO.....	115
isosorb dinitrate-hydralazine.....	59	kariva.....	87
isosorbide dinitrate.....	62	KCL (0.149%) IN NAACL.....	71
isosorbide mononitrate.....	62	KCL (0.298%) IN NAACL.....	71
isosorbide mononitrate er.....	62	kcl in dextrose-nacl.....	72
isotretinoin.....	67	KCL-LACTATED RINGERS-D5W.....	74
isradipine.....	56	kelnor 1/35.....	87
itraconazole.....	22		
ivabradine hcl.....	59		

kelnor 1/50	87	lamotrigine starter kit-green	13
KEPIVANCE	66	lamotrigine starter kit-orange	14
KERENDIA	49	LANREOTIDE ACETATE	93
ketoconazole	22,23	lansoprazole	78
ketodan	23	lanthanum carbonate	73
ketorolac tromethamine	111	LANTUS	51
KINRIX	99	LANTUS SOLOSTAR	51
kionex	73	lapatinib ditosylate	32
KISQALI (200 MG DOSE)	32	larin 1.5/30	87
KISQALI (400 MG DOSE)	32	larin 1/20	87
KISQALI (600 MG DOSE)	32	larin 24 fe	87
KISQALI FEMARA (200 MG DOSE)	27	larin fe 1.5/30	87
KISQALI FEMARA (400 MG DOSE)	27	larin fe 1/20	87
KISQALI FEMARA (600 MG DOSE)	27	larissia	87
klayesta	23	LASTACAFT	110
klor-con	72	latanoprost	112
klor-con 10	72	layolis fe	87
klor-con m10	72	LEDIPASVIR-SOFOSBUVIR	42
klor-con m15	72	leena	87
klor-con m20	72	leflunomide	98
klor-con sprinkle	72	lenalidomide	26
klor-con/ef	74	LENVIMA (10 MG DAILY DOSE)	33
KOSELUGO	27,28	LENVIMA (12 MG DAILY DOSE)	33
kourzeq	66	LENVIMA (14 MG DAILY DOSE)	33
KRAZATI	28	LENVIMA (18 MG DAILY DOSE)	33
kurvelo	87	LENVIMA (20 MG DAILY DOSE)	33
		LENVIMA (24 MG DAILY DOSE)	33
		LENVIMA (4 MG DAILY DOSE)	33
		LENVIMA (8 MG DAILY DOSE)	33
		lessina	87
		letrozole	30
		leucovorin calcium	28
		LEUKERAN	25
		leuprolide acetate	93
		levalbuterol hcl	114
		LEVALBUTEROL TARTRATE	114
		levetiracetam	14
		levetiracetam er	14
		levo-t	92
		LEVOBUNOLOL HCL	111
		levocarnitine	74

## L

l-glutamine	78
labetalol hcl	56
lacosamide	16
LACTATED RINGERS	74
lactated ringers	74
lactulose	75
lactulose encephalopathy	75
LAGEVRIO	106
lamivudine	42,44
lamivudine-zidovudine	44
lamotrigine	13
lamotrigine er	13
lamotrigine starter kit-blue	13

levocarnitine sf	74	LONSURF	28
levocetirizine dihydrochloride	113	loperamide hcl	76
levofloxacin	11	lopinavir-ritonavir	45
LEVOFLOXACIN	11,110	lopreeza	88
levofloxacin in d5w	11	lorazepam	47
levonest	87	lorazepam intensol	47
levonorg-eth estrad triphasic	87	LORBRENA	33
levonorgest-eth est & eth est	87	loryna	88
levonorgest-eth estrad 91-day	88	losartan potassium	54
levonorgestrel-ethinyl estrad	88	losartan potassium-hctz	59
levora 0.15/30 (28)	88	loteprednol etabonate	111
levothyroxine sodium	93	lovastatin	61
levoxyl	93	low-ogestrel	88
LEXIVA	45	loxapine succinate	39
LIBERVANT	15	lubiprostone	75
lidocaine	5	LULICONAZOLE	23
lidocaine hcl	5	LUMAKRAS	28
LIDOCAINE HCL	5	LUMIGAN	112
lidocaine viscous hcl	5	LUPRON DEPOT (1-MONTH)	93
lidocaine-prilocaine	5	LUPRON DEPOT (3-MONTH)	93
lidocan	5	LUPRON DEPOT (4-MONTH)	93
lillow	88	LUPRON DEPOT (6-MONTH)	93
lincomycin hcl	7	lurasidone hcl	40
LINDANE	70	lutra	88
linezolid	7	LYBALVI	18
LINEZOLID IN SODIUM CHLORIDE	7	lyleq	91
LINZESS	75	lyllana	88
liothyronine sodium	93	LYNPARZA	33
lisdexamfetamine dimesylate	63	LYSODREN	28
lisinopril	55	LYTGOBI (12 MG DAILY DOSE)	33
lisinopril-hydrochlorothiazide	59	LYTGOBI (16 MG DAILY DOSE)	33
LITEAIRE	106	LYTGOBI (20 MG DAILY DOSE)	33
lithium	48	lyza	91
lithium carbonate	48		
lithium carbonate er	48	<b>M</b>	
lo-zumandimine	88	M-M-R II	99
loestrin 1.5/30 (21)	88	mafenide acetate	71
loestrin 1/20 (21)	88	magnesium sulfate	72
loestrin fe 1.5/30	88	malathion	70
loestrin fe 1/20	88	MAPROTILINE HCL	18
lojaimiess	88	maraviroc	45



marlissa . . . . .	88	methenamine hippurate . . . . .	7
MARPLAN . . . . .	19	methergine . . . . .	106
MATULANE . . . . .	25	methimazole . . . . .	94
matzim la . . . . .	57	methocarbamol . . . . .	118
MAVYRET . . . . .	42	methotrexate sodium . . . . .	98
maxi-tuss ac . . . . .	117	methotrexate sodium (pf) . . . . .	98
MAXIDEX . . . . .	111	methoxsalen rapid . . . . .	70
meclizine hcl . . . . .	21	methscopolamine bromide . . . . .	76
medpura alcohol pads . . . . .	106	methsuximide . . . . .	15
MEDROL . . . . .	82	methyl dopa . . . . .	54
medroxyprogesterone acetate . . . . .	92	METHYLDOPA-HYDROCHLOROTHIAZIDE . . . . .	59
mefloquine hcl . . . . .	37	methylergonovine maleate . . . . .	106
megestrol acetate . . . . .	92	methylphenidate hcl . . . . .	64
MEKINIST . . . . .	33	METHYLPHENIDATE HCL ER . . . . .	64
MEKTOVI . . . . .	33	methylphenidate hcl er . . . . .	65
melodetta 24 fe . . . . .	88	methylphenidate hcl er (cd) . . . . .	64
meloxicam . . . . .	1	methylphenidate hcl er (la) . . . . .	64,65
MELPHALAN . . . . .	25	methylphenidate hcl er (osm) . . . . .	65
memantine hcl . . . . .	18	methylprednisolone . . . . .	82
memantine hcl er . . . . .	18	methylprednisolone acetate . . . . .	82
MENACTRA . . . . .	99	methylprednisolone sodium succ . . . . .	82
MENEST . . . . .	88	methyltestosterone . . . . .	83
MENQUADFI . . . . .	100	metoclopramide hcl . . . . .	21
MENVEO . . . . .	100	METOCLOPRAMIDE HCL . . . . .	21
MEPHYTON . . . . .	53	metolazone . . . . .	60
meprobamate . . . . .	47	metoprolol succinate er . . . . .	56
mercaptopurine . . . . .	27	metoprolol tartrate . . . . .	56
meropenem . . . . .	10	metoprolol-hydrochlorothiazide . . . . .	59
MEROPENEM-SODIUM CHLORIDE . . . . .	10	metronidazole . . . . .	7
merzee . . . . .	88	metyrosine . . . . .	59
mesalamine . . . . .	101	mexiletine hcl . . . . .	55
mesalamine er . . . . .	101	mibelas 24 fe . . . . .	88
mesna . . . . .	36	micafungin sodium . . . . .	23
MESNEX . . . . .	36	MICONAZOLE 3 . . . . .	23
metaxalone . . . . .	118	MICONAZOLE-ZINC OXIDE-PETROLAT . . . . .	23
metformin hcl . . . . .	49	MICROCHAMBER . . . . .	106
metformin hcl er . . . . .	49	microgestin 1.5/30 . . . . .	88
methadone hcl . . . . .	2	microgestin 1/20 . . . . .	88
methadone hcl intensol . . . . .	2	microgestin 24 fe . . . . .	88
methadose . . . . .	2	microgestin fe 1.5/30 . . . . .	88
methazolamide . . . . .	112	microgestin fe 1/20 . . . . .	88

MICROSPACER.....	106	MYALEPT.....	77
midodrine hcl.....	54	mycophenolate mofetil.....	98
mifepristone.....	82	mycophenolate mofetil hcl.....	98
MIGERGOT.....	24	mycophenolate sodium.....	98
miglitol.....	49	mycophenolic acid.....	98
miglustat.....	79	myorisan.....	67
mili.....	88	MYRBETRIQ.....	79
mimvey.....	88		
minitran.....	62	<b>N</b>	
minocycline hcl.....	12	na sulfate-k sulfate-mg sulf.....	75
minoxidil.....	62	nabumetone.....	1
mirtazapine.....	18	nadolol.....	56
misoprostol.....	77	nafcillin sodium.....	10
modafinil.....	119	nafrinse.....	74
moexipril hcl.....	55	naftifine hcl.....	23
MOLINDONE HCL.....	39	NAGLAZYME.....	79
mometasone furoate.....	69,82,113	naloxone hcl.....	6
mondoxyne nl.....	12	naltrexone hcl.....	6
mono-lynyah.....	88	NAMZARIC.....	17
montelukast sodium.....	113	naproxen.....	1
morgidox.....	12	naproxen dr.....	1
morphine sulfate.....	4	naproxen sodium.....	1
MORPHINE SULFATE.....	4	naratriptan hcl.....	24
morphine sulfate (concentrate).....	4	NATACYN.....	110
morphine sulfate er.....	2	nateglinide.....	49
MOUNJARO.....	49	NATPARA.....	102
MOVANTIK.....	75	NAYZILAM.....	5
moxifloxacin hcl.....	12,110	nebivolol hcl.....	56
MOXIFLOXACIN HCL.....	12	nebusal.....	117
MOXIFLOXACIN HCL (2X DAY).....	110	necon 0.5/35 (28).....	89
MOXIFLOXACIN HCL IN NACL.....	12	NEFAZODONE HCL.....	19
MRESVIA.....	100	neo-polycin.....	109
MULTAQ.....	55	neo-polycin hc.....	109
MULTI-VIT-FLOR.....	74	neomycin sulfate.....	6
MULTI-VITAMIN/FLUORIDE.....	74	neomycin-bacitracin zn-polymyx.....	109
multi-vitamin/fluoride/iron.....	74	neomycin-polymyxin-dexameth.....	109
MULTIVITAMIN W/FLUORIDE.....	74	NEOMYCIN-POLYMYXIN-GRAMICIDIN.....	109
MULTIVITAMIN/FLUORIDE.....	72,74	NEOMYCIN-POLYMYXIN-HC.....	109
multivitamins/fluoride.....	74	neomycin-polymyxin-hc.....	112
mupirocin.....	71	NERLYNX.....	33
MUSE.....	80	NEUPRO.....	38

nevirapine	43	norgestimate-eth estradiol	89
NEVIRAPINE	43	norlyda	92
NEVIRAPINE ER	43	norlyroc	92
nevirapine er	43	NORMOSOL-M IN D5W	72
NIACIN (ANTIHYPERLIPIDEMIC)	61	nortrel 0.5/35 (28)	89
niacin er (antihyperlipidemic)	62	nortrel 1/35 (21)	89
NIACOR	62	nortrel 1/35 (28)	89
nicardipine hcl	56	nortrel 7/7/7	89
NICOTROL	6	nortriptyline hcl	20
NICOTROL NS	6	NORVIR	45
nifedipine	56	NOVOFINE 32G X 6 MM MISC	106
nifedipine er	56	NOVOTWIST 32G X 5 MM MISC	106
nifedipine er osmotic release	56	NP THYROID	93
nikki	89	NUBEQA	26
nilutamide	26	NUCALA	117
nimodipine	57	NUDEXTA	65
NINLARO	28	nulev	76
nisoldipine er	57	NULYTELY LEMON-LIME	75
nitazoxanide	37	NULYTELY WITH FLAVOR PACKS	75
nitisinone	79	NUPLAZID	40
NITRO-BID	62	NURTEC	23
NITRO-DUR	62	NUTRILIPID	72
NITRO-TIME	62	nyamyc	23
nitrofurantoin	7	nylia 1/35	89
nitrofurantoin macrocrystal	7	nylia 7/7/7	89
nitrofurantoin monohyd macro	8	NYMALIZE	57
nitroglycerin	62	nymyo	89
NITROSTAT	62	nystatin	23
NIVA THYROID	93	nystatin-triamcinolone	70
NIZATIDINE	77	nystop	23
nolix	69		
nora-be	92	<b>O</b>	
norelgestromin-eth estradiol	89	ocella	89
norethin ace-eth estrad-fe	89	octreotide acetate	94
norethin-eth estradiol-fe	89	OCTREOTIDE ACETATE	94
norethindron-ethinyl estrad-fe	89	ODEFSEY	43
norethindrone	92	ODOMZO	33
norethindrone acet-ethinyl est	89	OFEV	116
norethindrone acetate	92	ofloxacin	12,110,112
norethindrone-eth estradiol	89	OGSIVEO	28
norgestim-eth estrad triphasic	89	OJEMDA	30

OJJAARA	30	oxybutynin chloride	79
olanzapine	40	oxybutynin chloride er	80
olanzapine-fluoxetine hcl	18	oxycodone hcl	4
olmesartan medoxomil	54	OXYCODONE HCL ER	2
olmesartan medoxomil-hctz	59	oxycodone-acetaminophen	4
olmesartan-amlodipine-hctz	59	OXYCODONE-ACETAMINOPHEN	4
olopatadine hcl	110,113	OXYCODONE-ASPIRIN	4
omega-3-acid ethyl esters	62	oxymorphone hcl	4
omeprazole	78	OXYMORPHONE HCL ER	2
OMNITROPE	83	OZEMPIC (0.25 OR 0.5 MG/DOSE)	49
ondansetron	21	OZEMPIC (1 MG/DOSE)	49
ONDANSETRON HCL	22	OZEMPIC (2 MG/DOSE)	49
ondansetron hcl	22		
ONUREG	28	<b>P</b>	
OPSUMIT	116	pacerone	55
OPTICHAMBER ADVANTAGE-LG MASK	106	paliperidone er	40
OPTICHAMBER ADVANTAGE-MED MASK	106	PANRETIN	36
OPTICHAMBER ADVANTAGE-SM MASK	106	pantoprazole sodium	78
OPTICHAMBER DIAMOND	106	paricalcitol	102
OPTICHAMBER DIAMOND-LG MASK	106	paroex	66
OPTICHAMBER DIAMOND-MD MASK	106	paromomycin sulfate	6
OPTICHAMBER DIAMOND-SM MASK	106	paroxetine hcl	19,20
OPTICHAMBER FACE MASK-LARGE	106	paroxetine hcl er	20
OPTICHAMBER FACE MASK-MEDIUM	106	paroxetine mesylate	20
OPTICHAMBER FACE MASK-SMALL	107	PASER	25
OPTIHALER	107	PAXLOVID (150/100)	107
OPVEE	107	PAXLOVID (300/100)	107
oralone	66	PAZEO	110
ORGOVYX	94	pazopanib hcl	33
ORSERDU	26	pb-hyoscy-atropine-scopolamine	76
orsythia	89	PEDIARIX	100
oscimin	76	PEDVAX HIB	100
oscimin sr	76	peg 3350-kcl-na bicarb-nacl	75
oseltamivir phosphate	46	peg-3350/electrolytes	77
OSPHENA	92	peg-3350/electrolytes/ascorbat	75
OTEZLA	70,96	peg-kcl-nacl-nasulf-na asc-c	76
oxandrolone	83	PEG-PREP	76
oxaprozin	1	PEGANONE	17
oxazepam	48	PEGASYS	96
oxcarbazepine	16	PEGASYS PROCLICK	96
oxiconazole nitrate	23	PEMAZYRE	34

PEN NEEDLES.....	107	pioglitazone hcl-metformin hcl.....	49
PENBRAYA.....	100	piperacillin sod-tazobactam so.....	10
penciclovir.....	71	PIQRAY (200 MG DAILY DOSE).....	34
penicillamine.....	80	PIQRAY (250 MG DAILY DOSE).....	34
penicillin g potassium.....	10	PIQRAY (300 MG DAILY DOSE).....	34
PENICILLIN G SODIUM.....	10	pirfenidone.....	116
penicillin v potassium.....	10	PIRFENIDONE.....	116
PENTACEL.....	100	pirmella 1/35.....	89
pentamidine isethionate.....	37	pirmella 7/7/7.....	89
pentazocine-naloxone hcl.....	4	piroxicam.....	1
pentoxifylline er.....	59	PLENVU.....	76
perindopril erbumine.....	55	POCKET CHAMBER.....	107
perlogard.....	66	POCKET SPACER.....	107
permethrin.....	70	podofilox.....	70
perphenazine.....	21	POLY-VI-FLOR.....	74
PERPHENAZINE-AMITRIPTYLINE.....	18	polycin.....	109
PERSERIS.....	40	polymyxin b sulfate.....	8
PFIZERPEN.....	10	polymyxin b-trimethoprim.....	110
phenazo.....	80	POMALYST.....	26
phenazopyridine hcl.....	80	portia-28.....	89
phenelzine sulfate.....	19	posaconazole.....	23
phenobarbital.....	15	pot & sod cit-cit ac.....	80
phenobarbital-belladonna alk.....	77	potassium chloride.....	72
phenohydro.....	77	potassium chloride crys er.....	72
phenylephrine hcl.....	109	potassium chloride er.....	72
phenytek.....	17	potassium chloride in dextrose.....	74
phenytoin.....	17	potassium chloride in nacl.....	72
phenytoin infatabs.....	17	potassium citrate er.....	72
phenytoin sodium extended.....	17	potassium citrate-citric acid.....	80
philith.....	89	pramipexole dihydrochloride.....	38
phospho-trin k500.....	80	pramipexole dihydrochloride er.....	38
PHOSPHOLINE IODIDE.....	112	PRAMOSONE.....	70
phytonadione.....	53	prasugrel hcl.....	53
PIFELTRO.....	44	pravastatin sodium.....	61
pilocarpine hcl.....	66,112	praziquantel.....	36
pimecrolimus.....	69	prazosin hcl.....	54
PIMOZIDE.....	39	prednisolone.....	82
pimtrea.....	89	prednisolone acetate.....	111
pindolol.....	56	prednisolone sodium phosphate.....	82
pioglitazone hcl.....	49	PREDNISOLONE SODIUM PHOSPHATE.....	111
pioglitazone hcl-glimepiride.....	49	prednisone.....	82

PREDNISON INTENSOL.....	82	PROLIA.....	102
pregabalin.....	66	PROMACTA.....	53
PREHEVBRIO.....	100	promethazine hcl.....	21,113
PREMARIN.....	89,90	promethazine vc.....	117
PREMASOL.....	72	PROMETHAZINE VC/CODEINE.....	117
premium lidocaine.....	5	promethazine-codeine.....	117
PREMPHASE.....	90	promethazine-dm.....	117
PREMPRO.....	90	promethazine-phenyleph-codeine.....	117
prenatal vitamins.....	74	promethazine-phenylephrine.....	118
prevalite.....	62	promethegan.....	21
previfem.....	90	propafenone hcl.....	55
PREVYMIS.....	42	propafenone hcl er.....	55
PREZCOBIX.....	46	proparacaine hcl.....	109
PREZISTA.....	46	propranolol hcl.....	56
PRIFTIN.....	25	propranolol hcl er.....	56
primaquine phosphate.....	37	PROPRANOLOL-HCTZ.....	59
PRIMEAIRE HOLDING CHAMBER.....	107	propylthiouracil.....	94
primidone.....	15	PROQUAD.....	100
PRIORIX.....	100	protriptyline hcl.....	20
PRIVIGEN.....	95	pseudoeph-bromphen-dm.....	118
PRO COMFORT INSULIN SYRINGE.....	107	PULMICORT FLEXHALER.....	113
PRO COMFORT SPACER ADULT.....	107	pulmosal.....	118
PRO COMFORT SPACER CHILD.....	107	PULMOZYME.....	115
PRO COMFORT SPACER INFANT.....	107	PURE COMFORT SAFETY PEN NEEDLE.....	107
probenecid.....	23	PURE COMFORT SPACER CHAMBER.....	107
PROCARE SPACER/ADULT MASK.....	107	PURIXAN.....	27
PROCARE SPACER/CHILD MASK.....	107	pyrazinamide.....	25
procentra.....	63	pyridostigmine bromide.....	24
PROCHAMBER VHC.....	107	pyridostigmine bromide er.....	24
prochlorperazine.....	21	pyrimethamine.....	37
prochlorperazine maleate.....	21		
procto-med hc.....	69	<b>Q</b>	
procto-pak.....	69	qc alcohol.....	107
PROCTOFOAM HC.....	70	QINLOCK.....	28
proctosol hc.....	69	QUADRACEL.....	100
proctozone-hc.....	69	quetiapine fumarate.....	41
PROCYSBI.....	79	quetiapine fumarate er.....	41
progesterone.....	92	QUFLORA PEDIATRIC.....	74
PROGRAF.....	98	quinapril hcl.....	55
PROLASTIN-C.....	79	quinapril-hydrochlorothiazide.....	59
PROLENSA.....	111	quinidine gluconate er.....	55

quinidine sulfate . . . . . 55  
 quinine sulfate . . . . . 37

## R

ra isopropyl alcohol wipes . . . . . 107  
 RABAVERT . . . . . 100  
 rabeprazole sodium . . . . . 78  
 raloxifene hcl . . . . . 92  
 ramelteon . . . . . 118  
 ramipril . . . . . 55  
 ranolazine er . . . . . 59  
 rasagiline mesylate . . . . . 38  
 reclusen . . . . . 90  
 RECOMBIVAX HB . . . . . 100  
 REGRANEX . . . . . 70  
 relafen . . . . . 2  
 RELENZA DISKHALER . . . . . 46  
 RELISTOR . . . . . 76  
 repaglinide . . . . . 49  
 REPATHA . . . . . 62  
 REPATHA PUSHTRONEX SYSTEM . . . . . 62  
 REPATHA SURECLICK . . . . . 62  
 RESTASIS . . . . . 109  
 RESTASIS MULTIDOSE . . . . . 109  
 RETACRIT . . . . . 53  
 RETEVMO . . . . . 28  
 REVLIMID . . . . . 26  
 REXULTI . . . . . 41  
 REYATAZ . . . . . 46  
 REZLIDHIA . . . . . 34  
 REZUROCK . . . . . 98  
 RHOPRESSA . . . . . 112  
 ribavirin . . . . . 42,118  
 RIDAURA . . . . . 96  
 rifabutin . . . . . 25  
 rifampin . . . . . 25  
 RIFATER . . . . . 25  
 riluzole . . . . . 65  
 RIMANTADINE HCL . . . . . 46  
 ringers . . . . . 75  
 ringers irrigation . . . . . 75

RINVOQ . . . . . 98  
 RINVOQ LQ . . . . . 98  
 risedronate sodium . . . . . 102  
 risperidone . . . . . 41  
 risperidone microspheres er . . . . . 41  
 RITEFLO . . . . . 107  
 ritonavir . . . . . 46  
 rivastigmine . . . . . 17  
 rivastigmine tartrate . . . . . 17  
 rivelsa . . . . . 90  
 rizatriptan benzoate . . . . . 24  
 ROCKLATAN . . . . . 109  
 roflumilast . . . . . 115  
 ropinirole hcl . . . . . 38  
 ropinirole hcl er . . . . . 38  
 rosadan . . . . . 8  
 rosuvastatin calcium . . . . . 61  
 ROTARIX . . . . . 100  
 ROTATEQ . . . . . 100  
 roweepra . . . . . 14  
 roweepra xr . . . . . 14  
 ROZLYTREK . . . . . 28,29  
 RUBRACA . . . . . 34  
 rufinamide . . . . . 17  
 RUKOBIA . . . . . 45  
 RYBELSUS . . . . . 49  
 RYDAPT . . . . . 34

## S

sajazir . . . . . 94  
 saline bacteriostatic . . . . . 107  
 salsalate . . . . . 2  
 SANDIMMUNE . . . . . 98  
 SANDOSTATIN LAR DEPOT . . . . . 94  
 SANTYL . . . . . 70  
 sapropterin dihydrochloride . . . . . 79  
 SCEMBLIX . . . . . 34  
 scopolamine . . . . . 21  
 SECUADO . . . . . 41  
 SECURESAFE INSULIN SYRINGE . . . . . 107  
 selegiline hcl . . . . . 38

selenium sulfide . . . . .	69	SPINOSAD . . . . .	70
SELZENTRY . . . . .	45	SPIRIVA HANDIHALER . . . . .	114
SEREVENT DISKUS . . . . .	114	SPIRIVA RESPIMAT . . . . .	114
sertraline hcl . . . . .	20	spironolactone . . . . .	60
setlakin . . . . .	90	spironolactone-hctz . . . . .	59
sevelamer carbonate . . . . .	73	sprintec 28 . . . . .	90
sevelamer hcl . . . . .	73	SPRITAM . . . . .	14
sharobel . . . . .	92	SPRYCEL . . . . .	34
SHINGRIX . . . . .	100	SPS (SODIUM POLYSTYRENE SULF) . . . . .	73
SIGNIFOR . . . . .	94	sronyx . . . . .	90
sildenafil citrate . . . . .	80,116	ssd . . . . .	70
SILIGENTLE FOAM DRESSING . . . . .	107	sss 10-5 . . . . .	70
silodosin . . . . .	80	SSS 10-5 . . . . .	70
silver sulfadiazine . . . . .	70	stavudine . . . . .	44
SIMBRINZA . . . . .	112	STELARA . . . . .	70,96
simliya . . . . .	90	sterile water for irrigation . . . . .	107
simpesse . . . . .	90	STIVARGA . . . . .	34
simvastatin . . . . .	61	STRENSIQ . . . . .	79
sirolimus . . . . .	98	STREPTOMYCIN SULFATE . . . . .	6
SIRTURO . . . . .	25	STRIBILD . . . . .	43
SKYRIZI . . . . .	70,77,96	subvenite . . . . .	14
SKYRIZI (150 MG DOSE) . . . . .	96	subvenite starter kit-blue . . . . .	14
SKYRIZI PEN . . . . .	96	subvenite starter kit-green . . . . .	14
SMOFLIPID . . . . .	75	subvenite starter kit-orange . . . . .	14
sod citrate-citric acid . . . . .	81	SUCRAID . . . . .	79
sodium chloride . . . . .	72,118	sucralfate . . . . .	77
sodium chloride (pf) . . . . .	72	sulfacetamide sodium . . . . .	110
sodium chloride bacteriostatic . . . . .	107	sulfacetamide sodium (acne) . . . . .	12
sodium fluoride . . . . .	75	sulfacetamide sodium-sulfur . . . . .	70
sodium phenylbutyrate . . . . .	79	SULFACETAMIDE-PREDNISOLONE . . . . .	109
sodium polystyrene sulfonate . . . . .	73	sulfadiazine . . . . .	12
SODIUM SULFACETAMIDE-BAKUCHIOL . . . . .	70	sulfamethoxazole-trimethoprim . . . . .	12
SOFOSBUVIR-VELPATASVIR . . . . .	42	SULFAMYLON . . . . .	71
solifenacin succinate . . . . .	80	sulfasalazine . . . . .	101
SOLTAMOX . . . . .	26	sulfatrim pediatric . . . . .	12
SOMATULINE DEPOT . . . . .	94	sulindac . . . . .	2
SOMAVERT . . . . .	94	sumatriptan . . . . .	24
sorafenib tosylate . . . . .	34	sumatriptan succinate . . . . .	24
sorine . . . . .	55	sumatriptan succinate refill . . . . .	24
sotalol hcl . . . . .	55	sunitinib malate . . . . .	34
sotalol hcl (af) . . . . .	55	SUNLENCA . . . . .	45



SUPRAX.....	9	TECHLITE PLUS PEN NEEDLES.....	108
SURE COMFORT PEN NEEDLES.....	107	TEFLARO.....	9
syeda.....	90	telmisartan.....	54
symax-sl.....	77	telmisartan-amlodipine.....	59
symax-sr.....	77	telmisartan-hctz.....	59
SYMDEKO.....	115	temazepam.....	118
SYMPAZAN.....	15	TEMIXYS.....	44
SYMTUZA.....	46	TENCON.....	65
SYNAREL.....	94	TENIVAC.....	100
SYNERCID.....	8	tenofovir disoproxil fumarate.....	44
SYNJARDY.....	49	TEPMETKO.....	35
SYNJARDY XR.....	50	terazosin hcl.....	54
SYNRIBO.....	29	terbinafine hcl.....	23
SYNTHROID.....	93	terbutaline sulfate.....	114
<b>T</b>		terconazole.....	23
TABLOID.....	27	teriflunomide.....	66
TABRECTA.....	29	TERIPARATIDE (RECOMBINANT).....	102
tacrolimus.....	69,98	testosterone.....	83
tadalafil.....	80	testosterone cypionate.....	83
tadalafil (pah).....	116	TESTOSTERONE ENANTHATE.....	83
TAFINLAR.....	34	TETANUS-DIPHTHERIA TOXOIDS TD.....	100
tafluprost (pf).....	112	tetrabenazine.....	65
TAGRISSO.....	35	tetracycline hcl.....	12
TALTZ.....	96	THALOMID.....	26
TALZENNA.....	35	THEO-24.....	115
tamoxifen citrate.....	27	theophylline.....	115
tamsulosin hcl.....	80	theophylline er.....	115
tarina 24 fe.....	90	thioridazine hcl.....	39
tarina fe 1/20.....	90	thiotepa.....	25
tarina fe 1/20 eq.....	90	thiothixene.....	39
taron-crystals.....	81	THYROID.....	93
TASIGNA.....	35	tiadylt er.....	57
tasimelteon.....	118	tiagabine hcl.....	16
taysofy.....	90	TIBSOVO.....	35
tazarotene.....	67	TICOVAC.....	100
TAZICEF.....	9	tigecycline.....	8
TAZORAC.....	67	tilia fe.....	90
taztia xt.....	57	timolol maleate.....	24,111
TAZVERIK.....	29	timolol maleate (once-daily).....	111
TDVAX.....	100	timolol maleate ocudose.....	111
		timolol maleate pf.....	111

tinidazole . . . . .	8	tretinoin . . . . .	36,67
tiopronin . . . . .	81	TREXALL . . . . .	98
tis-u-sol . . . . .	75	tri femynor . . . . .	90
TIVICAY . . . . .	43	tri-estarylla . . . . .	90
TIVICAY PD . . . . .	43	tri-legest fe . . . . .	90
tizanidine hcl . . . . .	42	tri-linyah . . . . .	90
TOBI PODHALER . . . . .	115	tri-lo-estarylla . . . . .	90
TOBRADEX . . . . .	109	tri-lo-marzia . . . . .	90
tobramycin . . . . .	110,115	tri-lo-mili . . . . .	90
tobramycin sulfate . . . . .	6	tri-lo-sprintec . . . . .	90
tobramycin-dexamethasone . . . . .	109	tri-mili . . . . .	90
TOBEX . . . . .	110	tri-nymyo . . . . .	90
TOLAK . . . . .	70	tri-previfem . . . . .	90
TOLBUTAMIDE . . . . .	50	tri-sprintec . . . . .	90
tolterodine tartrate . . . . .	80	TRI-VITE/FLUORIDE . . . . .	75
tolterodine tartrate er . . . . .	80	tri-vylibra . . . . .	90
topiramate . . . . .	14	tri-vylibra lo . . . . .	90
topiramate er . . . . .	14	triamcinolone acetonide . . . . .	67,69
toremifene citrate . . . . .	27	triamterene . . . . .	60
toremide . . . . .	60	triamterene-hctz . . . . .	60
TOUJEO MAX SOLOSTAR . . . . .	51	triazolam . . . . .	119
TOUJEO SOLOSTAR . . . . .	51	tricitrates . . . . .	81
tovet . . . . .	69	triderm . . . . .	69
TPN ELECTROLYTES . . . . .	75	trientine hcl . . . . .	73
TRACLEER . . . . .	116	TRIENTINE HCL . . . . .	73
TRADJENTA . . . . .	50	trifluoperazine hcl . . . . .	39
tramadol hcl . . . . .	4,5	TRIFLURIDINE . . . . .	46
tramadol hcl (er biphasic) . . . . .	3	trihexyphenidyl hcl . . . . .	37
tramadol hcl er . . . . .	3	TRIKAFTA . . . . .	115
tramadol-acetaminophen . . . . .	5	trilyte . . . . .	76
trandolapril . . . . .	55	trimethobenzamide hcl . . . . .	21
TRANDOLAPRIL-VERAPAMIL HCL ER . . . . .	60	trimethoprim . . . . .	8
tranexamic acid . . . . .	53	trimipramine maleate . . . . .	20
tranylcypromine sulfate . . . . .	19	TRINTELLIX . . . . .	20
travoprost (bak free) . . . . .	112	TRIUMEQ . . . . .	44
trazodone hcl . . . . .	20	TRIUMEQ PD . . . . .	44
TRECTOR . . . . .	25	trivora (28) . . . . .	91
TRELEGY ELLIPTA . . . . .	118	TRIZIVIR . . . . .	44
TRELSTAR MIXJECT . . . . .	94	tropium chloride . . . . .	80
TRESIBA . . . . .	51	tropium chloride er . . . . .	80
TRESIBA FLEXTOUCH . . . . .	51	TRUE COMFORT INSULIN SYRINGE . . . . .	108

TRUE COMFORT PEN NEEDLES.....	108	VAQTA.....	100
TRUE COMFORT PRO PEN NEEDLES.....	108	vardenafil hcl.....	81
TRULICITY.....	50	varenicline tartrate.....	6
TRUMENBA.....	100	varenicline tartrate (starter).....	6
TRUQAP.....	30	varenicline tartrate(continue).....	6
TUKYSA.....	35	VARIVAX.....	100
tulana.....	92	VAXCHORA.....	100
TURALIO.....	35	VECAMYL.....	60
turqoz.....	91	VELIVET.....	91
TWINRIX.....	100	VELTASSA.....	73
TYBOST.....	45	VENCLEXTA.....	35
tydemy.....	91	VENCLEXTA STARTING PACK.....	35
TYMLOS.....	102	venlafaxine hcl.....	20
TYPHIM VI.....	100	venlafaxine hcl er.....	20
TYSABRI.....	66	VENTAVIS.....	116
<b>U</b>		verapamil hcl.....	57
UBRELVY.....	24	VERAPAMIL HCL ER.....	58
UKONIQ.....	35	VERIFINE INSULIN PEN NEEDLE.....	108
ULTIGUARD SAFEPACK PEN NEEDLE.....	108	VERIFINE INSULIN SYRINGE.....	108
UNIFINE PROTECT PEN NEEDLE.....	108	VERIFINE PLUS PEN NEEDLE.....	108
UNIFINE SAFECONTROL PEN NEEDLE.....	108	VERQUVO.....	60
unithroid.....	93	VERSACLOZ.....	41
ursodiol.....	77	VERZENIO.....	35
<b>V</b>		vestura.....	91
valacyclovir hcl.....	46	VICTOZA.....	50
VALCHLOR.....	25	vienva.....	91
valganciclovir hcl.....	42	vigabatrin.....	16
valproate sodium.....	14	vigadrone.....	16
valproic acid.....	14	VIGAFYDE.....	16
valsartan.....	54	vigpoder.....	16
valsartan-hydrochlorothiazide.....	60	VIIBRYD STARTER PACK.....	20
VALTOCO 10 MG DOSE.....	16	vilazodone hcl.....	20
VALTOCO 15 MG DOSE.....	16	viorele.....	91
VALTOCO 20 MG DOSE.....	16	VIRACEPT.....	46
VALTOCO 5 MG DOSE.....	16	VIREAD.....	44
vanadom.....	118	virtussin a/c.....	118
vancomycin hcl.....	8	virtussin ac w/alc.....	118
VANDAZOLE.....	8	vitamin d (ergocalciferol).....	102
VANFLYTA.....	29	VITAMINS ACD-FLUORIDE.....	75
		VITRAKVI.....	35
		VIZIMPRO.....	35

volnea	91
VONJO	36
voriconazole	23
VORTEX HOLD CHMBR/MASK/CHILD	108
VORTEX HOLD CHMBR/MASK/TODDLER	108
VORTEX VALVED HOLDING CHAMBER	108
VOSEVI	42
VRAYLAR	41
vyfemla	91
vylibra	91
VYNDAMAX	60
VYNDAQEL	79
VYZULTA	112

## W

warfarin sodium	52
WATCHHALER	108
water for irrigation, sterile	108
WELIREG	29
wera	91
wixela inhub	118
wymzya fe	91

## X

XALKORI	35
XARELTO	52
XARELTO STARTER PACK	52
XATMEP	99
XCOPRI	14,15
XCOPRI (250 MG DAILY DOSE)	14
XCOPRI (350 MG DAILY DOSE)	15
XELJANZ	96
XELJANZ XR	99
XERMELO	76
XGEVA	102
XIFAXAN	8
XIGDUO XR	50
XIIDRA	109
XOFLUZA (40 MG DOSE)	46
XOFLUZA (80 MG DOSE)	46
XOLAIR	96

XOSPATA	35
XPOVIO (100 MG ONCE WEEKLY)	29
XPOVIO (40 MG ONCE WEEKLY)	29
XPOVIO (40 MG TWICE WEEKLY)	29
XPOVIO (60 MG ONCE WEEKLY)	29
XPOVIO (60 MG TWICE WEEKLY)	29
XPOVIO (80 MG ONCE WEEKLY)	29
XPOVIO (80 MG TWICE WEEKLY)	29
XTANDI	26
xulane	91
XYREM	119

## Y

yargesa	79
YF-VAX	101
yuvafem	91

## Z

zafemy	91
zafirlukast	113
zaleplon	119
zarah	91
ZARXIO	53
zebutal	65
ZEJULA	36
ZELBORAF	36
zenatane	67
ZENPEP	79
zenzedi	63,64
zidovudine	44
ziprasidone hcl	41
ziprasidone mesylate	41
ZIRGAN	42
zoledronic acid	102
ZOLINZA	29
zolmitriptan	24
zolpidem tartrate	119
zolpidem tartrate er	119
ZONISADE	17
zonisamide	17
ZONTIVITY	52

zovia 1/35 (28).....	91
zovia 1/35e (28).....	91
ZTALMY.....	15
ZUBSOLV.....	5,6
zumandimine.....	91
ZURZUVAE.....	18
ZYDELIG.....	36
ZYKADIA.....	36
ZYLET.....	109
ZYPREXA RELPREVV.....	41



## NONDISCRIMINATION NOTICE

Discrimination is against the law. Blue Shield of California complies with applicable state laws and federal civil rights laws and does not discriminate on the basis of race, color, national origin, ancestry, religion, sex, marital status, gender, gender identity, sexual orientation, age or disability. Blue Shield of California does not exclude people or treat them differently because of race, color, national origin, ancestry, religion, sex, marital status, gender, gender identity, sexual orientation, age or disability.

Blue Shield of California provides:

- Aids and services at no cost to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact the Blue Shield of California Civil Rights Coordinator.

If you believe that Blue Shield of California has failed to provide these services or discriminated in another way on the basis of race, color, national origin, ancestry, religion, sex, marital status, gender, gender identity, sexual orientation, age or disability, you can file a grievance with:

Blue Shield of California  
Civil Rights Coordinator  
P.O. Box 629007  
El Dorado Hills, CA 95762-9007  
Phone: (844) 831-4133 (TTY: 711)  
Fax: (844) 696-6070  
Email: [BlueShieldCivilRightsCoordinator@blueshieldca.com](mailto:BlueShieldCivilRightsCoordinator@blueshieldca.com)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

**Multi-Language Insert**  
**Multi-Language Interpreter Services**

**English** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-800-776-4466. Someone who speaks English can help you. This is a free service.

**Spanish** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-800-776-4466. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-800-776-4466。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-800-776-4466。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggagamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-800-776-4466. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-800-776-4466. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-800-776-4466 sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-800-776-4466. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-800-776-4466 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-800-776-4466. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول ليس عليك سوى الاتصال بنا على 1-800-776-4466. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية على مترجم فوري،

**Hindi** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-800-776-4466 पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है.

**Italian** E disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-800-776-4466. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-800-776-4466. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-800-776-4466. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-800-776-4466. Ta usługa jest bezpłatna.

**Japanese** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、1-800-776-4466 にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。

**Hmong** Peb muaj cov kev pab cuam txhais lus pab dawb los teb tej lus nug uas koj muaj hais txog ntawm peb li kev noj qab haus huv los sis lub phiaj xwm tshuaj kho mob. Kom tau txais tus kws pab cuam txhais lus, tsuas yog hu rau peb ntawm 1-800-776-4466. Muaj cov paub lus Hmoob tuaj yeem pab tau koj. Qhov no yog pab dawb.

**Ukrainian** Ми надаємо безкоштовні послуги перекладача, щоб відповісти на будь-які запитання щодо нашого плану лікування чи надання лікарських засобів. Щоб скористатися послугами перекладача, просто зателефонуйте нам за номером 1-800-776-4466. Вам може допомогти хтось, хто розмовляє Українською. Це безкоштовна послуга.

**Navajo** D77 ats'77s baa lhly3 47 doodago azee' bee aa lhly3 b7na'7d7[kidgo 47 n1 ata' hodoolnih77 h0l=. Ata' halne'4 biniiy4go, koj8' 1-800-776-4466 b44sh bee hod77lnih. Diné k'ehj7 y1[ti'i n7k1 adoolwo]. D77 t'1l j77k'eh bee an1'1wo.

**Punjabi** ਪੰਜਾਬੀ ਸਾਡੀ ਸਿਹਤ ਨਾਂ ਡਰੱਗ ਪਲਾਨ ਬਾਰੇ ਤੁਹਾਡੇ ਕਿਸੇ ਵੀ ਸਵਾਲ ਦਾ ਜਵਾਬ ਦੇਣ ਲਈ ਸਾਡੇ ਕੋਲ ਮੁਫਤ ਦੁਆਰਾ ਸੇਵਾਵਾਂ ਉਪਲਬਧ ਹਨ। ਇੱਕ ਦੁਆਰਾ ਲੈਣ ਲਈ, ਸਾਨੂੰ 1-800-776-4466 'ਤੇ ਕਾਲ ਕਰੋ। ਪੰਜਾਬੀ ਬੋਲਣ ਵਾਲਾ ਕੋਈ ਵੀ ਵਿਅਕਤੀ ਤੁਹਾਡੀ ਮਦਦ ਕਰ ਸਕਦਾ ਹੈ। ਇਹ ਇੱਕ ਮੁਫਤ ਸੇਵਾ ਹੈ।

**Khmer** យើងមានសេវាអ្នកបកប្រែផ្តល់មាត់ដោយឥតគិតថ្លៃដើម្បីឆ្លើយសំណួរនានា ដែលអ្នកអាចមានអំពីសុខភាព ឬគម្រោងឱសថរបស់យើង។ ដើម្បីទទួលបានអ្នកបកប្រែផ្តល់មាត់ម្នាក់ សូមទូរស័ព្ទមកយើងខ្ញុំតាមលេខ 1-800-776-4466។ អ្នកណាម្នាក់ដែលនិយាយភាសាខ្មែរអាចជួយអ្នកបាន។ សេវានេះមិនគិតថ្លៃនោះទេ។

**Mien** Yie mbuo mbenc duqv maaih tengx wang-henh nzie faan waac mienh liouh dau waac bun muangx dongh nzunc baav meih maaih waac naaic taux yie mbuo gorngv taux yie nyei heng-wangc jauv-louc a'fai ndie-daan. Liouh lorx zipv longc faan waac nor, douc waac lorx taux yie mbuo yiem njiec naaiv 1-800-776-4466. Maaih mienh gorngv benx Mienh waac haih tengx nzie duqv meih. Naaiv se benx wang-henh nzie weih jauv-louc oc.

**Lao** ພວກເຮົາມີນາຍພາສາໂດຍບໍ່ເສຍຄ່າເພື່ອຕອບຄໍາຖາມຕ່າງໆທີ່ທ່ານອາດຈະມີກ່ຽວກັບສຸຂະພາບ ຫຼື ແຜນການຢາຂອງພວກເຮົາ. ເພື່ອໃຫ້ໄດ້ຮັບນາຍພາສາ, ພຽງແຕ່ໂທຫາພວກເຮົາທີ່ເບີ 1-800-776-4466. ມີຜູ້ຮູ້ພາສາລາວ ສາມາດຊ່ວຍທ່ານ. ນີ້ແມ່ນບໍລິການໂດຍບໍ່ເສຍຄ່າ.

**Armenian** Մեզ քոն հասանելի են անվճար թարգմանչական ծառայություններ՝ մեր առողջապահական կազմակերպիչի հետ կապված Ձեր ցանկացած հարցին պատասխանելու համար: Թարգմանիչ ունենալու համար պարզապես զանգահարեք մեզ 1-800-776-4466 հեռախոսահամարով: Ձեզ կօգնի հարցերին իմացող թարգմանիչը: Ծառայությունն անվճար է:

**Farsi** ما خدمات مترجم شفاهی رایگان ارائه می‌دهیم تا به هر گونه سوالی که در مورد طرح سلامت یا داروی ما دارید پاسخ دهیم. برای داشتن مترجم شفاهی، کافیت با ما به شماره 1-800-776-4466 تماس بگیرید. کسی که فارسی صحبت می‌کند می‌تواند به شما کمک کند. این یک خدمت رایگان است.

**Thai** ภาษาไทย เรามีบริการล่ามฟรีเพื่อตอบคำถามของคุณเกี่ยวกับสุขภาพหรือแผนด้านยาของคุณ หากต้องการบริการล่าม โปรดโทรหาเราที่ 1-800-776-4466 มีคนที่สามารถพูดภาษาไทยได้เพื่อช่วยเหลือคุณ บริการนี้เป็นบริการฟรี



This formulary was updated on **10/22/2024** . For more recent information or other questions, please contact Blue Shield of California Customer Service, at **(800) 776-4466** or, for TTY users, **711**, 8 a.m. to 8 p.m., seven days a week, or visit **[blueshieldca.com/medformulary2024](https://blueshieldca.com/medformulary2024)**.

Blue Shield of California's pharmacy network includes limited lower-cost, preferred pharmacies in certain counties within California. The lower costs advertised in our plan materials for these pharmacies may not be available at the pharmacy you use. For up-to-date information about our network pharmacies, including whether there are any lower-cost preferred pharmacies in your area, please call **(800) 776-4466 [TTY: 711]**, 8 a.m. to 8 p.m., seven days a week or consult the online pharmacy directory at **[blueshieldca.com/medpharmacy2024](https://blueshieldca.com/medpharmacy2024)**.

The company complies with applicable state laws and federal civil rights laws and does not discriminate, exclude people, or treat them differently on the basis of race, color, national origin, ethnic group identification, medical condition, genetic information, ancestry, religion, sex, marital status, gender, gender identity, sexual orientation, age, mental disability, or physical disability. La compañía cumple con las leyes de derechos civiles federales y estatales aplicables, y no discrimina, ni excluye ni trata de manera diferente a las personas por su raza, color, país de origen, identificación con determinado grupo étnico, condición médica, información genética, ascendencia, religión, sexo, estado civil, género, identidad de género, orientación sexual, edad, ni discapacidad física ni mental. 本公司遵守適用的州法律和聯邦民權法律，並且不會以種族、膚色、原國籍、族群認同、醫療狀況、遺傳資訊、血統、宗教、性別、婚姻狀況、性別認同、性取向、年齡、精神殘疾或身體殘疾而進行歧視、排斥或區別對待他人。